



CITY OF MANCHESTER

Health Department

Inspection Scores by Facility

Period from 10/01/2012 through 12/31/2012

Facility	Inspection Date	Score	Violation
11 Eleven Bistro, 36 Lowell St			
	11/15/2012	98	No Critical Violations Observed
25 Lake Dr. DBA Dunkin Donuts, 122 Londonderry Tpk			
	11/2/2012	97	No Critical Violations Observed
2nd Street Mobil on the Run, 1019 Second St			
	10/31/2012	94	No Critical Violations Observed
7-11 #32497B, 234 Mammoth Rd			
	10/31/2012	91	No Critical Violations Observed
7-11, 117 Queen City Ave			
	10/31/2012	92	No Critical Violations Observed
7-11, 2305 Brown Ave			
	12/13/2012	84	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF. 22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
7-Eleven #32499B, 557 Maple St			
	11/19/2012	95	No Critical Violations Observed
7-Eleven #33202C, 85 So. Main St			
	10/24/2012	92	No Critical Violations Observed
777 Express, 777 Hooksett Rd			
	11/21/2012	96	No Critical Violations Observed
900 Degrees, 50 Dow St			
	10/30/2012	91	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours.
99 Cent and Cigarette Market, 383 Kelley St			
	11/27/2012	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
99 Restaurant & Pub, 1685 So. Willow St	12/6/2012	99	No Critical Violations Observed
A & R West Convenience & Munchies, 20 Schuyler St	11/21/2012	99	No Critical Violations Observed
A Market Kitchen, 379 So. Willow St	12/19/2012	97	No Critical Violations Observed
A Market Natural Foods, 125 Loring St	12/19/2012	98	No Critical Violations Observed
ABC Nursery, 108 Revere Ave	12/14/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
AFC Sushi @ Hannaford #178, 859 Hanover St	10/18/2012	99	No Critical Violations Observed
Airport Diner Inc., 2280 Brown Ave	12/11/2012	92	No Critical Violations Observed
Ali Baba dba Spice Center, 245 Maple St	12/11/2012	75	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations. 12-HANDS WASHED - Employees were not washing hands when required. 22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
Alltown Manchester, 2391 Brown Ave	12/14/2012	97	No Critical Violations Observed
Aloha Restaurant, 901 Hanover St	10/31/2012	93	No Critical Violations Observed
Alpine Club, 175 Putnam St	12/14/2012	93	No Critical Violations Observed
American Legion Henry J. Sweeney, 251 Maple St	12/3/2012	99	No Critical Violations Observed
American Legion Post #43, 56 Boutwell St	12/14/2012	95	No Critical Violations Observed
American Legion Post #79, 35 W. Brook St	12/21/2012	98	No Critical Violations Observed
Amory St House of Pizza, 253 Amory St	12/13/2012	93	No Critical Violations Observed
Andre's Diner Inc., 100 Willow St	11/27/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Angela's Pasta & Cheese Shop, 815 Chestnut St	10/16/2012	97	No Critical Violations Observed
Annula's Pizza & Deli, 525 Chestnut St	10/25/2012	98	No Critical Violations Observed
Apple Blossom Child Center LLC, 1 Sundial Ave	11/28/2012	97	No Critical Violations Observed
Applebee's Neighborhood Grill and Bar, 581 Second St	12/26/2012	91	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Aramark Corporation-Kitchen, 555 Elm St	12/21/2012	94	No Critical Violations Observed
Aramark Corporation-Lounge, 555 Elm St	12/21/2012	98	No Critical Violations Observed
Aramark Corporation-Stand A, 555 Elm St	12/21/2012	99	No Critical Violations Observed
Aramark Corporation-Stand B, 555 Elm St	12/21/2012	99	No Critical Violations Observed
Aramark Corporation-Stand C, 555 Elm St	12/21/2012	98	No Critical Violations Observed
Aramark Corporation-Stand D, 555 Elm St	12/21/2012	97	No Critical Violations Observed
Arby's, 1500 So. Willow St	11/13/2012	97	No Critical Violations Observed
Assumption Church, 111 Island Pond Rd	11/1/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Ate Doors Down, 967 Elm St	12/12/2012	92	No Critical Violations Observed
Athens Restaurant, 31 Central St	12/20/2012	80	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF. 31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Auntie Anne's Pretzels, 1500 So. Willow St	11/13/2012	94	No Critical Violations Observed
Awesome Pizza 2, 444 Second St	12/31/2012	91	No Critical Violations Observed
B & B Cafe and Grill / 25 Stark St. LLC, 25 Stark St	12/5/2012	93	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Bakersville School, 20 Elm St	11/28/2012	96	No Critical Violations Observed
Bakolas Market, Inc., 110 Spruce St	10/26/2012	97	No Critical Violations Observed
Bamboo Garden, 329 Lincoln St	10/23/2012	82	35-INSECTS - The facility has an insect infestation.
Barnes & Noble Booksellers, 1741 So. Willow St	11/16/2012	92	No Critical Violations Observed
Bartlett Street Superette, 316 Bartlett St	11/30/2012	98	No Critical Violations Observed
Beech Street School, 333 Beech St	10/4/2012	92	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Beechmont Market, 609 So. Beech St	12/13/2012	94	No Critical Violations Observed
Beijing Cuisine, 2650 Brown Ave	12/13/2012	76	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Belmont Hall, LLC, 718 Grove St	10/22/2012	98	No Critical Violations Observed
Bertucci's Brick Oven Pizzeria, 1500 So. Willow St	11/15/2012	94	No Critical Violations Observed
Best Beef, 720 E. Industrial Park Dr	12/6/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Big Easy Bagel, 2626 Brown Ave	11/26/2012	96	No Critical Violations Observed
Billy's Sports Bar & Grill, 34 Tarrytown Rd	11/14/2012	83	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Birch Hill Terrace, 200 Alliance St	11/16/2012	95	No Critical Violations Observed
Bishop Leo E. O'Neil Youth Center, 30 So. Elm St	12/26/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Bishop Peterson Residence, 221 Orange St	10/12/2012	96	No Critical Violations Observed
Blackout Cafe, 1050 Holt Ave	10/18/2012	96	No Critical Violations Observed
Blake's Restaurant, 353 So. Main St	12/28/2012	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations.
Blake's Restaurant, 53 Hooksett Rd	11/9/2012	91	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Blessed Sacrament Church, 14 Elm St	11/26/2012	98	No Critical Violations Observed
Blue Moon Asian Fusion, 967 Elm St	12/12/2012	76	12-HANDS WASHED - Employees were not washing hands when required. 27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
Bob's Discount Furniture, 1875 So. Willow St	11/28/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Bobby O's Foods LLC, 722 E. Industrial Park Dr	11/30/2012	92	30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
Bonne Sante Natural Foods, 425 Mast Rd	12/14/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Bonsai's Restaurant, 2265 Candia Rd	12/27/2012	83	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Bosna Store LLC, 71 Manchester St	10/2/2012	99	No Critical Violations Observed
Boston Market #0027, 14 March St	12/6/2012	89	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.

Facility	Inspection Date	Score	Violation
Boys & Girls Club of Manchester, 555 Union St			
	12/17/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Breezeway Pub, 14 Pearl St			
	12/5/2012	97	No Critical Violations Observed
Bremer Street Food Mart, 218 Bremer St			
	11/21/2012	93	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
British American Association, 235 Central St			
	12/7/2012		No Critical Violations Observed
British Beer Company, 1071 So. Willow St			
	11/19/2012	91	No Critical Violations Observed
Brother's Pizza, 6 Willow St			
	11/27/2012	93	No Critical Violations Observed
Brown School Apartments, 435 Amory St			
	11/30/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Burger King, 623 Second St			
	12/28/2012	89	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Burger King, 737 Hooksett Rd			
	11/8/2012	95	No Critical Violations Observed
Cactus Jack's, 782 So. Willow St			
	10/15/2012	79	12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Caesario's Pizza, 1057 Elm St			
	11/19/2012	88	No Critical Violations Observed
Cafe Momo, 1065 Hanover St			
	12/27/2012	90	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Cajun Cafe Grill, 1500 So Willow St			
	11/14/2012	67	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
	11/15/2012	93	No Critical Violations Observed
	12/20/2012	68	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			12-HANDS WASHED - Employees were not washing hands when required.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
	12/21/2012	75	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- CLEAN - The sanitization rinse was not clean, ie. free of debris.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Candia Road Brewing, 840 Candia Rd			
	10/23/2012	94	35-INSECTS - The facility has an insect infestation.
Candia Road Convenience, 836 Candia Rd			
	10/16/2012	94	No Critical Violations Observed
Candy Kingdom, 235 Harvard St			
	11/2/2012	96	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.

Facility	Inspection Date	Score	Violation
Canton Garden, 159 Kelley St			
	12/18/2012	75	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Capri Market, 540 Hall St			
	12/6/2012	98	No Critical Violations Observed
Caribbean Market, 302 Lake Ave			
	10/31/2012	94	No Critical Violations Observed
Carpenter Center, 323 Franklin St			
	12/17/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Carvel Ice Cream, 555 Elm St			
	12/21/2012	98	No Critical Violations Observed
Castle Caterers LLC, 700 Lucas Rd			
	10/30/2012	84	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
			35-INSECTS - The facility has an insect infestation.
Catholic Medical Center Cafeteria, 100 McGregor St			
	12/7/2012	97	No Critical Violations Observed
CD Restaurant & Lounge, 2323 Brown Ave			
	12/13/2012	96	No Critical Violations Observed
Chartwells Dining Services @ NHIA, 1000 Elm St			
	11/8/2012	93	No Critical Violations Observed
Cheeseco of NE, 97 Eddy Rd			
	10/26/2012	91	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
Chelby's Pizza, 284 Mammoth Rd			
	10/25/2012	97	No Critical Violations Observed
Chen's Garden, 956 Second St			
	12/28/2012	85	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Cheng Du Kitchen, 665 Hooksett Rd			
	11/28/2012	91	No Critical Violations Observed
Chesterman LLC dba Dunkin Donuts, 855 Candia Rd			
	12/6/2012	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Chestnut Street Downtown Diner LLC, 363 Chestnut St			
	11/28/2012	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Chiggy's Place Inc., 372 Kelley St			
	11/8/2012	99	No Critical Violations Observed
Child and Family Services, 99 Hanover St			
	12/19/2012	91	No Critical Violations Observed
China Kitchen, 173 Hanover St			
	10/17/2012	73	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			35-RODENTS - The facility has a rodent infestation.
China Wind, 31 Massabesic St			
	10/24/2012	94	No Critical Violations Observed
Chuck E Cheese, 1525 So. Willow St			
	11/27/2012	96	No Critical Violations Observed
Cibao Market, 422 Belmont St			
	12/5/2012	92	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Cinnabest, LLC, 1500 So. Willow St			
	11/16/2012	93	No Critical Violations Observed
Clam King Inc. dba: CK's Grill, 791 Second St			
	12/31/2012	89	No Critical Violations Observed
Club Canadian, 128 So Main St			
	12/27/2012	95	No Critical Violations Observed
Club Lafayette, 387 Canal St			
	12/7/2012	95	No Critical Violations Observed
Club Mont Royal, 594 Somerville St			
	10/16/2012	90	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
CM Concessions LLC, 555 Elm St			
	12/21/2012	99	No Critical Violations Observed
CM Concessions, 555 Elm St			
	12/21/2012	96	No Critical Violations Observed
Cold Stone Creamery, 102 March Ave			
	12/6/2012	96	No Critical Violations Observed
Comfort Inn, 298 Queen City Ave			
	11/27/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Consuelo's Taqueria, 36 Amherst St			
	12/27/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Convenience Plus Manchester, 20 Roundstone Dr			
	12/12/2012	96	No Critical Violations Observed
Cotton Restaurant, 75 Arms St			
	11/28/2012	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Country Kitchen, 199 Pepsi Dr			
	11/27/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Crossmark, 200 John E. Devine Dr			
	12/17/2012	97	No Critical Violations Observed
Crosstown Convenience, 995 Goffstown Rd			
	12/6/2012	96	No Critical Violations Observed
Crosstown Market, 77 Bremer St			
	10/26/2012	97	No Critical Violations Observed
Crosstown Variety Store, 270 Amory St			
	11/8/2012	96	No Critical Violations Observed
Cumberland Farms #5511, 275 Hanover St			
	12/13/2012	99	No Critical Violations Observed
CVS Pharmacy #2257, 271 Mammoth Rd			
	11/13/2012	96	No Critical Violations Observed
CVS Pharmacy #7932, 432 So. Main St			
	12/10/2012	95	No Critical Violations Observed
CVS Pharmacy #823, 947 Elm St			
	10/17/2012	98	No Critical Violations Observed
Cypress Center Kitchen, 401 Cypress St			
	12/17/2012	97	No Critical Violations Observed
D'Angelo Sandwich Shop, 1500 So. Willow St			
	11/13/2012	96	No Critical Violations Observed
D'Angelo Sandwich Shop, 401 So. Willow St			
	12/3/2012	96	No Critical Violations Observed
D'Angelo Sandwich Shop, 673 Hooksett Rd			
	10/2/2012	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
D'Angelo Sandwich Shop, 88 Harvey Rd			
	12/5/2012	95	No Critical Violations Observed
D'Angelo Sandwich Shop, 900 Second St			
	12/28/2012	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Dairy Queen, 715 Second St	12/31/2012	95	No Critical Violations Observed
Dairy Queen/Orange Julius, 1500 So. Willow St	11/13/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Dancing Lion Chocolates, 917 Elm St	12/6/2012	98	No Critical Violations Observed
Davignon Club, 218 Wilson St	10/16/2012	93	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
DEKA 324, 324 Commercial St	12/13/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Derryfield Lower School, 2108 River Rd	11/1/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Derryfield Upper School, 2108 River Rd	11/1/2012	95	03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165°F within 2 hours.
DH's Doghouse LLC, 656 So. Mammoth Rd	11/16/2012	99	No Critical Violations Observed
Disabled American Veterans, 399 Silver St	10/17/2012	92	No Critical Violations Observed
DJJS - Main Kitchen, 1056 No. River Rd	12/11/2012	97	No Critical Violations Observed
Domino's Pizza, 150 Amory St	11/9/2012	94	No Critical Violations Observed
Domino's Pizza, 212 Lowell St	10/10/2012	90	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. 30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
Don Quijote Rest II, 333 Valley St	11/30/2012	87	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Don Quijote Restaurant, 362 Union St	11/28/2012	91	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Doogie's, 37 Manchester St	12/20/2012	94	No Critical Violations Observed
Dos Amigos Burritos, 931 Elm St	11/30/2012	97	No Critical Violations Observed
Doug's Best Batch, 724 E. Industrial Park Dr	11/1/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Doughvinci's Inc., 728 E. Industrial Park Dr	10/22/2012	98	No Critical Violations Observed
Down the Block, 167 Hanover St	12/18/2012	96	No Critical Violations Observed
DRYNK, 20 Old Granite St	12/20/2012	98	No Critical Violations Observed
Dunkin Donuts (Ellhos LLC), 1 Elliot Way	10/25/2012	98	No Critical Violations Observed
Dunkin Donuts @ CMC, 100 McGregor St	12/7/2012	95	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Dunkin Donuts, 100 Eddy Rd	11/16/2012	97	No Critical Violations Observed
Dunkin Donuts, 1265 So. Willow St	12/4/2012	92	No Critical Violations Observed
Dunkin Donuts, 1500 So. Willow St	11/13/2012	96	No Critical Violations Observed
Dunkin Donuts, 20 Roundstone Dr	12/12/2012	98	No Critical Violations Observed
Dunkin Donuts, 216 Elm St	12/31/2012	97	No Critical Violations Observed
Dunkin Donuts, 2297 Brown Ave	12/13/2012	92	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Dunkin Donuts, 4 Main St	11/7/2012	99	No Critical Violations Observed
Dunkin Donuts, 510 Harvey Rd	12/6/2012	95	No Critical Violations Observed
Dunkin Donuts, 921 Beech St	10/15/2012	95	No Critical Violations Observed
Dunkin Donuts, 947 Second St	12/28/2012	96	No Critical Violations Observed
East Manchester Fish & Game Club, 50 Massabesic St	12/7/2012	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
East Side Club, 786 Massabesic St	12/7/2012	97	No Critical Violations Observed
East-West Foods, 2626 Brown Ave	12/13/2012	92	No Critical Violations Observed
Easter Seals Adult Day Program, 555 Auburn St	10/11/2012	95	No Critical Violations Observed
Easter Seals Child Development Ctr, 555 Auburn St	10/11/2012	92	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
Easter Seals, 435 So. Main St	12/10/2012	96	No Critical Violations Observed
Econo Lodge, 75 W. Hancock St	11/27/2012	99	No Critical Violations Observed
Eddy Rd Shell, Nouria Energy Retail, 245 Eddy Rd	10/26/2012	97	No Critical Violations Observed
Eddy Road Mobil, 210 Eddy Rd	10/19/2012	84	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to use or re-use as necessary. 41-TOXICS LABELED - Toxic items were not labeled as to their contents. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
El Mexicano Jr, 197 Wilson St	10/2/2012	85	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment. 35-INSECTS - The facility has an insect infestation.
El Patron Sports Bar & Grill LLC, 253 Wilson St	12/18/2012	89	No Critical Violations Observed
El Rincon Zacatecano Taqueria, 10 Lake Ave	12/20/2012	88	No Critical Violations Observed
Elite Pizza LLC, 72 Conant St	10/26/2012	99	No Critical Violations Observed
Elliot Commons at River's Edge, 185 Queen City Ave	11/28/2012	94	No Critical Violations Observed
Elliot Commons Cafeteria, 1 Elliot Way	10/25/2012	96	No Critical Violations Observed
Elm Street Subway, 1000 Elm St	12/5/2012	95	No Critical Violations Observed
Empire Bagel Cafe, 373 Hanover St	12/6/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
European Store, 310 Maple St			
	10/15/2012	99	No Critical Violations Observed
Even Par Social Club, 102 Spruce St			
	11/9/2012	94	No Critical Violations Observed
Executive Catering Services, 290 Belmont St			
	11/8/2012	87	12-GOOD HYGIENIC PRACTICES (SMOKING) - Employees were smoking in an unapproved location. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Extreme Pita, 1500 So Willow St			
	11/14/2012	96	No Critical Violations Observed
Family Dollar Store #3571, 325 Lincoln St			
	10/1/2012	96	No Critical Violations Observed
Family Dollar Stores of NH #8789, 403 Second St			
	10/31/2012	96	No Critical Violations Observed
Fata Enterprises LLC Subway, 510 Harvey Rd			
	12/5/2012	95	No Critical Violations Observed
First Presbyterian Church, 75 Second St			
	12/14/2012	99	No Critical Violations Observed
Five Guys, 1111 So. Willow St			
	11/19/2012	98	No Critical Violations Observed
Fratello's Restaurant, 155 Dow St			
	12/12/2012	80	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F. 03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours. 22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Freed's Bakery, 299 Pepsi Rd			
	10/10/2012	92	No Critical Violations Observed
Fresh Fruit Smoothies, 1500 So. Willow St			
	11/14/2012	96	No Critical Violations Observed
Friendlys #302, 1229 So. Willow St			
	11/19/2012	93	No Critical Violations Observed
Fritzie's Variety, 154 Conant St			
	12/28/2012	94	No Critical Violations Observed
Gate City Catering Express LLC,			
	12/11/2012	96	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.

Facility	Inspection Date	Score	Violation
Gaicho's Cafe, 62 Lowell St			
	12/7/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Giovannis, 379 So. Willow St			
	11/8/2012	93	No Critical Violations Observed
Girls Inc of NH, 340 Varney St			
	12/21/2012	98	No Critical Violations Observed
Gloria Jean's Coffees, 1500 So. Willow St			
	11/16/2012	94	No Critical Violations Observed
GNG Corner Cafe LLC @ Sanmina -SCI, 140 Abby Rd			
	12/5/2012	95	No Critical Violations Observed
Gold's Gym, 89 Dow St			
	11/5/2012	93	22-SANITIZATION RINSE- EXPOSURE TIME - Equipment did not contact the sanitization rinse for the appropriate amount of time.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Golden Bowl Restaurant, 124 Queen City Ave			
	11/28/2012	92	No Critical Violations Observed
Goldenrod Restaurant, 1681 Candia Rd			
	12/13/2012	93	No Critical Violations Observed
Good Deal African International Mkt, 40A Ronald St			
	11/28/2012	92	No Critical Violations Observed
Gov. Hugh Gallen Hi-Rise, 200 Hanover St			
	12/18/2012	97	No Critical Violations Observed
Grand Slam Pizza II, 331 So. Mammoth Rd			
	10/9/2012	94	No Critical Violations Observed
Grand Slam Pizza, 472 So. Main St			
	12/27/2012	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Granite State Candy Shoppe LLC, 832 Elm St			
	10/16/2012	96	No Critical Violations Observed
Granite State Fruit Co., 30 Auburn St			
	11/19/2012	99	No Critical Violations Observed
Granite State Lunchbox @ UNH, 400 Commercial St			
	10/23/2012	96	No Critical Violations Observed
Great Buffet, 1525 So. Willow St			
	11/26/2012	82	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Great Foods Inc. dba Chateau, 201 Hanover St			
	11/28/2012	89	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Great Wall Chinese Restaurant, 168 Amory St			
	11/1/2012	70	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations.
Hackett Hill Healthcare, 191 Hackett Hill Rd			
	11/7/2012	98	No Critical Violations Observed
Han's Food Mart, 353 Maple St			
	10/3/2012	91	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Hannaford Food & Drug #164, 201 John E. Devine Dr			
	11/20/2012	94	No Critical Violations Observed
Hannaford Food & Drug #178, 859 Hanover St			
	10/18/2012	98	No Critical Violations Observed
Hanover St. Shell, 887 Hanover St			
	10/26/2012	96	No Critical Violations Observed
Hanover Street Chophouse, 149 Hanover St			
	12/18/2012	93	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Heidi Jo's Jerky, 1500 So. Willow St			
	11/13/2012	94	No Critical Violations Observed
Helping Hands Outreach Center, 50 Lowell St			
	12/12/2012	93	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Heng Won Chinese Restaurant, 262 Mammoth Rd			
	12/27/2012	75	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Hess Express #29501, 311 Queen City Ave			
	10/31/2012	92	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			31-HANDWASHING- NUMBER - The establishment had an insufficient number of handsinks.
Hickory Farms, 1500 So. Willow St			
	11/14/2012	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Highland Goffe's Falls School, 2021 Goffe's Falls Rd			
	12/11/2012	96	No Critical Violations Observed
Hillsborough County Jail, 445 Willow St			
	12/4/2012	88	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature. 31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Hillsborough Market, 519 Lincoln St			
	12/14/2012	96	No Critical Violations Observed
Hillview Restaurant, 270 Amory St			
	11/27/2012	85	41-TOXICS LABELED - Toxic items were not labeled as to their contents. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Hilton Garden Inn, 101 So. Commercial St			
	10/11/2012	94	No Critical Violations Observed
Home Run Pizza Subs, 241 Candia Rd			
	12/4/2012	96	No Critical Violations Observed
Homewood Suites by Hilton, 1000 Perimeter Rd			
	11/26/2012	94	No Critical Violations Observed
Hong Kong City Restaurant, 864 Page St			
	11/27/2012	95	No Critical Violations Observed
Hooked Seafood Restaurant, 110 Hanover St			
	10/2/2012	92	No Critical Violations Observed
Hope Resource Center, 222 Cedar St			
	12/14/2012	96	No Critical Violations Observed
Hot Stone Pizzeria, 174 Eddy Rd			
	11/20/2012	89	No Critical Violations Observed
Ignite Bar & Grille, 100 Hanover St			
	10/2/2012	93	No Critical Violations Observed
Immanuel Lutheran Church, 673 Weston Rd			
	10/24/2012	97	No Critical Violations Observed
India Palace, 575 So. Willow St			
	12/19/2012	83	35-INSECTS - The facility has an insect infestation.
J. N. Express LLC, 650 Second St			
	10/31/2012	97	No Critical Violations Observed
J.W. Hill's Sports Bar & Grille, 795 Elm St			
	11/28/2012	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F. 35-INSECTS - The facility has an insect infestation.

Facility	Inspection Date	Score	Violation
Jelly's Pub, 866 Elm St	10/16/2012	87	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Jenny Craig WLC #663, 40 March Ave	11/9/2012	99	No Critical Violations Observed
Jeremy Nadeau's Subs, 100 Cahill Ave	12/6/2012	92	No Critical Violations Observed
Jewish Federation of New Hampshire, 698 Beech St	12/12/2012	99	No Critical Violations Observed
Jimmy's House of Pizza, 345 Kelley St	12/13/2012	97	No Critical Violations Observed
Johnny Troy's Italian Specialties, 2075 So. Willow St	12/5/2012	91	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Jokers Sports Bar & Grill, 1279 So. Willow St	12/26/2012	91	No Critical Violations Observed
Jon O's Market, 600 Front St	11/27/2012	93	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
Joseph Brothers Market, 196 Lake Ave	10/16/2012	98	No Critical Violations Observed
Josh's Toys & Games, 1500 So. Willow St	11/16/2012	98	No Critical Violations Observed
Kalwall Corporation, 1111 Candia Rd	12/11/2012	98	No Critical Violations Observed
Karma Cigar & Hookah Lounge LLC, 1077 Elm St	12/20/2012	89	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Kay's Bakery, 443 Lake Ave	12/5/2012	96	No Critical Violations Observed
KC's Rib Shack, 837 Second St	12/28/2012	92	No Critical Violations Observed
Kentucky Fried Chicken, 955 Second St	12/28/2012	93	No Critical Violations Observed
Kindertree Learning Center, 162 Manchester St	12/18/2012	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Koi Japan, 946 Elm St			
	12/6/2012	75	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Kwik Stop LLC - South Willow, 1265 So. Willow St			
	12/4/2012	96	No Critical Violations Observed
La Carreta Mexican Rest, 545 Hooksett Rd			
	10/3/2012	67	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165°F within 2 hours.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
	10/4/2012	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
	11/5/2012	92	No Critical Violations Observed
La Carreta Mexican Restaurant, 1875 So. Willow St			
	11/28/2012	94	No Critical Violations Observed
La Catracha, 521 Wilson St			
	12/27/2012	88	No Critical Violations Observed
Lake Ave Irving #02032, 425 Lake Ave			
	11/8/2012	97	No Critical Violations Observed
Lakeview Gulf, 219 Londonderry Tpk			
	11/2/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Lakorn Thai Restaurant, 470 So. Main St	12/10/2012	92	No Critical Violations Observed
Lala's Hungarian Pastry, 836 Elm St	12/6/2012	95	No Critical Violations Observed
LaQuinta Inn & Suites, 21 Front St	10/2/2012	96	No Critical Violations Observed
Laurette Sweeney Apartments AKA South Porter St. Apartments, 790 So. Porter St	10/23/2012	99	No Critical Violations Observed
Le Gourmet Chef, 1500 So. Willow St	11/14/2012	93	No Critical Violations Observed
Lee's Cake & Pastry, 79 Manchester St	10/2/2012	93	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Lily Garden, 26 Queen City Ave	11/28/2012	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Little Caesars Pizza, 581 Second St	12/26/2012	81	03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements. 22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary. 30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
LongHorn Steakhouse of Manchester #5141, 1580 So. Willow St	11/8/2012	95	No Critical Violations Observed
Luigi's Pizza Bar & Grille, 712 Valley St	12/3/2012	92	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Luisa's Italian Pizzeria, 671 Hooksett Rd	10/16/2012	86	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Mad Bob's Saloon LLC, 342 Lincoln St	12/6/2012	90	No Critical Violations Observed
Maha and Tarek LLC dba Crazy Camel, 245 Maple St	12/13/2012	92	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
Manchester Buffet & Restaurant, 371 So. Willow St	12/3/2012	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.

Facility	Inspection Date	Score	Violation
Manchester Christian Church, 1308 Wellington Rd	10/25/2012	99	No Critical Violations Observed
Manchester Church of God, 230 Mooresville Rd	11/27/2012	94	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Manchester Community Resource Ctr, 177 Lake Ave	12/11/2012	98	No Critical Violations Observed
Manchester Diner LLC, 119 A Hanover St	11/28/2012	93	No Critical Violations Observed
Manchester Elks Lodge #146, 290 Granite St	11/16/2012	92	No Critical Violations Observed
Manchester Masonic Temple, 1505 Elm St	12/14/2012	98	No Critical Violations Observed
Manchester Press Club, 157 Franklin St	11/2/2012	91	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Manchester West High School, 9 Notre Dame Ave	10/2/2012	96	No Critical Violations Observed
Mangia Italian Rest, 33A Elm St	11/28/2012	94	No Critical Violations Observed
Maple Willow Functions, 93 So. Maple St	12/10/2012	96	No Critical Violations Observed
Margarita's Mexican Restaurant, 1037 Elm St	11/29/2012	90	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Margie's Dream, 172 Hayward St	10/9/2012	94	No Critical Violations Observed
Marka Internacional Grocery, 135 Cedar St	10/31/2012	86	35-INSECTS - The facility has an insect infestation.
Market Basket, 460 Elm St	11/29/2012	95	No Critical Violations Observed
Mary Gale Apartments, 600 Maple St	10/11/2012	99	No Critical Violations Observed
Master Wok, 1500 So. Willow St	11/14/2012	96	No Critical Violations Observed
Mayflower Restaraunt, 484 So. Main St	12/27/2012	86	No Critical Violations Observed
McDonald's Restaurant, 196 So. Willow St	12/17/2012	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
McDonald's Restaurant, 907 Hanover St	10/22/2012	93	No Critical Violations Observed
McDonald's Restaurant, 907 Second St	12/26/2012	94	No Critical Violations Observed
McDonald's, 2287 Brown Ave	12/13/2012	97	No Critical Violations Observed
McDonough School, 550 Lowell St	10/5/2012	99	No Critical Violations Observed
McGarvey's, 1097 Elm St	12/12/2012	98	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
McIntyre Ski Area Food Service, 50 Chalet Way	12/28/2012	98	No Critical Violations Observed
Meals on Wheels - Fitz Voqt, 182-191 Manchester St	11/28/2012	96	No Critical Violations Observed
Meetinghouse at Riverfront, 60 Riverfront Dr	11/2/2012	93	03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
Mercy of God African Mkt & Variety, 91 Maple St	10/1/2012	90	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
Mi Pueblito Restaurant, 168 Amory St	10/1/2012	94	No Critical Violations Observed
Mike's Pub & Grub, 155 Lake Ave	11/5/2012	93	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Millwest Subway, 195 McGregor St	10/19/2012	94	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Mint Bistro, 1105 Elm St	12/6/2012	98	No Critical Violations Observed
Moe Joe's Country Diner, 649 E. Industrial Park Dr	10/1/2012	90	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Moe Joe's Family Restaurant LLC, 2175 Candia St	10/2/2012	88	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.

Facility	Inspection Date	Score	Violation
Moechester LLC, 796 Elm St	11/13/2012	98	No Critical Violations Observed
Mount St. Mary's Academy, 2291 Elm St	10/1/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Mount Zion Christian Schools, 132 Titus Ave	12/13/2012	98	No Critical Violations Observed
Mr. Market, 297 Spruce St	10/12/2012	95	No Critical Violations Observed
Murphy's Diner, 516 Elm St	10/25/2012	89	12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
Murphy's Tavern, 494 Elm St	10/25/2012	98	No Critical Violations Observed
Muse Thai Bistro, 581 Second St	12/26/2012	94	No Critical Violations Observed
Neighborhood Variety, 2626 Brown Ave	11/26/2012	95	No Critical Violations Observed
New England Bagel LLC, 845 Second St	12/26/2012	97	No Critical Violations Observed
New Happy Garden Chinese Restaurant, 47 Hamel Dr	12/4/2012	78	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours. 07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
New Horizons for NH, Inc., 199 Manchester St	12/20/2012	94	No Critical Violations Observed
New Yuki Japanese Grill, 377 So. Willow St	11/26/2012	89	No Critical Violations Observed
NH Food Bank, 700 E. Industrial Park Dr	12/3/2012	97	No Critical Violations Observed
North Main Petroleum Service Inc., 21 Main St	11/20/2012	98	No Critical Violations Observed
Northend Superette, 1308 Elm St	10/16/2012	94	No Critical Violations Observed
Northwest Elementary School, 300 Youville St	10/9/2012	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Nutfield Steak & Ale House, 55 John E. Devine Dr			
	11/20/2012	65	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
	11/21/2012	71	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
	12/20/2012	90	No Critical Violations Observed
Olympic Pizza, 506 Valley St			
	11/7/2012	94	No Critical Violations Observed
Omega Alexandros Macedonian, 141 Cedar St			
	12/5/2012	98	No Critical Violations Observed
Orange St. Market, 132 Orange St			
	12/21/2012	96	No Critical Violations Observed
Oven Poppers, 99 Faltin Dr			
	12/19/2012	99	No Critical Violations Observed
P.J. O'Sullivan's, 300 So. Willow St			
	10/18/2012	87	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Page Street Express Mart, 1036 Hanover St			
	10/2/2012	98	No Critical Violations Observed
Panera Bread, 52 March Ave			
	11/9/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Papa Gino's, 111 C So. Willow St	11/19/2012	93	No Critical Violations Observed
Papa John's Pizza, 223 So. Willow St	12/4/2012	97	No Critical Violations Observed
Pappy's Pizza, Inc, 1531 No. Elm St	10/30/2012	80	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F. 22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Parker Varney School, 223 James A. Pollock Dr	12/10/2012	98	No Critical Violations Observed
Parkside Convenience, 675 Hooksett Rd	11/21/2012	96	No Critical Violations Observed
Parkside Middle School, 75 Parkside Ave	10/3/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Penuche's Manchester LLC, 96 Hanover St	10/17/2012	89	No Critical Violations Observed
Pericles Democratic Club, 123 Spruce St	11/9/2012	93	No Critical Violations Observed
Petros Cafe, 720 Valley St	11/19/2012	94	No Critical Violations Observed
Piccola Italia Ristorante, 815 Elm St	12/28/2012	91	No Critical Violations Observed
Pindos Restaurant and Pizza, 49 Massabesic St	11/28/2012	95	No Critical Violations Observed
Pizza Express II, 865 Second St	12/28/2012	97	No Critical Violations Observed
Pizza Express, 245 Maple St	10/18/2012	94	No Critical Violations Observed
Pizza Market, 845 Hanover St	10/18/2012	95	No Critical Violations Observed
Poppin Kettle, 1500 So. Willow St	12/20/2012	96	No Critical Violations Observed
Portland Pie Company, 788 Elm St	11/13/2012	92	No Critical Violations Observed
Prabi 2006 LLC DBA Shop N Go, 188 Massabesic St	12/13/2012	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
PTS Food Ent LLC dba Milly's Tavern, 500 Commercial St			
	12/10/2012	86	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
Puritan Backroom Restaurant, 245 Hooksett Rd			
	12/19/2012	94	No Critical Violations Observed
Puritan Conference Center, 207 Hooksett Rd			
	12/18/2012	97	No Critical Violations Observed
Queen City Market, 31A Elm St			
	11/7/2012	93	No Critical Violations Observed
Queen City Pizza, 12 Lake Ave			
	10/17/2012	93	No Critical Violations Observed
R & E Grocery, 304 Merrimack St			
	12/27/2012	95	No Critical Violations Observed
Rachel's Coffee Corner, 650 Elm St			
	11/26/2012	97	No Critical Violations Observed
Radisson Hotel Manchester, 700 Elm St			
	11/26/2012	88	No Critical Violations Observed
Raphael Social Club Inc, 18 Blaine St			
	11/7/2012	88	12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Raxx Billiards, 1211 Elm St			
	12/28/2012	86	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
Red Barn Diner, LLC, 113 Elm St			
	12/31/2012	88	No Critical Violations Observed
Red Sauce Ristorante LLC, 33 So. Commercial St			
	12/27/2012	91	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Regina Pizzeria, 1500 So. Willow St			
	11/14/2012	93	No Critical Violations Observed
Republic Cafe & Bistro, 1069 Elm St			
	10/3/2012	90	41-TOXICS LABELED - Toxic items were not labeled as to their contents. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.

Facility	Inspection Date	Score	Violation
Rev. Raymond Burns Highrise, 55 So. Main St			
	12/14/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Rimmon Club, 595 Dubuque St			
	12/14/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Rita Mae's LLC, 280 Main St			
	11/7/2012	90	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Rite Aid #10274, 122 McGregor St			
	11/20/2012	99	No Critical Violations Observed
Rite Aid #10276, 53 Hooksett Rd			
	11/23/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Rite Aid #10278, 270 Mammoth Rd			
	11/13/2012	99	No Critical Violations Observed
Robert Jolicouer School, 1 Mammoth Rd			
	10/31/2012	95	No Critical Violations Observed
Ruby Tuesday #3309, 1500 So. Willow St			
	11/14/2012	94	No Critical Violations Observed
S & R Westside Market LLC, 149 Kelley St			
	11/21/2012	98	No Critical Violations Observed
Sacred Heart Parish, 265 So. Main St			
	12/21/2012	94	No Critical Violations Observed
Sam's Club #6669, 200 John E. Devine Dr			
	12/17/2012	98	No Critical Violations Observed
Santoro's Pizza, 468 Union St			
	12/20/2012	83	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Sarku Japan, 1500 So. Willow St			
	11/13/2012	93	No Critical Violations Observed
Savera Super Store LLC, 250 Laurel St			
	12/14/2012	96	No Critical Violations Observed
Scorpion Cafe, 271 Pine St			
	11/5/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed

Facility	Inspection Date	Score	Violation
Season's Tickets Sports Pub, 554 Front St			
	11/27/2012	87	12-GOOD HYGIENIC PRACTICES (SMOKING) - Employees were smoking in an unapproved location.
			30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
Serenity Place, 93-101 Manchester St			
	12/20/2012	90	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Shaw's Supermarket 7504/375, 375 So. Willow St			
	11/8/2012	96	No Critical Violations Observed
Shiloh Community Church, 55 Edmond Dr			
	12/21/2012	98	No Critical Violations Observed
Shiloh Community Church, 55 Edmond St			
	12/21/2012	97	No Critical Violations Observed
Shogun Japanese Steak House, 545 Hooksett Rd			
	12/6/2012	94	No Critical Violations Observed
Shop Drop&Dry Laundromat & Variety, 399 Dubuque St			
	12/6/2012	99	No Critical Violations Observed
Short Stop Jolley, 510 Harvey Rd			
	12/5/2012	97	No Critical Violations Observed
Shorty's Mexican Roadhouse, 1050 Bicentennial Dr			
	10/17/2012	78	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Siberia Food Market, 100 Willow St			
	11/27/2012	96	No Critical Violations Observed
Simons Roast Beef, 2626 Brown Ave			
	11/26/2012	98	No Critical Violations Observed
Simply Delish, LLC, 250 Commercial St			
	11/14/2012	95	No Critical Violations Observed
Sisters of the Holy Cross, 357 Island Pond Rd			
	12/28/2012	97	No Critical Violations Observed
Smyth Road School, 245 Bruce Rd			
	10/3/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Social 24, 24 Depot St			
	12/20/2012	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.

Facility	Inspection Date	Score	Violation
Sophia Nadeau's Subs & Salads Wraps, 805 Canal St			
	10/25/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Souvlaki Pizza, 256 Bridge St			
	11/14/2012	91	No Critical Violations Observed
Spare Time / City Sports Grille, 216 Maple St			
	10/25/2012	87	35-INSECTS - The facility has an insect infestation.
SPCFC Fried Chicken, 990 Elm St			
	10/17/2012	79	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165øF within 2 hours.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
Spring Hill Suites by Marriott, 975 Perimeter Rd			
	11/26/2012	96	No Critical Violations Observed
St. Anne - St. Augustin Parish, 382 Beech St			
	10/4/2012	95	No Critical Violations Observed
St. Casimir School, 456 Union St			
	12/19/2012	95	No Critical Violations Observed
St. Catherine's School, 206 North St			
	10/4/2012	99	No Critical Violations Observed
St. George Greek Orthodox Cathedral, 650 Hanover St			
	12/14/2012	98	No Critical Violations Observed
St. Joseph Community Services, 151 Douglas St			
	12/4/2012	96	No Critical Violations Observed
St. Paul's Methodist Church, 335 Smyth Rd			
	12/17/2012	95	No Critical Violations Observed
St. Peter's Home, 300 Kelley St			
	12/13/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
St. Raphael Church, 103 Walker St			
	11/28/2012	99	No Critical Violations Observed
Starbucks Coffee, 1111 So. Willow St			
	11/19/2012	95	No Critical Violations Observed
Ste. Marie Child Care, 133 Wayne St			
	12/4/2012	95	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.

Facility	Inspection Date	Score	Violation
Ste. Marie Parish Cafeteria, 281 Cartier St	12/4/2012	93	No Critical Violations Observed
Ste. Marie Parish, 378 Notre Dame Ave	12/4/2012	94	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Steakhouse Steaks Eastern Reg Whse, 880 Candia Rd	12/12/2012	95	No Critical Violations Observed
Steve's House Restaurant, 1265 Elm St	12/19/2012	76	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Stop & Shop #215, 365 Lincoln St	11/26/2012	91	No Critical Violations Observed
Stop & Shop Supermarket, 777 So. Willow St	11/26/2012	98	No Critical Violations Observed
Store 24 (#202), 581 Second St	10/31/2012	97	No Critical Violations Observed
Store 24, #226, 245 Maple St	11/9/2012	98	No Critical Violations Observed
Strange Brew Tavern, 88 Market St	12/27/2012	86	35-INSECTS - The facility has an insect infestation.
Subway #6438, 581 Second St	12/26/2012	97	No Critical Violations Observed
Subway @ Evans Express Mart, 2445 Brown Ave	12/11/2012	95	No Critical Violations Observed
Subway, 300 Keller St	11/28/2012	97	No Critical Violations Observed
Subway, 881 Hanover St	10/18/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Suddenly Soupy's, 28 Hanover St	11/30/2012	98	No Critical Violations Observed
Suddenly Susan's Gourmet Deli, 87 Hanover St	11/30/2012	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Sunshine Scoops, 210 Lowell St			
	12/20/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Super 8 Motel, 2301 Brown Ave			
	12/11/2012	97	No Critical Violations Observed
Sweet Cierras LLC, 250 Commercial St			
	12/6/2012	96	No Critical Violations Observed
Szechuan House Restaurant, 245 Maple St			
	11/26/2012	83	12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Taco Bell #023877, 1050 Second St			
	11/7/2012	95	No Critical Violations Observed
Taco Bell #15278, 1045 So. Willow St			
	11/19/2012	90	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Tano's Pizzeria LLC, 381 Kelley St			
	12/14/2012	98	No Critical Violations Observed
Taproom At The Millyard, LLC, 155 Dow St			
	11/30/2012	89	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Taqueria Begy's, 310 Maple St			
	10/12/2012	89	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Taqueria La Guadelupara Market, 917 Valley St			
	11/27/2012	92	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Teen Challenge Manchester, 147 Laurel St			
	12/19/2012	96	No Critical Violations Observed
Temple Adath Yeshurun, 152 Prospect St			
	12/10/2012	97	No Critical Violations Observed
TGI Friday's #0175, 1516 So. Willow St			
	12/18/2012	96	No Critical Violations Observed
The Bakeshop on Kelley Street, 171 Kelley St			
	11/9/2012	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
The Black Brimmer, Inc dba Blu Eat Drink Be Merry, 1087 Elm St			
	11/11/2012	85	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
The Cafe at YDC, 1056 No. River Rd			
	12/11/2012	99	No Critical Violations Observed
The Derryfield Restaurant, 625 Mammoth Rd			
	11/14/2012	88	No Critical Violations Observed
The Family Place, 394 Second St			
	10/31/2012	98	No Critical Violations Observed
The Farm Bar & Grille, 1181 Elm St			
	10/23/2012	61	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-INSECTS - The facility has an insect infestation.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
	10/24/2012	88	03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours.
			35-INSECTS - The facility has an insect infestation.
The Farnum Center, 235 Hanover St			
	12/19/2012	96	No Critical Violations Observed
The Fruit Center, 15 Webster St			
	11/28/2012	84	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
The Greek Man LLC, 724 E. Industrial Park Dr			
	11/1/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
The Growing Years, 130 Harvell St			
	10/31/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
The Meatery, 270 Amory St			
	11/8/2012	94	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
The Olive Garden Italian Restaurant, 1888 So. Willow St			
	12/10/2012	93	No Critical Violations Observed
The Palace Theatre, 80 Hanover St			
	12/19/2012	95	No Critical Violations Observed
The Prayer Hall dba Welcome Home, 286 Concord St			
	12/5/2012	89	No Critical Violations Observed
The Salvation Army, 121 Cedar St			
	10/23/2012	97	No Critical Violations Observed
The Shaskeen, 909 Elm St			
	11/30/2012	77	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
The Stuffed Sub, LLC, 1293 Elm St			
	11/28/2012	98	No Critical Violations Observed
The Way We Cook, 1361 Elm St			
	12/20/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
The Wine Studio LLC, 53 Hooksett Rd			
	11/23/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Theo's Resturant & Lounge, 102 Elm St			
	12/31/2012	93	No Critical Violations Observed
Thomas B. O'Malley Highrise, 259 Chestnut St			
	12/18/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Thousand Crane, 1000 Elm St			
	12/5/2012	87	No Critical Violations Observed
Tidewater Cafe @ Manch CC, 1066 Front St			
	11/5/2012	90	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.

Facility	Inspection Date	Score	Violation
Tidewater Cafe @ Summit Packaging, 400 Gay St			
	12/12/2012	92	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Tidewater Catering Group LLC, 250 Commercial St			
	11/8/2012	95	No Critical Violations Observed
Tim's Cafe & Lounge dba Element Lounge, 1055 Elm St			
	11/14/2012	93	No Critical Violations Observed
Tinker's Seafood, 545 Hooksett Rd			
	11/28/2012	88	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Tiya's Restaurant, 8 Hanover St			
	10/17/2012	91	No Critical Violations Observed
TJ's Sportsbar & Grill, 23 Central St			
	12/20/2012	84	35-ANIMALS RESTRICTED - The facility has animals that are either not allowed on the premises, or are not being properly controlled or segregated from food preparation and storage areas.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Toys "R" Us, 2 Keller St			
	11/28/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Tutti Fruiti Frozen Yogurt, 1500 So. Willow St			
	11/16/2012	92	No Critical Violations Observed
Two Guys Food Market, 414 Union St			
	12/13/2012	97	No Critical Violations Observed
U & P Convenience LLC, 64 Merrimack St			
	12/14/2012	96	No Critical Violations Observed
Ukrainian Club, 148 Manchester St			
	12/7/2012	97	No Critical Violations Observed
Uncle Bob's Superette, 435 Kelley St			
	12/6/2012	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Union St. Market, 621 Union St	11/15/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Unwine'd LLC, 865 Second St	12/28/2012	91	No Critical Violations Observed
UR 1st Stop Convenience, 49 Amoskeag St	12/13/2012	95	22-SANITIZATION RINSE- CLEAN - The sanitization rinse was not clean, ie. free of debris.
US Market, LLC, 18 Rockland Ave	10/24/2012	91	No Critical Violations Observed
Valley Street Subway, 502 Valley St	11/7/2012	98	No Critical Violations Observed
Van Otis Chocolate, 341 Elm St	11/16/2012	96	No Critical Violations Observed
Varney Street Quick Stop, 323 Varney St	10/24/2012	94	No Critical Violations Observed
Venice Old Style Pizza, 610 Front St	11/30/2012	96	No Critical Violations Observed
VFW Post #8214, 352 Kelley St	11/23/2012	90	03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165°F within 2 hours.
Villa Crest Nursing & Retirement, 1276 Hanover St	11/27/2012	99	No Critical Violations Observed
Villaggio Ristorante, 677 Hooksett Rd	10/11/2012	94	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
W. R. Taverna, 201 Merrimack St	12/28/2012	97	No Critical Violations Observed
Wal-Mart Stores, Inc #2399, 300 Keller St	11/28/2012	96	No Critical Violations Observed
Walgreen Eastern Co #3900, 227 So. Main St	10/24/2012	97	No Critical Violations Observed
Washington Manor, 233 Prospect St	12/3/2012	96	No Critical Violations Observed
Washington Manor, 67 Prospect St	12/7/2012	96	No Critical Violations Observed
Webster House, 135 Webster St	10/4/2012	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Webster School, 2519 Elm St			
	10/1/2012	99	No Critical Violations Observed
	10/4/2012		No Critical Violations Observed
Wee Play School, 200 Bedford St			
	12/17/2012	95	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Wendy's Old Fahioned Hamburgers, 860 Candia Rd			
	12/17/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Wendy's, 675 So. Willow St			
	12/19/2012	92	No Critical Violations Observed
Wendy's, 722 Second St			
	12/31/2012	96	No Critical Violations Observed
Weston School, 1066 Hanover St			
	12/7/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Wicked Twisted Bar & Grill, 245 Maple St			
	12/12/2012	92	No Critical Violations Observed
Win Family Inc., 460 Elm St			
	11/29/2012	92	35-INSECTS - The facility has an insect infestation.
Winona Social Club Inc, 168 Manchester St			
	12/7/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Workmen's Relief Club, 183 Douglas St			
	12/14/2012	95	No Critical Violations Observed
XO on Elm, 827 Elm St			
	12/6/2012	85	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Yoflava Frozen Yogurt, 1100 Bientennial Dr			
	11/9/2012	99	No Critical Violations Observed
Yorgo Foods Inc, 231 Woodland Ave			
	10/22/2012	98	No Critical Violations Observed
Z-J Market, 266 Bridge St			
	12/7/2012	98	No Critical Violations Observed
Zoey's Pizza, 2160 Candia Rd			
	11/26/2012	77	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.