



CITY OF MANCHESTER
Health Department
Inspection Scores by Facility

Period from 10/01/2010 through 12/31/2010

Facility	Inspection Date	Score	Violation
25 Lake Dr, LLC dba Dunkin Donuts, 122 Londonderry Tpk			
	12/28/2010	99	No Critical Violations Observed
7 Eleven, 111 Webster St			
	10/6/2010	70	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			35-INSECTS - The facility has an insect infestation.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
7-11 #32497B, 234 Mammoth Rd			
	11/18/2010	98	No Critical Violations Observed
7-11 #32499B, 557 Maple St			
	12/16/2010	93	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
7-11, 242 Beech St			
	11/4/2010	85	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140 F.
777 X-press, 777 Hooksett Rd			
	11/16/2010	94	No Critical Violations Observed
900 Degrees, 50 Dow St			
	11/9/2010	84	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
			22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.

Facility	Inspection Date	Score	Violation
99 Cent and Cigarette Market, 383 Kelley St	11/26/2010	96	No Critical Violations Observed
99 Restaurant & Pub, 1685 So. Willow St	11/30/2010	78	30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas. 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment. 35-INSECTS - The facility has an insect infestation. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
A Caribbean Affair, 915 Elm St	11/1/2010	89	41-TOXICS LABELED - Toxic items were not labeled as to their ingredients. 41-TOXICS STORED - Toxic items were not stored away from food, utensils or incompatible chemicals.
ABC Nursery, 108 Revere Ave	12/10/2010	100	No Violations Observed
ABI Jay Novelty Foods LLC, 555 Elm St	12/17/2010	99	No Critical Violations Observed
Adela's Sandwiches, 74 Conant St	11/29/2010	96	No Critical Violations Observed
All Juiced Up, 790 Elm St	10/7/2010	98	No Critical Violations Observed
Alley Cat Pizzeria, 486 Chestnut St	10/28/2010	93	No Critical Violations Observed
Aloha Restaurant, 901 Hanover St	12/7/2010	89	No Critical Violations Observed
Alperini LLC / Alperini Restaurant, 157 Amory St	12/6/2010	99	No Critical Violations Observed
Alpine Club, 175 Putnam St	12/23/2010	93	No Critical Violations Observed
American Legion Henry J. Sweeney, 251 Maple St	12/28/2010	98	No Critical Violations Observed
American Legion Post #43, 56 Boutwell St	12/23/2010	93	No Critical Violations Observed
American Legion Post #79, 35 W. Brook St	12/23/2010	94	No Critical Violations Observed
American Red Cross, 1800 Elm St	12/3/2010	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Amory St House of Pizza, 253 Amory St	11/24/2010	93	No Critical Violations Observed
Andre's Diner Inc., 100 Willow St	11/29/2010	100	No Violations Observed
Andy's Place, 342 Cypress St	11/8/2010	92	No Critical Violations Observed
Angela's Pasta & Cheese Shop, 815 Chestnut St	11/16/2010	98	No Critical Violations Observed
Annula's Pizza & Deli, 525 Chestnut St	11/8/2010	96	No Critical Violations Observed
Applebee's Neighborhood Grill & Bar, 581 Second St	12/14/2010	94	No Critical Violations Observed
Aramark Corporation-Kitchen, 555 Elm St	12/17/2010	97	No Critical Violations Observed
Aramark Corporation-Lounge, 555 Elm St	12/17/2010	93	No Critical Violations Observed
Aramark Corporation-Stand A, 555 Elm St	12/17/2010	96	No Critical Violations Observed
Aramark Corporation-Stand B, 555 Elm St	12/17/2010	97	No Critical Violations Observed
Aramark Corporation-Stand C, 555 Elm St	12/17/2010	97	No Critical Violations Observed
Aramark Corporation-Stand D, 555 Elm St	12/17/2010	98	No Critical Violations Observed
AS Bar Grill, 37 Manchester St	12/7/2010	83	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands 22-SANITATION RINSE- EXPOSURE TIME - Equipment did not contact the sanitation rinse for the appropriate time.
Assumption Church, 111 Island Pond Rd	12/3/2010	99	No Critical Violations Observed
Athens Restaurant, 31 Central St	12/13/2010	87	No Critical Violations Observed
Auntie Anne's Pretzels, 1500 So. Willow St	10/12/2010	93	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Awesome Pizza, 12 Lake Ave	11/29/2010	88	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
B&B Cafe and Grill, 25 Stark St			
	11/9/2010	82	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-GOOD HYGIENIC PRACTICES (SMOKING) - Employees were smoking in an unapproved location.
Bakersville School, 20 Elm St			
	11/1/2010	100	No Violations Observed
Bakolas Market, Inc., 110 Spruce St			
	12/13/2010	99	No Critical Violations Observed
Bamboo Garden, 329 Lincoln St			
	11/30/2010	77	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Bartlett Street Superette, 316 Bartlett St			
	12/3/2010	95	No Critical Violations Observed
Beech Street School, 333 Beech St			
	10/21/2010	99	No Critical Violations Observed
Belmont Hall, LLC, 718 Grove St			
	11/8/2010	92	No Critical Violations Observed
Ben & Jerry's, 940 Elm St			
	11/1/2010	97	No Critical Violations Observed
Ben Nadeau's Subs, 1095 Hanover St			
	11/17/2010	96	No Critical Violations Observed
Best Beef, 720 E. Industrial Park Dr			
	12/17/2010	100	No Violations Observed
Best Western Executive Court Inn, 13500 So. Willow St			
	11/9/2010	99	No Critical Violations Observed
Big Easy Bagel, 2626 Brown Ave			
	12/8/2010	98	No Critical Violations Observed
Billy's Sports Bar & Grill, 34 Tarrytown Rd			
	11/17/2010	80	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
			22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Bishop Leo E. O'Neil Youth Center, 30 So. Elm St			
	12/15/2010	100	No Violations Observed
Blake's Restaurant, 353 So. Main St			
	12/8/2010	97	No Critical Violations Observed
Blakes Scoop Shop, 1500 So. Willow St			
	10/12/2010	99	No Critical Violations Observed
Blessed Sacrament Church, 14 Elm St			
	12/6/2010	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Bob's Discount Furniture, 1875 So. Willow St	11/22/2010	99	No Critical Violations Observed
Bobby O's Foods LLC, 722 E. Industrial Park Dr	12/29/2010	97	No Critical Violations Observed
Bonsai's Restaurant, 2264 Candia Rd	12/28/2010	91	No Critical Violations Observed
Boys & Girls Club of Manchester, 555 Union St	12/3/2010	98	No Critical Violations Observed
Breezeway Pub, 14 Pearl St	12/30/2010	90	01-SOUND CONDITION - Food not in sound condition.
British American Association, 235 Central St	12/28/2010	96	No Critical Violations Observed
Brookside Congregational Church, 2013 Elm St	12/7/2010	93	No Critical Violations Observed
Brother's Pizza & Family Restaurant, 6 Willow St	11/8/2010	93	No Critical Violations Observed
Brown School Apartments, 435 Amory St	12/6/2010	99	No Critical Violations Observed
Burger King Corp #16755, 622 So. Willow St	11/15/2010	97	No Critical Violations Observed
Burger King, 623 Second St	12/9/2010	91	No Critical Violations Observed
Burger King, 737 Hooksett Rd	12/27/2010	96	No Critical Violations Observed
Cactus Jack's, 782 So. Willow St	11/9/2010	89	35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
Caesario's Pizza & Subs, 1057 Elm St	12/15/2010	76	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F. 07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 12-HANDS WASHED - Employees were not washing hands when required.
Cafe 324, 324 Commercial St	10/20/2010	99	No Critical Violations Observed
Cafe Momo, 1065 Hanover St	12/17/2010	89	No Critical Violations Observed
Camp Carpenter, 300 Blondin Rd	12/29/2010	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Candia Road Convenience, 836 Candia Rd	11/8/2010	94	No Critical Violations Observed
Candy Kingdom, 235 Harvard St	11/29/2010	96	No Critical Violations Observed
Caribbean Market, 302 Lake Ave	12/10/2010	97	No Critical Violations Observed
Carpenter Center, 323 Franklin St	12/2/2010	100	No Violations Observed
Carvel Ice Cream, 555 Elm St	12/17/2010	99	No Critical Violations Observed
Castle Caterers LLC, 700 Lucas Rd	12/15/2010	88	No Critical Violations Observed
Catholic Medical Center Cafeteria, 100 McGregor St	12/21/2010	98	No Critical Violations Observed
Charbel's Restaurant & Lounge, 2323 Brown Ave	11/8/2010	95	No Critical Violations Observed
Chateau Restaurant, 201 Hanover St	12/20/2010	91	No Critical Violations Observed
Cheeseco of NE, 97 Eddy Rd	12/30/2010	94	No Critical Violations Observed
Chelby's Pizza, 284 Mammoth Rd	12/10/2010	97	No Critical Violations Observed
Cheng Du Kitchen, 665 Hooksett Rd	12/16/2010	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
Chesterman LLC dba Dunkin Donuts, 855 Candia Rd	11/3/2010	99	No Critical Violations Observed
Chestnut Street Downtown Diner LLC, 363 Chestnut St	11/9/2010	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
Chez Vachon, 136 Kelley St	12/29/2010	95	No Critical Violations Observed
Chiggy's Place Inc., 372 Kelley St	12/29/2010	98	No Critical Violations Observed
Child and Family Services, 99 Hanover St	12/3/2010	93	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Chili's Grill & Bar, 1071 So. Willow St	11/10/2010	97	No Critical Violations Observed
China Kitchen, 173 Hanover St	12/28/2010	95	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Christos Kalivas Highrise, 175 Chestnut St	11/23/2010	100	No Violations Observed
Cibao Market, 422 Belmont St	12/9/2010	92	30-BACKFLOW (AIR GAP) - The establishment had improper or a lack of air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holdin containers.
Cinnabest, LLC, 1500 So. Willow St	10/6/2010	89	28-SEWAGE (PROPERLY FUNCTIONING) - The establishment's septic system or sewage disposal system was not functioning properly, ie. back-ups or surfacing onto the ground.
Circa 1906, 1362 River Rd	11/4/2010	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F. 03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140 F.
Clam King Restuarant, 791 Second St	12/28/2010	84	35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
Cleveland St. Meat Market, 126 Cleveland St	12/6/2010	98	No Critical Violations Observed
Club Canadian, 128 So Main St	12/28/2010	97	No Critical Violations Observed
Club Lafayette, 387 Canal St	12/22/2010	96	No Critical Violations Observed
Club Mont Royal, 594 Somerville St	12/28/2010	97	No Critical Violations Observed
Cold Stone Creamery, 102 March Ave	10/5/2010	97	No Critical Violations Observed
Comfort Inn, 298 Queen City Ave	11/19/2010	95	No Critical Violations Observed
Congeralla Pizza, 168 Amory St	12/3/2010	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F. 30-BACKFLOW (AIR GAP) - The establishment had improper or a lack of air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holdin containers.
Cotton Restaurant, 75 Arms St	12/22/2010	94	No Critical Violations Observed
Country Kitchen, 199 Pepsi Dr	12/29/2010	100	No Violations Observed

Facility	Inspection Date	Score	Violation
Courtyard By Marriott, 700 Huse Rd			
	11/24/2010	100	No Violations Observed
Crossmark, 200 John E. Devine Dr			
	11/4/2010	96	No Critical Violations Observed
Crown Fried Chicken, 326 Maple St			
	12/22/2010	69	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
	12/23/2010	94	No Critical Violations Observed
Cumberland Farms #5408, 108 Webster St			
	11/16/2010	87	30-BACKFLOW (AIR GAP) - The establishment had improper or a lack of air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holdin containers.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
Cumberland Farms #5420, 217 Union St			
	12/2/2010	95	No Critical Violations Observed
CVS Pharmacy #200, 788 So. Willow St			
	10/18/2010	93	No Critical Violations Observed
CVS Pharmacy #2257, 271 Mammoth Rd			
	11/18/2010	98	No Critical Violations Observed
CVS Pharmacy #7932, 432 So. Main St			
	11/15/2010	95	No Critical Violations Observed
Cypress Center Kitchen, 401 Cypress St			
	12/13/2010	98	No Critical Violations Observed
D'Angelo Sandwich Shop, 673 Hooksett Rd			
	12/16/2010	92	No Critical Violations Observed
D'Angelo Sandwich Shop, 900 Second St			
	12/8/2010	93	No Critical Violations Observed
Dairy Queen, 715 Second St			
	12/13/2010	99	No Critical Violations Observed
Dancing Lion Chocolate, 52 Concord St			
	12/20/2010	100	No Violations Observed
Dartmouth Hitchcock Manchester, 100 Hitchcock Way			
	12/3/2010	100	No Violations Observed

Facility	Inspection Date	Score	Violation
Davignon Club, 218 Wilson St	12/28/2010	90	No Critical Violations Observed
Dels Caribbean Take Out LLC, 153 Lincoln St	12/16/2010	94	No Critical Violations Observed
Denny's Quick Lunch, 356 Whitney Ave	12/16/2010	97	No Critical Violations Observed
Derryfield Lower School, 2108 River Rd	12/7/2010	95	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
Derryfield Upper School, 2108 River Rd	12/7/2010	97	No Critical Violations Observed
Dickie Boy Mobile Catering, 288 So. Main St	12/30/2010	98	No Critical Violations Observed
Dickie Boy Subs, 288 So. Main St	12/30/2010	90	No Critical Violations Observed
Disabled American Veterans, 399 Silver St	12/28/2010	94	No Critical Violations Observed
DJJS - Main Kitchen, 1056 No. River Rd	12/7/2010	97	No Critical Violations Observed
Domino's Pizza, 150 Amory St	12/3/2010	98	No Critical Violations Observed
Domino's Pizza, 91 Maple St	11/22/2010	95	No Critical Violations Observed
Don Quijote Restaurant, 333 Valley St	12/29/2010	95	No Critical Violations Observed
Don Quijote Restaurant, 362 Union St	11/9/2010	90	No Critical Violations Observed
Doughvinci's Inc., 728 E. Industrial Park Dr	12/17/2010	98	No Critical Violations Observed
Dunkin Donuts (Ellhos LLC), 1 Elliot Way	11/16/2010	100	No Violations Observed
Dunkin Donuts @ CMC, 100 McGregor St	12/21/2010	95	No Critical Violations Observed
Dunkin Donuts, 100 Eddy Rd	11/26/2010	93	No Critical Violations Observed
	12/29/2010		03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
Dunkin Donuts, 1500 So. Willow St	12/13/2010	98	No Critical Violations Observed
Dunkin Donuts, 216 Elm St	12/1/2010	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Dunkin Donuts, 2297 Brown Ave	11/19/2010	95	No Critical Violations Observed
Dunkin Donuts, 4 Main St	12/29/2010	95	No Critical Violations Observed
Dunkin Donuts, 887 Hanover St	12/7/2010	98	No Critical Violations Observed
Dunkin Donuts, 921 Beech St	12/30/2010	97	No Critical Violations Observed
Dunkin Donuts, 947 Second St	12/20/2010	98	No Critical Violations Observed
E & B Food Market, 204 Wilson St	12/15/2010	93	No Critical Violations Observed
East Manchester Fish & Game Club, 50 Massabesic St	12/28/2010	93	No Critical Violations Observed
East Side Club, 786 Massabesic St	12/22/2010	91	22-SANITATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Easter Seals Adult Day Program, 555 Auburn St	12/16/2010	98	No Critical Violations Observed
Easter Seals Child Development Ctr, 555 Auburn St	12/16/2010	98	No Critical Violations Observed
Easter Seals, 200 Zachary Rd	11/24/2010	100	No Violations Observed
Econo Lodge, 75 W. Hancock St	11/19/2010	97	No Critical Violations Observed
Eddy Rd Shell, Nouria Energy Retail, 245 Eddy Rd	11/26/2010	95	No Critical Violations Observed
Eddy Road Mobil, 210 Eddy Rd	11/26/2010	95	No Critical Violations Observed
El Mexicano Jr, 197 Wilson St	12/15/2010	84	35-INSECTS - The facility has an insect infestation.
El Pul Garsito Restaurant, 521 Wilson St	12/22/2010	89	No Critical Violations Observed
Element Lounge, 1055 Elm St	12/15/2010	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
Elite Pizza LLC, 72 Conant St	11/29/2010	96	No Critical Violations Observed
Elliot Adult Day Program, 1070 Holt Ave	11/24/2010	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Elliot Commons Cafeteria, 1 Elliot Way	11/16/2010	93	No Critical Violations Observed
Elm Street Subway, 1000 Elm St	12/2/2010	93	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140 F.
Empire Bagel Cafe, 373 Hanover St	10/14/2010	99	No Critical Violations Observed
Energy North Inc, 276 Elm St	10/29/2010	98	No Critical Violations Observed
European Store, 310 Maple St	11/4/2010	100	No Violations Observed
Even Par Social Club, 102 Spruce St	12/28/2010	96	No Critical Violations Observed
Evergreen, 813 Beech St	12/22/2010	98	No Critical Violations Observed
Executive Catering Services, 290 Belmont St	12/8/2010	94	No Critical Violations Observed
Executive Court Banquet, 1199 So Mammoth Rd	11/9/2010	99	No Critical Violations Observed
Fairfield Inn by Marriott, 860 So. Porter St	11/16/2010	100	No Violations Observed
Family Dollar Store #3571, 325 Lincoln St	11/30/2010	97	No Critical Violations Observed
First Presbyterian Church, 75 Second St	12/30/2010	99	No Critical Violations Observed
Fitz Vogt - Meals on Wheels, 182-191 Manchester St	10/6/2010	90	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Five Guys, 1111 So. Willow St	10/28/2010	92	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Fratello's Restaurant, 155 Dow St	12/13/2010	82	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Free Range Fish & Lobster, 883 Second St	12/9/2010	93	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Freed's Bakery, 299 Pepsi Rd	11/15/2010	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Friendlys #302, 1229 So. Willow St			
	11/10/2010	98	No Critical Violations Observed
Fritzie's Variety, 154 Conant St			
	11/29/2010	95	No Critical Violations Observed
Gate City Catering LLC, 105 Parnell Pl			
	11/23/2010	95	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
Gauchos Churrascaria, 62 Lowell St			
	12/29/2010	90	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Goldenrod Restaurant, 1681 Candia Rd			
	11/16/2010	67	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
			22-SANITATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to use or re-use as necessary.
			41-TOXICS STORED - Toxic items were not stored away from food, utensils or incompatible chemicals.
	11/17/2010	90	No Critical Violations Observed
Good Deal African International Mkt, 40A Ronald St			
	10/12/2010	93	No Critical Violations Observed
Gosselin's Superette Inc., 706 Somerville St			
	11/8/2010	88	No Critical Violations Observed
Gossler Park School, 99 Sullivan St			
	11/29/2010	99	No Critical Violations Observed
Grand Slam Pizza II, 331 So. Mammoth Rd			
	12/3/2010	95	No Critical Violations Observed
Grand Slam Pizza, 472 So. Main St			
	12/22/2010	86	35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
Granite State Fruit Co., 30 Auburn St			
	12/13/2010	99	No Critical Violations Observed
Granite State Lunchbox @ Tower Cafe, 1750 Elm St			
	11/4/2010	96	No Critical Violations Observed
Granite State Lunchbox @ UNH, 400 Commercial St			
	10/14/2010	98	No Critical Violations Observed
Green Acres School, 100 Aurore Ave			
	10/18/2010	100	No Violations Observed

Facility	Inspection Date	Score	Violation
Greg's Place, 641 Elm St			
	11/29/2010	76	35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Hackett Hill Healthcare, 191 Hackett Hill Rd			
	12/29/2010	97	No Critical Violations Observed
Hallsville School, 275 Jewett St			
	11/19/2010	100	No Violations Observed
Han's Food Mart, 353 Maple St			
	12/14/2010	95	No Critical Violations Observed
Hannaford Food & Drug #164, 201 John E. Devine Dr			
	12/7/2010	96	No Critical Violations Observed
Hannaford Food & Drug #178, 859 Hanover St			
	12/7/2010	96	No Critical Violations Observed
Hanover St. Shell, 887 Hanover St			
	12/7/2010	98	No Critical Violations Observed
Hanover Street Chophouse, 149 Hanover St			
	12/29/2010	88	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			22-SANITATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Hart's Turkey Farm, 21 Front St			
	11/30/2010	94	No Critical Violations Observed
Heidi Jo's Jerky, 1500 So. Willow St			
	12/6/2010	100	No Violations Observed
Helping Hands Outreach Center, 50 Lowell St			
	12/20/2010	90	41-TOXICS LABELED - Toxic items were not labeled as to their ingredients.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Heng Won Chinese Restaurant, 262 Mammoth Rd			
	12/15/2010	92	No Critical Violations Observed
Henry J. Pariseau Highrise, 55 Amory St			
	12/23/2010	96	No Critical Violations Observed
Hickory Farms, 1500 So. Willow St			
	11/15/2010	100	No Violations Observed
Highland Goffe's Falls School, 2021 Goffe's Falls Rd			
	10/21/2010	100	No Violations Observed

Facility	Inspection Date	Score	Violation
Hillsborough County Jail, 445 Willow St	12/29/2010	96	No Critical Violations Observed
Hillside Middle School, 112 Reservoir Ave	10/6/2010	97	No Critical Violations Observed
Hilton Garden Inn, 101 So. Commercial St	12/2/2010	97	No Critical Violations Observed
Holiday Inn Express, 1298 So. Porter St	11/16/2010	91	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Holy Cross Center, 357 Island Pond Rd	12/15/2010	98	No Critical Violations Observed
Homewood Suites by Hilton, 1000 Perimeter Rd	10/29/2010	96	No Critical Violations Observed
Hong Kong City Restaurant, 864 Page St	12/14/2010	97	No Critical Violations Observed
Hope Center, 222 Cedar St	12/21/2010	99	No Critical Violations Observed
Hot Stone Pizzeria, 174 Eddy Rd	12/30/2010	89	No Critical Violations Observed
Ignite Bar & Grille, 100 Hanover St	12/7/2010	88	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Immanuel Lutheran Church, 673 Weston Rd	12/3/2010	99	No Critical Violations Observed
India Palace, 575 So. Willow St	10/27/2010	88	35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
J. N. Express LLC, 650 Second St	10/18/2010	99	No Critical Violations Observed
Jays Diner at Quirk Chevrolet, 1250 So. Willow St	10/18/2010	96	No Critical Violations Observed
Jeff's Catering, 209 E. Dunstable Rd	11/15/2010	90	28-SEWAGE (PROPERLY FUNCTIONING) - The establishment's septic system or sewage disposal system was not functioning properly, ie. back-ups or surfacing onto the ground. 31-HANDWASHING- INSTALLATION - Handsinks were installed without prior approval and/or inspections.
Jenny Craig WLC #663, 40 March Ave	11/29/2010	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Jeremy Nadeau's Subs, 100 Cahill Ave	11/1/2010	99	No Critical Violations Observed
Jewett Street School, 130 So. Jewett St	10/18/2010	100	No Violations Observed
Jewish Federation of New Hampshire, 698 Beech St	12/28/2010	96	No Critical Violations Observed
Johnny Bad's Sports Bar & Grill, 542 Elm St	12/17/2010	94	No Critical Violations Observed
Johnny Troy's Italian Specialties, 2075 So. Willow St	10/5/2010	93	35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
Jon O's Market, 600 Front St	11/17/2010	90	No Critical Violations Observed
Joseph Brothers Market, 196 Lake Ave	11/19/2010	94	No Critical Violations Observed
Julien's Corner Kitchen, 150 Bridge St	12/16/2010	89	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140 F.
Just Coffee Plus, 1050 Gold St	12/3/2010	98	No Critical Violations Observed
Kalwall Corporation, 1111 Candia Rd	12/15/2010	99	No Critical Violations Observed
Karma Cigar & Hookah Lounge LLC, 1077 Elm St	10/7/2010	94	No Critical Violations Observed
Kay's Bakery, 443 Lake Ave	11/17/2010	92	No Critical Violations Observed
KC's Rib Shack, 837 Second St	12/28/2010	89	No Critical Violations Observed
Kentucky Fried Chicken, 955 Second St	12/20/2010	93	No Critical Violations Observed
Kindertree Learning Center, 162 Manchester St	12/28/2010	96	No Critical Violations Observed
Klemms Mobil, 1602 Elm St	10/28/2010	96	No Critical Violations Observed
Koi Japan, 946 Elm St	12/28/2010	94	No Critical Violations Observed
Kwik Stop LLC, 1095 Hanover St	11/17/2010	100	No Violations Observed
La Hacienda Bakery & Cafe, 333 Valley St	11/8/2010	83	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140 F.

Facility	Inspection Date	Score	Violation
Lakeview Gulf, 219 Londonderry Tpk	12/28/2010	97	No Critical Violations Observed
Le Gourmet Chef, 1500 So. Willow St	11/18/2010	95	28-SEWAGE (PROPERLY FUNCTIONING) - The establishment's septic system or sewage disposal system was not functioning properly, ie. back-ups or surfacing onto the ground.
Lipke Enterprises dba The 25th Lane, 2171 Candia Rd	11/23/2010	96	No Critical Violations Observed
Longhorn Steakhouse of Manchester, 1580 So. Willow St	11/1/2010	96	No Critical Violations Observed
Luigi's Pizza Bar & Grille, 712 Valley St	11/8/2010	97	No Critical Violations Observed
Luisa's Italian Pizzeria, 673 Hooksett Rd	12/16/2010	86	No Critical Violations Observed
Mad Bob's Saloon LLC, 342 Lincoln St	11/23/2010	93	No Critical Violations Observed
Mammoth Road Convenience, 10 Mammoth Rd	10/21/2010	99	No Critical Violations Observed
Manchester Buffet & Restaurant, 371 So. Willow St	10/14/2010	88	35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
Manchester Church of God, 230 Mooresville Rd	12/17/2010	98	No Critical Violations Observed
Manchester Community Resource Ctr, 177 Lake Ave	11/19/2010	100	No Violations Observed
Manchester Diner LLC, 119 A Hanover St	10/18/2010	85	30-BACKFLOW (AIR GAP) - The establishment had improper or a lack of air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holdin containers. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Manchester Mart & Gas, 738 Hooksett Rd	11/29/2010	96	No Critical Violations Observed
Manchester Masonic Temple, 1505 Elm St	12/21/2010	96	No Critical Violations Observed
Manchester Memorial High School, 1 Crusader Way	10/18/2010	99	No Critical Violations Observed
Manchester Press Club, 157 Franklin St	11/9/2010	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Manchester School of Technology, 530 So. Porter St			
	11/3/2010	99	No Critical Violations Observed
Manchester West High School, 9 Notre Dame Ave			
	11/18/2010	95	No Critical Violations Observed
Maple Leaf Health Care, 198 Pearl St			
	11/1/2010	99	No Critical Violations Observed
Maple Street Market, 326 Maple St			
	12/22/2010	98	No Critical Violations Observed
Maple Willow Functions, 93 So. Maple St			
	12/22/2010	95	No Critical Violations Observed
Margarita's Mexican Restaurant, 1037 Elm St			
	12/17/2010	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F. 22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Marka Internacional Grocery, 135 Cedar St			
	12/16/2010	80	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment. 35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
Mary Gale Apartments, 600 Maple St			
	11/4/2010	100	No Violations Observed
McDonald's Restaurant, 196 So. Willow St			
	12/10/2010	97	No Critical Violations Observed
McDonald's Restaurant, 907 Hanover St			
	11/10/2010	93	No Critical Violations Observed
McDonald's Restaurant, 907 Second St			
	12/14/2010	77	22-SANITATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary. 35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
McDonough School, 550 Lowell St			
	10/5/2010	100	No Violations Observed

Facility	Inspection Date	Score	Violation
McGarvey's, 1097 Elm St	12/23/2010	87	41-TOXICS LABELED - Toxic items were not labeled as to their ingredients.
			41-TOXICS STORED - Toxic items were not stored away from food, utensils or incompatible chemicals.
McLaughlin Middle School, 290 So. Mammoth Rd	10/18/2010	99	No Critical Violations Observed
Mercy of God African Market, 226 Pine St	12/16/2010	92	No Critical Violations Observed
Merrimack River Food, 836 Candia Rd	11/8/2010	89	No Critical Violations Observed
Michelle's Gourmet Pastries & Deli, 819 Union St	12/7/2010	96	No Critical Violations Observed
Mike's Pub & Grub, 155 Lake Ave	12/13/2010	90	No Critical Violations Observed
Mobil #2735, 2391 Brown Ave	10/8/2010	97	No Critical Violations Observed
Moe Joe's Country Diner, 649 E. Industrial Park Dr	11/15/2010	88	No Critical Violations Observed
Moe Joe's Family Restaurant LLC, 2175 Candia St	11/16/2010	88	No Critical Violations Observed
Mount St. Mary's Academy, 2291 Elm St	12/7/2010	99	No Critical Violations Observed
Mount Zion Christian Schools, 132 Titus Ave	10/21/2010	94	30-BACKFLOW (AIR GAP) - The establishment had improper or a lack of air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holdin containers.
Mountain View Catering, 1 Westchester Rd	12/16/2010	97	No Critical Violations Observed
Mr. Market, 297 Spruce St	12/8/2010	97	No Critical Violations Observed
MST -Introduction to Culinary, 530 So Porter St	11/3/2010	100	No Violations Observed
Mt. Carmel Rehabilitation & Nursing, 235 Myrtle St	11/1/2010	95	No Critical Violations Observed
Murphy's Tavern, 494 Elm St	11/17/2010	82	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			35-INSECTS - The facility has an insect infestation.

Facility	Inspection Date	Score	Violation
Muse Thai Bistro, 581 Second St			
	12/20/2010	89	22-SANITATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
My Friend's Bar & Grill Inc, 507 Maple St			
	10/20/2010	94	No Critical Violations Observed
N.D.S. Canteen, 143 Crawford St			
	12/7/2010	100	No Violations Observed
Nataly, 387 Union St			
	12/3/2010	96	No Critical Violations Observed
Neighborhood Meats, 2626 Brown Ave			
	10/25/2010	98	No Critical Violations Observed
Neighborhood Variety, 2626 Brown Ave			
	10/25/2010	90	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
New England Harvested Seafood, Inc., 2281 Candia Rd			
	12/3/2010	95	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
New Happy Garden Chinese Restaurant, 47 Hamel Dr			
	12/15/2010	81	12-GOOD HYGIENIC PRACTICES (MOP IN 3 BAY) - Employees were dumping mop water in the 3 bay sink. 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
New Horizons for NH, Inc., 199 Manchester St			
	12/15/2010	94	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
New Taiwan Garden, 575 So. Willow St			
	10/27/2010	89	35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
New Yee Dynasty, 830 So. Willow St			
	11/16/2010	91	No Critical Violations Observed
NH Food Bank, 700 E. Industrial Park Dr			
	12/17/2010	99	No Critical Violations Observed
Nickles Market, 1536 Candia Rd			
	12/6/2010	87	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Noah's Ark Child Care Center, 491 E. Industrial Park Dr			
	11/24/2010	100	No Violations Observed
North Main Petroleum Service Inc., 21 Main St			
	12/30/2010	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
North Side Pizzeria, 108 Webster St			
	11/16/2010	89	No Critical Violations Observed
Northwest Elementary School, 300 Youville St			
	12/8/2010	99	No Critical Violations Observed
Nouria Energy Store #02032, 425 Lake Ave			
	11/17/2010	92	No Critical Violations Observed
O'Malley Highrise, 259 Chestnut St			
	11/23/2010	98	No Critical Violations Observed
Olympic Pizza, 506 Valley St			
	11/30/2010	90	No Critical Violations Observed
Omega Alexandros Macedonian, 141 Cedar St			
	12/16/2010	98	No Critical Violations Observed
P.J. O'Sullivan's, 300 So. Willow St			
	10/19/2010	83	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Papa Gino's, 545 Hooksett Rd			
	12/22/2010	92	No Critical Violations Observed
Papa John's Pizza, 223 So. Willow St			
	11/12/2010	94	12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
Papa Johns - Elm St., 1015 Elm St			
	10/5/2010	93	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
Pappy's Pizza, Inc, 1531 No. Elm St			
	12/7/2010	88	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Parker Varney School, 223 James A. Pollock Dr			
	12/8/2010	100	No Violations Observed
Parkside Convenience, 675 Hooksett Rd			
	12/16/2010	94	No Critical Violations Observed
Parkside Middle School, 75 Parkside Ave			
	12/6/2010	97	No Critical Violations Observed
Pattie Shack LJSQ, LLC, 1073 Elm St			
	10/18/2010	79	03-RE-HEATING OF FOOD - Potentially hazardous foods, which are re-heated, were not done to 165F within 2 hours.
			41-TOXICS LABELED - Toxic items were not labeled as to their ingredients.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.

Facility	Inspection Date	Score	Violation
Pericles Democratic Club, 125 Spruce St	12/28/2010	98	No Critical Violations Observed
Petros Cafe, 720B Valley St	11/8/2010	98	No Critical Violations Observed
Piccola Italia Ristorante, 815 Elm St	12/14/2010	92	No Critical Violations Observed
Pigeon's Super Market, 168 Wilson St	11/15/2010	93	No Critical Violations Observed
Pindos Restaurant and Pizza, 49 Massabesic St	12/8/2010	92	No Critical Violations Observed
Pizza Express II, 865 Second St	12/20/2010	95	No Critical Violations Observed
Pizza Express, 245 Maple St	11/4/2010	90	No Critical Violations Observed
Pizza Hut #676, 716 So. Willow St	11/29/2010	95	No Critical Violations Observed
Pizza Market, 845 Hanover St	12/7/2010	97	No Critical Violations Observed
Portland Pie Company, 788 Elm St	12/20/2010	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
Prabi 2009 LLCdba Bunny's Superette, 75 Webster St	11/8/2010	90	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
PTS Food Ent LLC dba Milly's Tavern, 500 Commercial St	10/19/2010	83	03-RE-HEATING OF FOOD - Potentially hazardous foods, which are re-heated, were not done to 165F within 2 hours.
Puritan Backroom Restaurant, 245 Hooksett Rd	12/28/2010	83	22-SANITATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
Puritan Conference Center, 207 Hooksett Rd	12/28/2010	99	No Critical Violations Observed
Queen City Market, 31A Elm St	10/29/2010	90	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
Queen City Mobile I, 1050 So. Willow St	10/21/2010	89	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Quiznos Sub, 777 So. Willow St	11/9/2010	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Rachel's Coffee Corner, 650 Elm St	12/10/2010	100	No Violations Observed
Radisson Hotel Manchester, 700 Elm St	12/10/2010	91	No Critical Violations Observed
Raphael Social Club Inc, 18 Blaine St	12/28/2010	99	No Critical Violations Observed
Raxx Billiards, 1211 Elm St	12/29/2010	93	01-SOUND CONDITION - Food not in sound condition.
Red Arrow 24 Hr. Diner, 61 Lowell St	12/13/2010	89	35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
Regina Pizzeria, 1500 So. Willow St	10/14/2010	90	No Critical Violations Observed
Republic Cafe & Bistro, 1069 Elm St	12/17/2010	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
Rev. Raymond Burns Highrise, 55 So. Main St	12/23/2010	97	No Critical Violations Observed
Richard's Bistro, 36 Lowell St	12/13/2010	92	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
Rimmon Club, 595 Dubuque St	12/23/2010	96	No Critical Violations Observed
Rite Aid #10274, 122 McGregor St	11/29/2010	97	No Critical Violations Observed
Rite Aid #10276, 53 Hooksett Rd	12/17/2010	96	No Critical Violations Observed
Rite Aid #10278, 270 Mammoth Rd	12/2/2010	99	No Critical Violations Observed
Rite Aid #4741, 1631 Elm St	10/7/2010	100	No Violations Observed
Robert Jolicouer School, 1 Mammoth Rd	12/3/2010	98	No Critical Violations Observed
Rockos Sports Bar & Grill, 253 Wilson St	11/23/2010	93	No Critical Violations Observed
Rose Byrne Headstart, 40 Pine St	11/10/2010	100	No Violations Observed
Sacred Heart Parish, 265 So. Main St	12/29/2010	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Saigon Asian Market, 93 So. Maple St			
	11/16/2010	80	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Saint Augustin Church, 382 Beech St			
	12/21/2010	98	No Critical Violations Observed
Sal's Pizza, 296 So. Willow St			
	11/17/2010	90	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Salona Restaurant, 128 Maple St			
	12/6/2010	92	No Critical Violations Observed
Salvador Deli, 156 Hanover St			
	10/18/2010	91	03-RE-HEATING OF FOOD - Potentially hazardous foods, which are re-heated, were not done to 165F within 2 hours.
Sam's Club #6669, 200 John E. Devine Dr			
	11/4/2010	95	No Critical Violations Observed
Sandy's Variety and Sub Shop, 2281 Candia Rd			
	11/16/2010	96	No Critical Violations Observed
Sanu's Snacks & Convenience, 1000 Elm St			
	10/20/2010	97	No Critical Violations Observed
Sarku Japan, 1500 So. Willow St			
	11/15/2010	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
			22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Scorpion Cafe, 271 Pine St			
	11/23/2010	94	No Critical Violations Observed
Season's Tickets Sports Pub, 554 Front St			
	12/30/2010	86	No Critical Violations Observed
Second Street Mobil, 1019 Second St			
	10/18/2010	85	35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
Senior Services Department, 151 Douglas St			
	12/23/2010	100	No Violations Observed
Serenity Place, 93-101 Manchester St			
	12/2/2010	98	No Critical Violations Observed
Seven Days Market, 360 Union St			
	11/22/2010	99	No Critical Violations Observed
Shaw's Supermarket 7504/375, 375 So. Willow St			
	12/7/2010	92	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Shiloh Community Church, 55 Edmond Dr	12/29/2010	97	No Critical Violations Observed
Shiloh Community Church, 55 Edmond St	12/29/2010	98	No Critical Violations Observed
Shogun Japanese Steak House, 545 Hooksett Rd	11/4/2010	89	No Critical Violations Observed
Shop Drop&Dry Laundromat & Variety, 399 Dubuque St	11/29/2010	99	No Critical Violations Observed
Siberia Food Market, 100 Willow St	10/19/2010	96	No Critical Violations Observed
Simons Roast Beef, 2626 Brown Ave	10/25/2010	98	No Critical Violations Observed
Sky Bar Sadik, Mall of NH, 1500 So. Willow St	11/23/2010	93	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
Smyth Road School, 245 Bruce Rd	11/1/2010	97	No Critical Violations Observed
SNS Convenience, 311 So. Mammoth Rd	11/19/2010	99	No Critical Violations Observed
Sophia Nadeau's Subs & Salads Wraps, 805 Canal St	12/21/2010	97	No Critical Violations Observed
Southern NH Services -Warehouse, 40 Pine St	11/10/2010	100	No Violations Observed
Southern NH Services Inc., 160 Silver St	11/10/2010	99	No Critical Violations Observed
Southside Middle School, 140 So. Jewett St	10/18/2010	98	No Critical Violations Observed
Souvlaki Pizza, 256 Bridge St	12/29/2010	84	No Critical Violations Observed
Spare Time / City Sports Grille, 216 Maple St	12/2/2010	72	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F. 41-TOXICS LABELED - Toxic items were not labeled as to their ingredients. 41-TOXICS STORED - Toxic items were not stored away from food, utensils or incompatible chemicals.

Facility	Inspection Date	Score	Violation
Spice Center, 245 Maple St			
	11/4/2010	75	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
			22-SANITATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.
Spring Hill Suites by Marriott, 975 Perimeter Rd			
	10/29/2010	90	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140 F.
St. Anthony Community Center, 148 Belmont St			
	11/10/2010	99	No Critical Violations Observed
St. Anthony School Lunch Program, 148 Belmont St			
	11/10/2010	99	No Critical Violations Observed
St. Casimir School, 456 Union St			
	10/28/2010	100	No Violations Observed
St. Catherine's School, 206 North St			
	10/19/2010	95	No Critical Violations Observed
St. George Greek Orthodox Cathedral, 650 Hanover St			
	12/3/2010	96	No Critical Violations Observed
St. Joseph Community Services Inc., 508 Union St			
	12/30/2010	100	No Violations Observed
St. Joseph Community Services, 151 Douglas St			
	12/23/2010	100	No Violations Observed
St. Paul's Methodist Church, 335 Smyth Rd			
	12/29/2010	100	No Violations Observed
St. Peter's Home, 300 Kelley St			
	12/6/2010	100	No Violations Observed
St. Raphael Church, 103 Walker St			
	12/29/2010	93	41-TOXICS STORED - Toxic items were not stored away from food, utensils or incompatible chemicals.
Starbucks Coffee, 1111 So. Willow St			
	12/2/2010	97	No Critical Violations Observed
Ste. Marie Child Care, 133 Wayne St			
	12/23/2010	100	No Violations Observed

Facility	Inspection Date	Score	Violation
Ste. Marie Parish, 378 Notre Dame Ave	12/23/2010	97	No Critical Violations Observed
Ste. Marie School Cafe, 281 Cartier St	12/23/2010	96	No Critical Violations Observed
Steakhouse Steaks Eastern Reg Whse, 880 Candia Rd	12/13/2010	98	No Critical Violations Observed
Steve's House Restaurant, 1265 Elm St	12/29/2010	85	No Critical Violations Observed
Stop & Shop Supermarket, 365 Lincoln St	11/30/2010	95	No Critical Violations Observed
Stop & Shop Supermarket, 777 So. Willow St	12/9/2010	91	No Critical Violations Observed
Store 24, #226, 245 Maple St	11/4/2010	99	No Critical Violations Observed
Subway #6438, 581 Second St	12/20/2010	97	No Critical Violations Observed
Subway, 300 Keller St	12/3/2010	96	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Subway, 881 Hanover St	12/7/2010	95	No Critical Violations Observed
Suddenly Soupy's, 28 Hanover St	12/21/2010	100	No Violations Observed
Suddenly Susan's Gourmet Deli, 87 Hanover St	12/20/2010	100	No Violations Observed
Sunshine Scoops, 210 Lowell St	12/20/2010	100	No Violations Observed
Super 8 Motel, 2301 Brown Ave	12/13/2010	98	No Critical Violations Observed
Sweet Cierras LLC, 250 Commercial St	11/4/2010	97	No Critical Violations Observed
Sweets Garden, 1500 So. Willow St	10/6/2010	99	No Critical Violations Observed
Szechuan House Restaurant, 245 Maple St	11/4/2010	92	No Critical Violations Observed
Taco Bell #023877, 1050 Second St	12/8/2010	96	No Critical Violations Observed
Tano's Pizzeria LLC, 381 Kelley St	12/3/2010	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Taproom At The Millyard, LLC, 155 Dow St			
	12/10/2010	89	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			22-SANITATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Taqueria Begy's, 310 Maple St			
	11/4/2010	84	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Taqueria La Guadelupara Market, 917 Valley St			
	11/8/2010	87	22-SANITATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
Teddy J's, 866 Elm St			
	11/29/2010	89	No Critical Violations Observed
Teen Challenge Manchester, 147 Laurel St			
	12/3/2010	99	No Critical Violations Observed
Temple Adath Yeshurun, 152 Prospect St			
	12/28/2010	93	No Critical Violations Observed
TGI Friday's #0175, 1516 So. Willow St			
	11/8/2010	97	No Critical Violations Observed
The "1903" Pub & Banquet Hall, LLC, 1491 Front St			
	11/5/2010	96	No Critical Violations Observed
The Bakeshop on Kelley Street, 171 Kelley St			
	10/21/2010	97	No Critical Violations Observed
The Black Brimmer, Inc., 1087 Elm St			
	12/30/2010	88	35-INSECTS - The facility has an insect infestation.
The Cafe at YDC, 1056 No. River Rd			
	12/7/2010	100	No Violations Observed
The Courville @ Manchester, 44 W. Webster St			
	12/8/2010	93	41-TOXICS LABELED - Toxic items were not labeled as to their ingredients.
The Derryfield Restaurant, 625 Mammoth Rd			
	12/8/2010	80	01-SOUND CONDITION - Food not in sound condition.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.

Facility	Inspection Date	Score	Violation
The Fruit Center, 15 Webster St	10/6/2010	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
The Greek Man LLC, 724 E. Industrial Park Dr	12/20/2010	100	No Violations Observed
The Growing Years, 130 Harvell St	12/17/2010	88	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
The Lunch Bunch LLC, 66 Hanover St	12/7/2010	98	No Critical Violations Observed
The Olive Garden Italian Restaurant, 1888 So. Willow St	12/14/2010	96	No Critical Violations Observed
The Pepsi Bottling Group, 127 Pepsi Rd	11/15/2010	100	No Violations Observed
The Salvation Army, 121 Cedar St	12/3/2010	96	No Critical Violations Observed
The Shaskeen, 909 Elm St	11/3/2010	91	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
The Stuffed Sub, LLC, 1293 Elm St	12/30/2010	94	No Critical Violations Observed
The Way We Cook, 1361 Elm St	12/6/2010	96	No Critical Violations Observed
The Wine Studio LLC, 53 Hooksett Rd	12/16/2010	100	No Violations Observed
The Workout Club & Wellness Center, 93 So. Maple St	12/6/2010	88	22-SANITATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
The Yard Restaurant Inc., 1211 So. Mammoth Rd	11/9/2010	85	No Critical Violations Observed
Theo's Resturant & Lounge, 102 Elm St	11/16/2010	94	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Thousand Crane, 1000 Elm St	12/6/2010	87	22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. 35-OUTER OPENINGS - The facilities outer openings have not been tightly seal to the outside to prevent the entry of vermin.

Facility	Inspection Date	Score	Violation
Tidewater Cafe @ the Currier Museum, 201 Myrtle St			
	10/18/2010	91	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
			22-SANITATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Tidewater Cafe at the CBC, 1050 Holt Ave			
	11/23/2010	99	No Critical Violations Observed
Tiya's Restaurant, 8 Hanover St			
	12/30/2010	89	No Critical Violations Observed
TJ's Sport Bar & Grill, 25 Central St			
	12/23/2010	86	No Critical Violations Observed
TN Gas and Convenience Store, 90 Bridge St			
	12/6/2010	89	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Toys "R" Us, 2 Keller St			
	11/12/2010	97	No Critical Violations Observed
Tropical Food Market, 334 Union St			
	11/22/2010	96	No Critical Violations Observed
Tung Sing Restaurant, 31 Massabesic St			
	12/8/2010	80	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Two Guys Food Market, 414 Union St			
	12/3/2010	98	No Critical Violations Observed
Ukrainian Club, 148 Manchester St			
	12/22/2010	96	No Critical Violations Observed
Uncle Bob's Superette, 435 Kelley St			
	11/26/2010	95	No Critical Violations Observed
Union St. Market, 621 Union St			
	10/28/2010	95	No Critical Violations Observed
UR 1st Stop Convenience, 49 Amoskeag St			
	10/15/2010	95	No Critical Violations Observed
Van Otis Chocolate, 341 Elm St			
	12/13/2010	98	No Critical Violations Observed
Varick's Restaurant & Sports Bar, 24 Depot St			
	12/17/2010	96	No Critical Violations Observed
Venice Old Style Pizza, 510 Front St			
	11/5/2010	96	No Critical Violations Observed
VFW Post #8214, 352 Kelley St			
	12/23/2010	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
VNA Child Care Center, 435 So. Main St	12/8/2010	97	No Critical Violations Observed
W. R. Taverna, 201 Merrimack St	12/13/2010	99	No Critical Violations Observed
Wal-Mart Stores, Inc #2399, 300 Keller St	12/3/2010	98	No Critical Violations Observed
Walgreens #04689, 606 Valley St	11/22/2010	99	No Critical Violations Observed
Washington Manor, 67 Prospect St	11/9/2010	86	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Webster House, 135 Webster St	12/17/2010	94	30-BACKFLOW (AIR GAP) - The establishment had improper or a lack of air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holdin containers.
Webster School, 2519 Elm St	12/7/2010	97	No Critical Violations Observed
Wee Play School, 200 Bedford St	12/13/2010	97	No Critical Violations Observed
Wendy's Old Fahioned Hamburgers, 860 Candia Rd	11/3/2010	94	No Critical Violations Observed
Wendy's, 722 Second St	12/21/2010	94	No Critical Violations Observed
West High Patio Shoppe, 9 Notre Dame Ave	11/18/2010	94	No Critical Violations Observed
West Side Meat and Deli, 270 Amory St	12/7/2010	93	No Critical Violations Observed
Wild Rover Pub, 21 Kosciuszko St	12/20/2010	88	03-RE-HEATING OF FOOD - Potentially hazardous foods, which are re-heated, were not done to 165F within 2 hours.
Willie B's, 90 Union St	11/29/2010	93	No Critical Violations Observed
Wilson School, 401 Wilson St	11/19/2010	99	No Critical Violations Observed
Wingman's Grill, 165 John E. Devine Dr	12/21/2010	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Wings Your Way, 1181 Elm St			
	12/16/2010	73	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41 F.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140 F.
			22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			35-INSECTS - The facility has an insect infestation.
			41-TOXICS LABELED - Toxic items were not labeled as to their ingredients.
Winona Social Club Inc, 168 Manchester St			
	12/22/2010	99	No Critical Violations Observed
Workmen's Relief Club, 183 Douglas St			
	12/28/2010	96	No Critical Violations Observed
XO on Elm, 827 Elm St			
	12/28/2010	98	No Critical Violations Observed
Yorgo Foods Inc, 231 Woodland Ave			
	11/18/2010	94	No Critical Violations Observed
Yuki Japanese Grill, 377 So. Willow St			
	10/18/2010	88	01-SOUND CONDITION - Food not in sound condition.
Z Restaurant, LLC, 860 Elm St			
	12/21/2010	92	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Zoey's Pizza, 2160 Candia Rd			
	12/6/2010	78	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140 F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.