



CITY OF MANCHESTER
Health Department
Inspection Scores by Facility

Period from 4/01/2012 through 06/30/2012

Facility	Inspection Date	Score	Violation
324 Cafe, 488 So. Main St	4/3/2012	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
7-11 #32497B, 234 Mammoth Rd	4/4/2012	94	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
7-11, 117 Queen City Ave	4/24/2012	90	No Critical Violations Observed
7-11, 2305 Brown Ave	6/13/2012	76	12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations. 28-SEWAGE (PROPERLY FUNCTIONING) - The establishment's septic system or sewage disposal system was not functioning properly, ie. back-ups or surfacing onto the ground. 41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
7-Eleven #32499B, 557 Maple St	4/25/2012	88	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
7-Eleven #33202C, 85 So. Main St	5/1/2012	92	No Critical Violations Observed
777 X-press, 777 Hooksett Rd	6/11/2012	93	No Critical Violations Observed
900 Degrees, 50 Dow St	4/24/2012	90	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.

Facility	Inspection Date	Score	Violation
99 Cent and Cigarette Market, 383 Kelley St			
	5/10/2012	92	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
99 Restaurant & Pub, 1685 So. Willow St			
	6/19/2012	93	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
A & R Munchies, 20 Schuyler St			
	6/8/2012	96	No Critical Violations Observed
A Market Kitchen, 379 So. Willow St			
	6/12/2012	96	No Critical Violations Observed
A Market Natural Foods, 125 Loring St			
	6/12/2012	96	No Critical Violations Observed
ABC Nursery, 108 Revere Ave			
	6/19/2012	99	No Critical Violations Observed
ABI Jay Novelty Foods LLC, 555 Elm St			
	6/12/2012	99	No Critical Violations Observed
		100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Advantage Food and Beverage (Dinner in the Den), 1 Line Dr			
	4/13/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Advantage Food and Beverage (First Base), 1 Line Dr			
	4/13/2012	91	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Advantage Food and Beverage (Homeplate), 1 Line Dr			
	4/13/2012	88	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Advantage Food and Beverage (Main Kitchen & Suites), 1 Line Dr			
	4/13/2012	93	No Critical Violations Observed
Advantage Food and Beverage (Third Base), 1 Line Dr			
	4/13/2012	88	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Advantage Food and Beverage Sam Adams Bar & Grill, 1 Line Dr			
	4/13/2012	92	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Airport Diner Inc., 2280 Brown Ave			
	6/14/2012	92	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Ali Baba dba Spice Center, 245 Maple St			
	6/4/2012	80	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			28-SEWAGE (PROPERLY FUNCTIONING) - The establishment's septic system or sewage disposal system was not functioning properly, ie. back-ups or surfacing onto the ground.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Aloha Restaurant, 901 Hanover St			
	5/3/2012	89	No Critical Violations Observed
Alpine Club, 175 Putnam St			
	6/29/2012	94	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
American Legion Henry J. Sweeney, 251 Maple St			
	6/8/2012	96	No Critical Violations Observed
American Legion Post #43, 56 Boutwell St			
	6/26/2012	95	No Critical Violations Observed
American Legion Post #79, 35 W. Brook St			
	6/28/2012	82	01-APPROVED SOURCE - Food observed was not from an approved source. Example: Home prepared items or items made in an unlicensed facility.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Amory St House of Pizza, 253 Amory St			
	6/18/2012	97	No Critical Violations Observed
Andre's Diner Inc., 100 Willow St			
	6/18/2012	98	No Critical Violations Observed
Annula's Pizza & Deli, 525 Chestnut St			
	4/20/2012	97	No Critical Violations Observed
Apple Blossom Child Center LLC, 1 Sundial Ave			
	6/22/2012	97	No Critical Violations Observed
Applebee's Neighborhood Grill and Bar, 581 Second St			
	4/24/2012	96	No Critical Violations Observed
Aramark Corporation-Kitchen, 555 Elm St			
	6/12/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed

Facility	Inspection Date	Score	Violation
Aramark Corporation-Lounge, 555 Elm St	6/12/2012	99	No Critical Violations Observed
Aramark Corporation-Stand A, 555 Elm St	6/12/2012	99	No Critical Violations Observed
Aramark Corporation-Stand B, 555 Elm St	6/12/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Aramark Corporation-Stand C, 555 Elm St	6/12/2012	99	No Critical Violations Observed
Aramark Corporation-Stand D, 555 Elm St	6/12/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Arby's, 1500 So. Willow St	6/26/2012	98	No Critical Violations Observed
Assumption Church, 111 Island Pond Rd	5/1/2012	98	No Critical Violations Observed
Ate Doors Down, 967 Elm St	6/21/2012	96	No Critical Violations Observed
Athens Restaurant, 31 Central St	6/26/2012	82	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 35-INSECTS - The facility has an insect infestation.
Auntie Anne's Pretzels, 1500 So. Willow St	6/29/2012	96	No Critical Violations Observed
Awesome Pizza 2, 444 Second St	6/20/2012	95	No Critical Violations Observed
B & B Cafe and Grill / 25 Stark St. LLC, 25 Stark St	6/21/2012	97	No Critical Violations Observed
Bakersville School, 20 Elm St	6/8/2012	97	No Critical Violations Observed
Bakolas Market, Inc., 110 Spruce St	5/9/2012	96	No Critical Violations Observed
Bamboo Garden, 329 Lincoln St	5/29/2012	80	12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations. 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Bartlett Street Superette, 316 Bartlett St	6/14/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Beech Street School, 333 Beech St			
	4/2/2012	94	31-HANDWASHING- NUMBER - The establishment had an insufficient number of handsinks.
Beechmont Market, 609 So. Beech St			
	6/12/2012	93	No Critical Violations Observed
Bertucci's Brick Oven Pizzeria, 1500 So. Willow St			
	6/27/2012	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Best Beef, 720 E. Industrial Park Dr			
	4/25/2012	99	No Critical Violations Observed
Big Easy Bagel, 2626 Brown Ave			
	6/11/2012	95	No Critical Violations Observed
Billy's Sports Bar & Grill, 34 Tarrytown Rd			
	4/4/2012	85	No Critical Violations Observed
Birch Hill Terrace, 200 Alliance St			
	5/24/2012	97	No Critical Violations Observed
Bishop Leo E. O'Neil Youth Center, 30 So. Elm St			
	6/27/2012	95	No Critical Violations Observed
Bishop Peterson Residence, 221 Orange St			
	4/27/2012	98	No Critical Violations Observed
Blackout Cafe, 1050 Holt Ave			
	6/8/2012	92	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Blake's Restaurant, 353 So. Main St			
	5/7/2012	95	No Critical Violations Observed
Blake's Restaurant, 53 Hooksett Rd			
	4/25/2012	92	No Critical Violations Observed
Blessed Sacrament Church, 14 Elm St			
	6/29/2012	99	No Critical Violations Observed
Bob's Discount Furniture, 1875 So. Willow St			
	6/15/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Bobby O's Foods LLC, 722 E. Industrial Park Dr			
	4/26/2012	93	41-TOXICS LABELED - Toxic items were not labeled as to their contents.

Facility	Inspection Date	Score	Violation
Bonne Sante Natural Foods, 425 Mast Rd			
	4/26/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Bonsai's Restaurant, 2265 Candia Rd			
	6/12/2012	82	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Bosna Store LLC, 71 Manchester St			
	4/3/2012	97	No Critical Violations Observed
Boston Market #0027, 14 March St			
	6/4/2012	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Boston Sports Bar & Grill, 37 Manchester St			
	4/4/2012	63	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-HANDS WASHED - Employees were not washing hands when required.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
	4/5/2012	86	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Boys & Girls Club of Manchester, 555 Union St			
	6/27/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Breezeway Pub, 14 Pearl St			
	6/26/2012	87	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
Bremer Street Food Mart, 218 Bremer St			
	5/15/2012	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
British American Association, 235 Central St			
	6/13/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Brookside Congregational Church, 2013 Elm St			
	6/21/2012	97	No Critical Violations Observed
Brother's Pizza, 6 Willow St			
	6/19/2012	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Brown School Apartments, 435 Amory St			
	6/12/2012	98	No Critical Violations Observed
Burger King, 623 Second St			
	6/7/2012	94	No Critical Violations Observed
Burger King, 737 Hooksett Rd			
	6/4/2012	93	No Critical Violations Observed
Caesario's Pizza, 1057 Elm St			
	6/15/2012	87	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Cafe Momo, 1065 Hanover St			
	6/26/2012	91	No Critical Violations Observed
Cajun Cafe Grill, 1500 So Willow St			
	6/28/2012	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Camp Carpenter, 300 Blondin Rd			
	6/20/2012	97	No Critical Violations Observed
Candy Kingdom, 235 Harvard St			
	5/2/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Canton Garden, 159 Kelley St			
	6/27/2012	87	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Capri Market, 540 Hall St			
	4/24/2012	96	No Critical Violations Observed
		97	No Critical Violations Observed
Caribbean Market, 302 Lake Ave			
	5/29/2012	98	No Critical Violations Observed
Carpenter Center, 323 Franklin St			
	6/21/2012	97	No Critical Violations Observed
Carvel Ice Cream, 555 Elm St			
	6/12/2012	96	No Critical Violations Observed
		98	No Critical Violations Observed
Castle Caterers LLC, 700 Lucas Rd			
	5/31/2012	89	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Catholic Medical Center Cafeteria, 100 McGregor St			
	5/25/2012	98	No Critical Violations Observed
Chelby's Pizza, 284 Mammoth Rd			
	4/23/2012	99	No Critical Violations Observed
Cheng Du Kitchen, 665 Hooksett Rd			
	5/16/2012	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
Chesterman LLC dba Dunkin Donuts, 855 Candia Rd			
	6/4/2012	96	No Critical Violations Observed
Chestnut Street Downtown Diner LLC, 363 Chestnut St			
	5/31/2012	90	No Critical Violations Observed
Chez Vachon, 136 Kelley St			
	6/6/2012	95	No Critical Violations Observed
Chiggy's Place Inc., 372 Kelley St			
	6/20/2012	99	No Critical Violations Observed
Child and Family Services, 99 Hanover St			
	6/25/2012	96	No Critical Violations Observed
China Kitchen, 173 Hanover St			
	6/26/2012	73	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. 35-RODENTS - The facility has a rodent infestation.
China Wind, 31 Massabesic St			
	5/22/2012	87	28-SEWAGE (MOP WATER DISPOSAL) - Mop water was not being disposed of into an approved wastewater system (He-P 2302), ie. dumped onto the ground. 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Christos Kalivas Highrise, 175 Chestnut St			
	6/13/2012	94	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Chuck E Cheese, 1525 So. Willow St			
	6/6/2012	95	No Critical Violations Observed
Cibao Market, 422 Belmont St			
	5/8/2012	89	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Cinnabest, LLC, 1500 So. Willow St			
	6/28/2012	95	No Critical Violations Observed
Clam King Restuarant, 791 Second St			
	5/2/2012	88	No Critical Violations Observed
Cleveland St. Meat Market, 126 Cleveland St			
	5/15/2012	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Club Canadian, 128 So Main St	6/29/2012	97	No Critical Violations Observed
Club Lafayette, 387 Canal St	6/13/2012	97	No Critical Violations Observed
Club Mont Royal, 594 Somerville St	4/23/2012	92	No Critical Violations Observed
Cold Stone Creamery, 102 March Ave	6/6/2012	98	No Critical Violations Observed
Comfort Inn, 298 Queen City Ave	5/10/2012	96	No Critical Violations Observed
Consuelo's Taqueria, 36 Amherst St	5/31/2012	99	No Critical Violations Observed
Cotton Restaurant, 75 Arms St	5/30/2012	93	No Critical Violations Observed
Country Kitchen, 199 Pepsi Dr	5/31/2012	98	No Critical Violations Observed
Cremeland Drive In, 250 Valley St	4/16/2012	91	No Critical Violations Observed
Crossmark, 200 John E. Devine Dr	6/15/2012	98	No Critical Violations Observed
Crosstown Convenience, 995 Goffstown Rd	6/18/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Crosstown Market, 77 Bremer St	6/20/2012	99	No Critical Violations Observed
Crosstown Variety Store, 270 Amory St	6/1/2012	96	No Critical Violations Observed
Cumberland Farms #5511, 275 Hanover St	6/22/2012	97	No Critical Violations Observed
CVS Pharmacy #2257, 271 Mammoth Rd	6/1/2012	98	No Critical Violations Observed
CVS Pharmacy #7932, 432 So. Main St	5/1/2012	96	No Critical Violations Observed
Cypress Center Kitchen, 401 Cypress St	6/25/2012	92	22-SANITIZATION RINSE- CLEAN - The sanitization rinse was not clean, ie. free of debris.
D'Angelo Sandwich Shop, 1500 So. Willow St	6/26/2012	97	No Critical Violations Observed
D'Angelo Sandwich Shop, 900 Second St	5/7/2012	94	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Dairy Queen, 715 Second St	4/25/2012	94	No Critical Violations Observed
Dairy Queen/Orange Julius, 1500 So. Willow St	6/29/2012	98	No Critical Violations Observed
Dancing Lion Chocolates, 917 Elm St	6/6/2012	97	No Critical Violations Observed
Davignon Club, 218 Wilson St	4/24/2012	89	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
DEKA 324, 324 Commercial St	6/22/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Delux Restaurant, 36 Lowell St	6/13/2012	84	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Denny's Quick Lunch, 356 Whitney Ave	6/15/2012	96	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Derryfield Lower School, 2108 River Rd	5/2/2012	95	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Derryfield Upper School, 2108 River Rd	5/2/2012	93	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
DH's Doghouse LLC, 656 So. Mammoth Rd	5/30/2012	96	No Critical Violations Observed
Disabled American Veterans, 399 Silver St	4/23/2012	95	No Critical Violations Observed
DJJS - Main Kitchen, 1056 No. River Rd	6/15/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Dodie'z Dirty Dogz LLC, 111 Manning St	5/18/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed

Facility	Inspection Date	Score	Violation
Dog Days of Summer Ice Cream, 297 Wilson's Crossing Rd			
	4/19/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Domino's Pizza, 150 Amory St			
	6/13/2012	91	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
			30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
Don Quijote / La Hacienda Restaurant, 333 Valley St			
	6/5/2012	87	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Don Quijote Restaurant, 362 Union St			
	6/5/2012	92	No Critical Violations Observed
Dos Amigos Burritos, 931 Elm St			
	6/6/2012	95	No Critical Violations Observed
Doughvinci's Inc., 728 E. Industrial Park Dr			
	4/16/2012	97	No Critical Violations Observed
Down the Block, 167 Hanover St			
	6/25/2012	92	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
DRYNK, 20 Old Granite St			
	6/14/2012	92	No Critical Violations Observed
Dube Dogs & Sausage, 400 Bedford St			
	4/26/2012	98	No Critical Violations Observed
Dunkin Donuts (Ellhos LLC), 1 Elliot Way			
	4/2/2012	98	No Critical Violations Observed
Dunkin Donuts @ CMC, 100 McGregor St			
	5/25/2012	98	No Critical Violations Observed
Dunkin Donuts, 100 Eddy Rd			
	6/13/2012	99	No Critical Violations Observed
Dunkin Donuts, 1265 So. Willow St			
	6/14/2012	94	No Critical Violations Observed
Dunkin Donuts, 1500 So. Willow St			
	6/26/2012	98	No Critical Violations Observed
Dunkin Donuts, 216 Elm St			
	4/24/2012	98	No Critical Violations Observed
Dunkin Donuts, 2297 Brown Ave			
	6/25/2012	93	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Dunkin Donuts, 2445 Brown Ave	6/25/2012	99	No Critical Violations Observed
Dunkin Donuts, 4 Main St	5/22/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Dunkin Donuts, 947 Second St	5/15/2012	98	No Critical Violations Observed
East Manchester Fish & Game Club, 50 Massabesic St	6/11/2012	96	No Critical Violations Observed
East Side Club, 786 Massabesic St	6/11/2012	95	No Critical Violations Observed
East-West Foods, 2626 Brown Ave	6/13/2012	93	No Critical Violations Observed
Easter Seals Adult Day Program, 555 Auburn St	4/11/2012	97	No Critical Violations Observed
Easter Seals Child Development Ctr, 555 Auburn St	4/11/2012	97	No Critical Violations Observed
Easter Seals, 435 So. Main St	6/29/2012	99	No Critical Violations Observed
Econo Lodge, 75 W. Hancock St	5/10/2012	98	No Critical Violations Observed
Eddy Rd Shell, Nouria Energy Retail, 245 Eddy Rd	5/16/2012	91	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
Eddy Road Mobil, 210 Eddy Rd	5/23/2012	95	No Critical Violations Observed
El Mexicano Jr, 197 Wilson St	5/25/2012	83	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment. 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
El Rincon Zacatecano Taqueria, 10 Lake Ave	4/25/2012	92	No Critical Violations Observed
Elite Pizza LLC, 72 Conant St	5/28/2012	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Elliot at River Edge, 185 Queen City Ave	6/8/2012	98	No Critical Violations Observed
Elliot Commons Cafeteria, 1 Elliot Way	4/2/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Empire Bagel Cafe, 373 Hanover St			
	4/23/2012	86	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
European Store, 310 Maple St			
	4/9/2012	99	No Critical Violations Observed
Even Par Social Club, 102 Spruce St			
	5/8/2012	95	No Critical Violations Observed
Executive Catering Services, 290 Belmont St			
	5/14/2012	92	No Critical Violations Observed
Extreme Pita, 1500 So Willow St			
	6/28/2012	95	No Critical Violations Observed
Family Dollar Store #3571, 325 Lincoln St			
	4/11/2012	96	No Critical Violations Observed
Family Dollar Stores of NH #8789, 403 Second St			
	4/5/2012	93	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
First Presbyterian Church, 75 Second St			
	6/25/2012	98	No Critical Violations Observed
Five Below Inc #413, 777 So. Willow St			
	5/22/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Five Guys, 1111 So. Willow St			
	6/4/2012	99	No Critical Violations Observed
Fratello's Restaurant, 155 Dow St			
	6/18/2012	82	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F. 12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
Freed's Bakery, 299 Pepsi Rd			
	4/18/2012	95	No Critical Violations Observed
Fresh Fruit Smoothies, 1500 So. Willow St			
	6/27/2012	96	No Critical Violations Observed
Friendlys #302, 1229 So. Willow St			
	6/14/2012	96	No Critical Violations Observed
Fritzie's Variety, 154 Conant St			
	6/28/2012	97	No Critical Violations Observed
Gate City Catering Express LLC,			
	6/28/2012	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.

Facility	Inspection Date	Score	Violation
Gaicho's Cafe, 62 Lowell St			
	5/23/2012	88	03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Girls Inc of NH, 340 Varney St			
	6/26/2012	96	No Critical Violations Observed
Global Montello Group Manchester, 2391 Brown Ave			
	5/30/2012	96	No Critical Violations Observed
Gloria Jean's Coffees, 1500 So. Willow St			
	6/28/2012	99	No Critical Violations Observed
Gold's Gym, 89 Dow St			
	5/11/2012	94	22-SANITIZATION RINSE- EXPOSURE TIME - Equipment did not contact the sanitization rinse for the appropriate amount of time.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Goldenrod Restaurant, 1681 Candia Rd			
	6/6/2012	87	No Critical Violations Observed
Good Deal African International Mkt, 40A Ronald St			
	6/22/2012	94	No Critical Violations Observed
Gossler Park School, 99 Sullivan St			
	5/1/2012	92	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
Grand Slam Pizza II, 331 So. Mammoth Rd			
	4/9/2012	98	No Critical Violations Observed
Grand Slam Pizza, 472 So. Main St			
	6/28/2012	78	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
Granite State Fruit Co., 30 Auburn St			
	5/29/2012	97	No Critical Violations Observed
Granite State Lunchbox @ UNH, 400 Commercial St			
	4/6/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Great Buffet, 1525 So. Willow St			
	6/29/2012	70	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Great Foods Inc. dba Chateau, 201 Hanover St			
	6/25/2012	88	No Critical Violations Observed
Great Wall Chinese Restaurant, 168 Amory St			
	6/25/2012	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Greater Manchester Colt League, 411 Bridge St			
	5/11/2012	99	No Critical Violations Observed
Greater Manchester Pony Colt League, Auburn & Maple St			
	5/3/2012	97	No Critical Violations Observed
Hackett Hill Healthcare, 191 Hackett Hill Rd			
	6/15/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Han's Food Mart, 353 Maple St			
	4/24/2012	90	No Critical Violations Observed
Hannaford Food & Drug #164, 201 John E. Devine Dr			
	6/19/2012	96	No Critical Violations Observed
Hanover St. Shell, 887 Hanover St			
	5/3/2012	97	No Critical Violations Observed
Hanover Street Chophouse, 149 Hanover St			
	6/6/2012	91	No Critical Violations Observed
Helping Hands Outreach Center, 50 Lowell St			
	6/26/2012	92	No Critical Violations Observed
Heng Won Chinese Restaurant, 262 Mammoth Rd			
	6/20/2012	73	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Highland Goffe's Falls School, 2021 Goffe's Falls Rd			
	6/11/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Hillsborough County Jail, 445 Willow St	6/1/2012	96	No Critical Violations Observed
Hillsborough Market LLC, 519 Lincoln St	6/1/2012	98	No Critical Violations Observed
Hillview Restaurant, 270 Amory St	6/19/2012	86	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Hilton Garden Inn, 101 So. Commercial St	4/26/2012	89	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Homewood Suites by Hilton, 1000 Perimeter Rd	6/11/2012	95	No Critical Violations Observed
Hong Kong City Restaurant, 864 Page St	4/23/2012	97	No Critical Violations Observed
Hope Resource Center, 222 Cedar St	6/12/2012	96	No Critical Violations Observed
Hot Stone Pizzeria, 174 Eddy Rd	6/8/2012	87	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Ice Cream Lady, 695 Bodwell Rd	5/23/2012	98	No Critical Violations Observed
Immanuel Lutheran Church, 673 Weston Rd	5/2/2012	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
India Palace, 575 So. Willow St			
	6/25/2012	58	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			04-FACILITIES TO MAINTAIN TEMPERATURE - The establishment did not have adequate refrigeration and/or hot holding equipment to acquire and/or maintain proper food temperatures.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
			12-GOOD HYGIENIC PRACTICES (MOP IN 3 BAY) - Employees were dumping mop water in the 3 bay sink.
			12-HANDS WASHED - Employees were not washing hands when required.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			35-INSECTS - The facility has an insect infestation.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
	6/26/2012	70	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			04-FACILITIES TO MAINTAIN TEMPERATURE - The establishment did not have adequate refrigeration and/or hot holding equipment to acquire and/or maintain proper food temperatures.
			35-INSECTS - The facility has an insect infestation.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
International Farmers Market, Lafayette Park			
	6/20/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
J & P Convenience Store LLC, 250 Laurel St			
	6/1/2012	98	No Critical Violations Observed
J. N. Express LLC, 650 Second St			
	4/10/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed

Facility	Inspection Date	Score	Violation
J.W. Hill's Sports Bar & Grille, 795 Elm St			
	4/4/2012	83	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Jenny Craig WLC #663, 40 March Ave			
	6/6/2012	99	No Critical Violations Observed
Jeremy Nadeau's Subs, 100 Cahill Ave			
	6/5/2012	96	No Critical Violations Observed
Jewish Federation of New Hampshire, 698 Beech St			
	6/27/2012	99	No Critical Violations Observed
Jimmy's House of Pizza, 345 Kelley St			
	6/20/2012	97	No Critical Violations Observed
Jokers Sports Bar & Grill, 1279 So. Willow St			
	6/6/2012	96	No Critical Violations Observed
Jon O's Market, 600 Front St			
	6/12/2012	90	No Critical Violations Observed
Jonathan's Quick Eats LLC, 157 Wilmot St			
	4/27/2012	99	No Critical Violations Observed
Joseph Brothers Market, 196 Lake Ave			
	5/29/2012	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
Just Coffee Plus, 1050 Gold St			
	6/15/2012	93	No Critical Violations Observed
K&M Entertainment LLC dba L&M Rack It, 61 Canal St			
	5/31/2012	85	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Kalwall Corporation, 1111 Candia Rd			
	6/27/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed

Facility	Inspection Date	Score	Violation
Karma Cigar & Hookah Lounge LLC, 1077 Elm St			
	6/26/2012	84	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Kay's Bakery, 443 Lake Ave			
	5/29/2012	97	No Critical Violations Observed
KC's Rib Shack, 837 Second St			
	4/23/2012	87	35-RODENTS - The facility has a rodent infestation.
Kentucky Fried Chicken, 955 Second St			
	4/23/2012	87	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Kindertree Learning Center, 162 Manchester St			
	6/6/2012	99	No Critical Violations Observed
Koi Japan, 946 Elm St			
	5/9/2012	63	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
	5/10/2012	87	No Critical Violations Observed
Kwik Stop LLC - South Willow, 1265 So. Willow St			
	6/14/2012	94	No Critical Violations Observed
La Carreta Mexican Restaurant, 1875 So. Willow St			
	6/29/2012	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.

Facility	Inspection Date	Score	Violation
La Catracha, 521 Wilson St	6/29/2012	86	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Lake Ave Irving #02032, 425 Lake Ave	5/7/2012	91	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Lakeview Gulf, 219 Londonderry Tpk	6/12/2012	93	41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
Lakorn Thai Restaurant, 470 So. Main St	6/28/2012	94	No Critical Violations Observed
Lala's Hungarian Pastry, 836 Elm St	5/9/2012	97	No Critical Violations Observed
LaQuinta Inn & Suites, 21 Front St	4/19/2012	97	No Critical Violations Observed
Layalina Restaurant, 245 Maple St	5/21/2012	85	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Le Gourmet Chef, 1500 So. Willow St	6/27/2012	98	No Critical Violations Observed
Lipke Enterprises dba The 25th Lane, 2171 Candia Rd	4/9/2012	96	No Critical Violations Observed
Little Caesars Pizza, 581 Second St	6/7/2012	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Longhorn Steakhouse of Manchester #5141, 1580 So. Willow St	6/29/2012	97	No Critical Violations Observed
Luigi's Pizza Bar & Grille, 712 Valley St	5/14/2012	95	No Critical Violations Observed
Luisa's Italian Pizzeria, 673 Hooksett Rd	5/16/2012	86	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. 41-TOXICS LABELED - Toxic items were not labeled as to their contents. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Mad Bob's Saloon LLC, 342 Lincoln St	5/11/2012	94	No Critical Violations Observed
Maha and Tarek LLC dba Crazy Camel, 245 Maple St	6/13/2012	96	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.

Facility	Inspection Date	Score	Violation
Manchester Buffet & Restaurant, 371 So. Willow St	6/18/2012	96	No Critical Violations Observed
Manchester Central Little League, 380 Lincoln St	4/25/2012	97	No Critical Violations Observed
Manchester Christian Church, 1308 Wellington Rd	4/26/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Manchester Church of God, 230 Mooresville Rd	5/4/2012	97	No Critical Violations Observed
Manchester Community Resource Ctr, 177 Lake Ave	6/12/2012	98	No Critical Violations Observed
Manchester Diner LLC, 119 A Hanover St	6/6/2012	94	No Critical Violations Observed
Manchester Elks Lodge #146, 290 Granite St	6/20/2012	95	No Critical Violations Observed
Manchester Farmer's Market, PO Box 982	6/21/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Manchester Grill & Tavern, 137 Wilson St	5/14/2012	98	No Critical Violations Observed
Manchester Masonic Temple, 1505 Elm St	6/29/2012	98	No Critical Violations Observed
Manchester North Little League, c/o 450 Elgin Ave	4/20/2012	96	No Critical Violations Observed
Manchester Press Club, 157 Franklin St	5/15/2012	96	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Manchester South Jr. Deb Softball, 6 Gay St	4/27/2012	98	No Critical Violations Observed
Manchester South Little League, 103 Driving Park Rd	4/25/2012	99	No Critical Violations Observed
Manchester West High School, 9 Notre Dame Ave	5/16/2012	98	No Critical Violations Observed
Manchester West Side Little League, 430 Youville St	4/25/2012	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Mangia Italian Rest, 33A Elm St			
	6/7/2012	65	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			28-SEWAGE (MOP WATER DISPOSAL) - Mop water was not being disposed of into an approved wastewater system (He-P 2302), ie. dumped onto the ground.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
	6/8/2012	98	No Critical Violations Observed
Maple Willow Functions, 93 So. Maple St			
	4/27/2012	94	No Critical Violations Observed
Margarita's Mexican Restaurant, 1037 Elm St			
	6/14/2012	96	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Marka Internacional Grocery, 135 Cedar St			
	5/10/2012	88	No Critical Violations Observed
Market Basket, 460 Elm St			
	6/12/2012	89	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Mary Gale Apartments, 600 Maple St			
	4/27/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Master Wok, 1500 So. Willow St			
	6/28/2012	97	No Critical Violations Observed
McDonald's Restaurant, 196 So. Willow St			
	5/7/2012	98	No Critical Violations Observed
McDonald's Restaurant, 907 Hanover St			
	4/26/2012	94	No Critical Violations Observed
McDonald's Restaurant, 907 Second St			
	6/7/2012	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
McDonald's, 2287 Brown Ave	6/14/2012	93	No Critical Violations Observed
McGarvey's, 1097 Elm St	6/25/2012	82	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
McIntyre Ski Area Food Service, 50 Chalet Way	6/28/2012	98	No Critical Violations Observed
Meals on Wheels - Fitz Voqt, 182-191 Manchester St	4/25/2012	97	No Critical Violations Observed
Meetinghouse at Riverfront, 60 Riverfront Dr	5/22/2012	96	No Critical Violations Observed
Mike's Pub & Grub, 155 Lake Ave	5/3/2012	93	No Critical Violations Observed
Mill Town Market LLC, 1053 Elm St	5/22/2012	91	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Millwest Subway, 195 McGregor St	5/17/2012	95	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Moe Joe's Country Diner, 649 E. Industrial Park Dr	4/5/2012	93	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Moe Joe's Family Restaurant LLC, 2175 Candia St	4/5/2012	91	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Moechester LLC, 796 Elm St	5/29/2012	99	No Critical Violations Observed
Mount St. Mary's Academy, 2291 Elm St	4/30/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Mount Zion Christian Schools, 132 Titus Ave	6/13/2012	99	No Critical Violations Observed
Mr. Market, 297 Spruce St	4/24/2012	94	No Critical Violations Observed
Murphy's Diner, 516 Elm St	5/30/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Murphy's Tavern, 494 Elm St			
	5/30/2012	85	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Neighborhood Variety, 2626 Brown Ave			
	6/12/2012	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
New England Bagel LLC, 845 Second St			
	5/16/2012	96	No Critical Violations Observed
New Happy Garden Chinese Restaurant, 47 Hamel Dr			
	6/11/2012	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours.
New Horizons for NH, Inc., 199 Manchester St			
	6/26/2012	86	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
NH Food Bank, 700 E. Industrial Park Dr			
	5/10/2012	96	No Critical Violations Observed
North East Ice Cream LLC, 256 DW Hwy			
	6/6/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
North Main Petroleum Service Inc., 21 Main St			
	6/22/2012	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Northend Superette, 1308 Elm St			
	5/9/2012	97	No Critical Violations Observed
Northwest Elementary School, 300 Youville St			
	5/4/2012	94	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Nutfield Steak & Ale House, 55 John E. Devine Dr			
	6/29/2012	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Olympic Pizza, 506 Valley St			
	5/21/2012	93	41-TOXICS LABELED - Toxic items were not labeled as to their contents.

Facility	Inspection Date	Score	Violation
Omega Alexandros Macedonian, 141 Cedar St			
	5/2/2012	87	12-GOOD HYGIENIC PRACTICES (SMOKING) - Employees were smoking in an unapproved location.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Orange St. Market, 132 Orange St			
	4/26/2012	78	01-APPROVED SOURCE - Food observed was not from an approved source. Example: Home prepared items or items made in an unlicensed facility.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Oven Poppers, 99 Faltin Dr			
	6/15/2012	99	No Critical Violations Observed
P.J. O'Sullivan's, 300 So. Willow St			
	4/6/2012	85	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Papa Gino's, 111 C So. Willow St			
	6/5/2012	91	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Papa John's Pizza, 223 So. Willow St			
	6/5/2012	94	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Pappy's Pizza, Inc, 1531 No. Elm St			
	5/14/2012	84	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Parker Varney School, 223 James A. Pollock Dr			
	5/15/2012	99	No Critical Violations Observed
Parkside Convenience, 675 Hooksett Rd			
	6/26/2012	96	No Critical Violations Observed
Parkside Middle School, 75 Parkside Ave			
	5/7/2012	95	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Pericles Democratic Club, 123 Spruce St			
	5/9/2012	92	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Petros Cafe, 720 Valley St			
	4/26/2012	91	30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
Phily's Good Eats, 134 Adams Rd			
	5/28/2012	96	No Critical Violations Observed
	6/15/2012		No Critical Violations Observed
Piccola Italia Ristorante, 815 Elm St			
	6/21/2012	93	No Critical Violations Observed
Pindos Restaurant and Pizza, 49 Massabesic St			
	5/3/2012	90	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Pizza Express II, 865 Second St			
	5/21/2012	94	No Critical Violations Observed
Pizza Express, 245 Maple St			
	5/16/2012	93	No Critical Violations Observed
Pizza Market, 845 Hanover St			
	5/3/2012	91	No Critical Violations Observed
Portland Pie Company, 788 Elm St			
	5/30/2012	95	No Critical Violations Observed
PTS Food Ent LLC dba Milly's Tavern, 500 Commercial St			
	5/7/2012	81	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Puritan Backroom Restaurant, 245 Hooksett Rd			
	6/7/2012	92	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Puritan Conference Center, 207 Hooksett Rd			
	6/8/2012	97	No Critical Violations Observed
Queen City Market, 31A Elm St			
	6/8/2012	94	No Critical Violations Observed
Quiznos Sub, 777 So. Willow St			
	6/4/2012	94	No Critical Violations Observed
R & E Grocery, 304 Merrimack St			
	6/22/2012	95	No Critical Violations Observed
Rachel's Coffee Corner, 650 Elm St			
	6/21/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Radisson Hotel Manchester, 700 Elm St			
	5/8/2012	94	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Raphael Social Club Inc, 18 Blaine St	6/20/2012	90	35-INSECTS - The facility has an insect infestation.
Raxx Billiards, 1211 Elm St	6/25/2012	86	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging. 35-INSECTS - The facility has an insect infestation.
Red Barn Diner, LLC, 113 Elm St	6/22/2012	88	No Critical Violations Observed
Regina Pizzeria, 1500 So. Willow St	6/28/2012	96	No Critical Violations Observed
Rimmon Club, 595 Dubuque St	6/29/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Rite Aid #10274, 122 McGregor St	5/17/2012	98	No Critical Violations Observed
Rite Aid #10276, 53 Hooksett Rd	5/9/2012	95	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Rite Aid #10278, 270 Mammoth Rd	6/1/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Robert Jolicouer School, 1 Mammoth Rd	5/2/2012	91	01-NO SPOILAGE - Spoiled food or moldy ice observed.
Rockos Sports Bar & Grill, 253 Wilson St	6/7/2012	91	No Critical Violations Observed
Ruby Tuesday #3309, 1500 So. Willow St	6/27/2012	93	No Critical Violations Observed
S & R Westside Market LLC, 149 Kelley St	6/20/2012	97	No Critical Violations Observed
Sabroso, 353 Maple St	6/13/2012	97	No Critical Violations Observed
Sahara Food Services, 750 Massabesic St	6/20/2012	77	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices. 41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Salona Restaurant, 128 Maple St	5/9/2012	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Sam's Club #6669, 200 John E. Devine Dr	6/15/2012	97	No Critical Violations Observed
Santoro's Pizza, 468 Union St	4/23/2012	87	12-GOOD HYGIENIC PRACTICES (SMOKING) - Employees were smoking in an unapproved location.
Sarku Japan, 1500 So. Willow St	6/26/2012	93	No Critical Violations Observed
Scorpion Cafe, 271 Pine St	6/8/2012	96	No Critical Violations Observed
Season's Tickets Sports Pub, 554 Front St	5/14/2012	71	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands 30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Second Street Mobil, 1019 Second St	5/9/2012	85	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Serenity Place, 93-101 Manchester St	6/25/2012	97	No Critical Violations Observed
Shaw's Supermarket 7504/375, 375 So. Willow St	6/18/2012	97	No Critical Violations Observed
Shogun Japanese Steak House, 545 Hooksett Rd	6/11/2012	96	No Critical Violations Observed
Shop Drop&Dry Laundromat & Variety, 399 Dubuque St	6/18/2012	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Shorty's Mexican Roadhouse, 1050 Bicentennial Dr			
	4/16/2012	67	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
	4/19/2012	89	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
	6/19/2012	82	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Siberia Food Market, 100 Willow St			
	6/19/2012	98	No Critical Violations Observed
Simons Roast Beef, 2626 Brown Ave			
	6/11/2012	95	No Critical Violations Observed
Sodexo at Wellpoint - Manchester, 3000 Goffs Falls Rd			
	6/11/2012	93	No Critical Violations Observed
Sophia Nadeau's Subs & Salads Wraps, 805 Canal St			
	5/1/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Souvlaki Pizza, 256 Bridge St			
	5/23/2012	88	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Spare Time / City Sports Grille, 216 Maple St			
	6/5/2012	96	No Critical Violations Observed
Spring Hill Suites by Marriott, 975 Perimeter Rd			
	6/11/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
St. George Greek Orthodox Cathedral, 650 Hanover St			
	4/5/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
St. Joseph Community Services, 151 Douglas St			
	6/19/2012	99	No Critical Violations Observed
St. Paul's Methodist Church, 335 Smyth Rd			
	6/22/2012	93	No Critical Violations Observed
St. Peter's Home, 300 Kelley St			
	6/29/2012	99	No Critical Violations Observed
St. Raphael Church, 103 Walker St			
	6/29/2012	98	No Critical Violations Observed
Starbucks Coffee, 1111 So. Willow St			
	6/4/2012	95	No Critical Violations Observed
Ste. Marie Child Care, 133 Wayne St			
	6/29/2012	95	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Ste. Marie Parish Cafeteria, 281 Cartier St			
	6/29/2012	99	No Critical Violations Observed
Ste. Marie Parish, 378 Notre Dame Ave			
	6/29/2012	98	No Critical Violations Observed
Steve's House Restaurant, 1265 Elm St			
	6/22/2012	73	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Stop & Shop #215, 365 Lincoln St			
	5/29/2012	94	No Critical Violations Observed
Stop & Shop Supermarket, 777 So. Willow St			
	6/18/2012	98	No Critical Violations Observed
Store 24 (#202), 581 Second St			
	4/10/2012	98	No Critical Violations Observed
Store 24, #226, 245 Maple St			
	5/16/2012	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Strange Brew Tavern, 88 Market St	6/26/2012	91	35-INSECTS - The facility has an insect infestation.
Subway #6438, 581 Second St	4/10/2012	93	No Critical Violations Observed
Subway @ Evans Express Mart, 2445 Brown Ave	6/25/2012	92	No Critical Violations Observed
Subway, 300 Keller St	6/15/2012	93	No Critical Violations Observed
Subway, 881 Hanover St	5/3/2012	96	No Critical Violations Observed
Suddenly Soupy's, 28 Hanover St	5/15/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Suddenly Susan's Gourmet Deli, 87 Hanover St	5/15/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Sunshine Scoops, 210 Lowell St	6/13/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Super 8 Motel, 2301 Brown Ave	5/24/2012	98	No Critical Violations Observed
Sweet Cierras LLC, 250 Commercial St	6/22/2012	99	No Critical Violations Observed
Szechuan House Restaurant, 245 Maple St	5/16/2012	84	12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method. 22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Taco Bell #023877, 1050 Second St	5/8/2012	93	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Taco Bell #15278, 1045 So. Willow St	6/5/2012	98	No Critical Violations Observed
Tano's Pizzeria LLC, 381 Kelley St	6/21/2012	99	No Critical Violations Observed
Taproom At The Millyard, LLC, 155 Dow St	5/20/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Taqueria Begy's, 310 Maple St	4/9/2012	94	No Critical Violations Observed
Taqueria La Guadelupara Market, 917 Valley St	6/4/2012	91	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Teen Challenge Manchester, 147 Laurel St	6/21/2012	98	No Critical Violations Observed
Temple Adath Yeshurun, 152 Prospect St	6/28/2012	98	No Critical Violations Observed
TGI Friday's #0175, 1516 So. Willow St	6/25/2012	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
The Bakeshop on Kelley Street, 171 Kelley St	4/30/2012	99	No Critical Violations Observed
The Cafe at YDC, 1056 No. River Rd	6/15/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
The Derryfield Restaurant, 625 Mammoth Rd	5/9/2012	90	No Critical Violations Observed
The Family Place, 394 Second St	5/8/2012	97	No Critical Violations Observed
The Farm Bar & Grille, 1181 Elm St	4/24/2012	82	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands 12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method. 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
The Farnum Center, 235 Hanover St	6/26/2012	97	No Critical Violations Observed
The Fruit Center, 15 Webster St	5/9/2012	94	No Critical Violations Observed
The Greek Man LLC, 724 E. Industrial Park Dr	4/25/2012	98	No Critical Violations Observed
The Growing Years, 130 Harvell St	5/10/2012	96	No Critical Violations Observed
The Olive Garden Italian Restaurant, 1888 So. Willow St	6/7/2012	94	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
The Palace Theatre, 80 Hanover St	6/29/2012	98	No Critical Violations Observed
The Prayer Hall dba Welcome Home, 286 Concord St	6/22/2012	97	No Critical Violations Observed
The Salvation Army, 121 Cedar St	5/2/2012	92	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
The Shaskeen, 909 Elm St	6/25/2012	93	No Critical Violations Observed
The Stuffed Sub, LLC, 1293 Elm St	6/7/2012	91	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
The Way We Cook, 1361 Elm St	6/28/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
The Wine Studio LLC, 53 Hooksett Rd	6/13/2012	99	No Critical Violations Observed
The Winter Garden Cafe @ The Currier, 150 Ash St	5/31/2012	70	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F. 12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands 22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary. 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. 30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers. 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Theo's Resturant & Lounge, 102 Elm St	6/22/2012	90	No Critical Violations Observed
Thomas B. O'Malley Highrise, 259 Chestnut St	6/21/2012	94	No Critical Violations Observed
Thousand Crane, 1000 Elm St	6/26/2012	84	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Tidewater Cafe @ Manch CC, 1066 Front St			
	6/26/2012	84	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Tidewater Cafe @ Summit Packaging, 400 Gay St			
	5/24/2012	93	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
Tim's Cafe & Lounge dba Element Lounge, 1055 Elm St			
	6/26/2012	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
Tinker's Seafood, 545 Hooksett Rd			
	5/24/2012	84	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Toys "R" Us, 2 Keller St			
	6/15/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Tutti Frutti Frozen Yogurt, 1500 So. Willow St			
	6/28/2012	95	No Critical Violations Observed
Two Guys Food Market, 414 Union St			
	6/1/2012	98	No Critical Violations Observed
U & P Convenience LLC, 64 Merrimack St			
	6/22/2012	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Ukrainian Club, 148 Manchester St			
	6/12/2012	93	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Uncle Bob's Superette, 435 Kelley St			
	6/20/2012	96	No Critical Violations Observed
Union St. Market, 621 Union St			
	6/12/2012	95	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Unwine'd LLC, 865 Second St			
	6/20/2012	90	No Critical Violations Observed
UR 1st Stop Convenience, 49 Amoskeag St			
	4/19/2012	93	01-APPROVED SOURCE - Food observed was not from an approved source. Example: Home prepared items or items made in an unlicensed facility.

Facility	Inspection Date	Score	Violation
Valley Street Subway, 502 Valley St	5/21/2012	100	No Violations Observed
Van Otis Chocolate, 341 Elm St	5/31/2012	97	No Critical Violations Observed
Varney Street Quick Stop, 323 Varney St	4/26/2012	97	No Critical Violations Observed
Venice Old Style Pizza, 610 Front St	6/21/2012	94	No Critical Violations Observed
VFW Post #8214, 352 Kelley St	6/28/2012	98	No Critical Violations Observed
Vino Aromas, 997 Elm St	6/26/2012	97	No Critical Violations Observed
W. R. Taverna, 201 Merrimack St	6/25/2012	98	No Critical Violations Observed
Wal-Mart Stores, Inc #2399, 300 Keller St	6/15/2012	93	No Critical Violations Observed
Walgreen Eastern Co #3900, 227 So. Main St	4/24/2012	96	No Critical Violations Observed
Washington Manor, 233 Prospect St	6/5/2012	99	No Critical Violations Observed
Washington Manor, 67 Prospect St	6/5/2012	98	No Critical Violations Observed
Webster School, 2519 Elm St	4/30/2012	99	No Critical Violations Observed
Wee Play School, 200 Bedford St	6/22/2012	98	No Critical Violations Observed
Weston School, 1066 Hanover St	4/5/2012	98	No Critical Violations Observed
Wilson School, 401 Wilson St	4/2/2012	95	No Critical Violations Observed
Win Family Inc., 460 Elm St	6/12/2012	94	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Winona Social Club Inc, 168 Manchester St	6/12/2012	96	No Critical Violations Observed
Workmen's Relief Club, 183 Douglas St	6/29/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
XO on Elm, 827 Elm St	6/21/2012	94	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Yorgo Foods Inc, 231 Woodland Ave			
	4/25/2012	96	No Critical Violations Observed
Z-J Market, 266 Bridge St			
	4/20/2012	92	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Zoey's Pizza, 2160 Candia Rd			
	6/19/2012	82	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.