



CITY OF MANCHESTER

Health Department

Inspection Scores by Facility

Period from 7/01/2012 through 09/30/2012

Facility	Inspection Date	Score	Violation
7 Eleven, 242 Beech St	7/20/2012	86	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
7-Eleven, 111 Webster St	7/26/2012	92	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
A.L. Prime, 276 Elm St	7/25/2012	95	No Critical Violations Observed
Advantage Food and Beverage (Dinner in the Den), 1 Line Dr	8/14/2012	83	12-HANDS WASHED - Employees were not washing hands when required. 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Advantage Food and Beverage (First Base), 1 Line Dr	8/14/2012	94	No Critical Violations Observed
Advantage Food and Beverage (Homeplate), 1 Line Dr	8/14/2012	96	No Critical Violations Observed
Advantage Food and Beverage (Main Kitchen & Suites), 1 Line Dr	8/14/2012	82	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Advantage Food and Beverage (Third Base), 1 Line Dr	8/14/2012	90	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Advantage Food and Beverage Sam Adams Bar & Grill, 1 Line Dr	8/14/2012	97	No Critical Violations Observed
Afshin Convenience, 570 Elm St	7/19/2012	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Ahh-Some Gourmet Coffee #900, 900 Elm St			
	8/7/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Airport Diner Inc., 2280 Brown Ave			
	9/6/2012	86	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Alley Cat Pizzeria, 486 Chestnut St			
	7/24/2012	98	No Critical Violations Observed
Amory Street Food Market Inc., 519 Amory St			
	8/9/2012	76	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
AMT Market, 384 Massabesic St			
	7/31/2012	98	No Critical Violations Observed
Andy's Place, 342 Cypress St			
	7/26/2012	95	No Critical Violations Observed
Baked Downtown Cafe & Bakery, 1015 Elm St			
	7/19/2012	94	No Critical Violations Observed
Ben & Jerry's, 940 Elm St			
	8/22/2012	97	No Critical Violations Observed
Ben Nadeau's Subs, 1095 Hanover St			
	7/30/2012	98	No Critical Violations Observed
Best Western Executive Court Inn, 13500 So. Willow St			
	8/7/2012	98	No Critical Violations Observed
Bodwell Food Mart, 1466 Bodwell Rd			
	7/18/2012	95	No Critical Violations Observed
Budget Gas Webster Garage LLC, 1883 Elm St			
	7/16/2012	99	No Critical Violations Observed
Burger King Corp #16755, 622 So. Willow St			
	8/29/2012	94	No Critical Violations Observed
Cafe Services @ Comcast, 676 Island Pond Rd			
	7/18/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Central High School, 207 Lowell St			
	9/18/2012	86	31-HANDWASHING- CONVENIENT - The handsinks were not conveniently located.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Chipotle Mexican Grill #1473, 926 So. Willow St			
	7/19/2012	86	22-SANITIZATION RINSE- CLEAN - The sanitization rinse was not clean, ie. free of debris.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Courtyard By Marriott, 700 Huse Rd			
	8/7/2012	98	No Critical Violations Observed
Crown Fried Chicken, 326 Maple St			
	7/24/2012	88	35-INSECTS - The facility has an insect infestation.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Cumberland Farms #5408, 108 Webster St			
	7/24/2012	98	No Critical Violations Observed
Cumberland Farms #5420, 217 Union St			
	7/20/2012	95	No Critical Violations Observed
CVS Pharmacy #200, 788 So. Willow St			
	7/27/2012	93	No Critical Violations Observed
Dartmouth Hitchcock Manchester, 100 Hitchcock Way			
	8/29/2012	99	No Critical Violations Observed
Domino's Pizza, 91 Maple St			
	8/22/2012	97	No Critical Violations Observed
Double B's Diner, 157 Amory St			
	7/17/2012	96	No Critical Violations Observed
Dunchris, LLC, 1037 Hanover St			
	7/30/2012	96	No Critical Violations Observed
Dunkin Donuts, 1022 So. Willow St			
	8/29/2012	96	No Critical Violations Observed
Dunkin Donuts, 1602 Elm St			
	7/24/2012	99	No Critical Violations Observed
Dunkin Donuts, 1932 So. Willow St			
	9/4/2012	98	No Critical Violations Observed
Dunkin Donuts, 1932 Wellington Rd			
	7/30/2012	90	No Critical Violations Observed
Dunkin Donuts, 921 Beech St			
	8/3/2012	94	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.

Facility	Inspection Date	Score	Violation
DYN CAFE, 100 Dow St	7/26/2012	98	No Critical Violations Observed
E & B Food Market, 204 Wilson St	8/7/2012	91	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Easter Seals, 200 Zachary Rd	9/5/2012	95	No Critical Violations Observed
Edible Arrangements, 1000 Elm St	8/22/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Evergreen, 813 Beech St	9/17/2012	94	No Critical Violations Observed
Executive Court Banquet, 1199 So Mammoth Rd	8/1/2012	99	No Critical Violations Observed
Fairfield Inn by Marriott, 860 So. Porter St	8/20/2012	97	No Critical Violations Observed
Families in Transition - Lowell St. Program, 136 Lowell St	9/27/2012	97	No Critical Violations Observed
Fast Track Convenience, 136 So. Willow St	7/19/2012	95	No Critical Violations Observed
Finesse Pastries, 968 Elm St	7/19/2012	97	No Critical Violations Observed
Firefly American Bistro & Bar, LLC, 22 Concord St	8/14/2012	94	No Critical Violations Observed
Gill Stadium Central High Booster, 396 Valley St	8/23/2012	95	No Critical Violations Observed
Gosselin's Superette Inc., 706 Somerville St	8/22/2012	95	No Critical Violations Observed
Gossler Park School, 99 Sullivan St	9/13/2012	99	No Critical Violations Observed
Granite State Lunchbox @ Tower Cafe, 1750 Elm St	7/27/2012	97	No Critical Violations Observed
Greater Manchester Wrestling Assoc, 303 Beech St	7/12/2012	94	No Critical Violations Observed
Green Acres School, 100 Aurore Ave	9/25/2012	99	No Critical Violations Observed
Greg's Place, 641 Elm St	7/26/2012	85	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands

Facility	Inspection Date	Score	Violation
Hallsville School, 275 Jewett St			
	9/10/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Hanover Hill Healthcare Center, 700 Hanover St			
	7/30/2012	98	No Critical Violations Observed
Hillside Middle School, 112 Reservoir Ave			
	9/17/2012	92	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Holiday Inn Express, 1298 So Porter St			
	8/20/2012	94	22-SANITIZATION RINSE- EXPOSURE TIME - Equipment did not contact the sanitization rinse for the appropriate amount of time.
J Dubs Coffee, 1000 Elm St			
	8/22/2012	96	No Critical Violations Observed
JBC of Manchester NH Inc., 50 Phillipe Cote St			
	7/25/2012	86	No Critical Violations Observed
Jerome's Cafe, 1250 So. Willow St			
	8/1/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Jerome's Deli, 393 Bridge St			
	8/8/2012	97	No Critical Violations Observed
Jewett Street School, 130 So. Jewett St			
	9/10/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Julien's Corner Kitchen, 150 Bridge St			
	8/17/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Klemms Mobil, 1602 Elm St			
	8/3/2012	98	No Critical Violations Observed
Kwik Stop LLC, 1095 Hanover St			
	7/30/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Lipke Enterprises dba The 25th Lane, 2171 Candia Rd			
	9/19/2012	96	No Critical Violations Observed
M.S. Market, 176 Sagamore St			
	8/13/2012	95	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.

Facility	Inspection Date	Score	Violation
Makro Food Services LLC, 483 Maple St			
	8/3/2012	90	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Mammoth Road Convenience, 10 Mammoth Rd			
	7/18/2012	95	No Critical Violations Observed
Manchester East Cobras, Derry Field Park Bridge St			
	8/2/2012	92	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Manchester Mart & Gas, 738 Hooksett Rd			
	8/8/2012	98	No Critical Violations Observed
Manchester Memorial High School, 1 Crusader Way			
	9/25/2012	96	No Critical Violations Observed
Manchester School of Technology, 530 So. Porter St			
	9/26/2012	96	No Critical Violations Observed
Manchester West Memorial Field, 9 Notre Dame Ave			
	8/15/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Maple Leaf Health Care Center, 198 Pearl St			
	8/8/2012	97	No Critical Violations Observed
Maple Street Market, 326 Maple St			
	8/30/2012	96	No Critical Violations Observed
Maverick Gas & Convenience LLC, 15 Willow St			
	7/19/2012	87	41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
McLaughlin Middle School, 290 So. Mammoth Rd			
	9/27/2012	98	No Critical Violations Observed
Michelle's Gourmet Pastries & Deli, 819 Union St			
	7/26/2012	96	No Critical Violations Observed
Midtown Cafe, 814 Elm St			
	8/7/2012	89	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Moe Joe's Family Mobile Restaurant, 2175 Candia Rd			
	9/1/2012	99	No Critical Violations Observed
Mr. Mac's, 497 Hooksett Rd			
	8/8/2012	98	No Critical Violations Observed
Mr. Mike's, 1932 Wellington Rd			
	7/30/2012	85	No Critical Violations Observed
MST -Introduction to Culinary, 530 So Porter St			
	9/26/2012	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Mt. Carmel Rehabilitation & Nursing, 235 Myrtle St	9/12/2012	90	35-INSECTS - The facility has an insect infestation.
My Friend's Bar & Grill Inc, 507 Maple St	8/14/2012	79	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Myrtle Manor II, Inc., 83 Myrtle St	9/17/2012	98	No Critical Violations Observed
N & K Market, 374 Pearl St	9/14/2012	94	No Critical Violations Observed
N - N Express II, 230 Lowell St	8/6/2012	95	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
New Yee Dynasty, 830 So. Willow St	7/26/2012	92	No Critical Violations Observed
Nickles Market, 1536 Candia Rd	7/25/2012	94	No Critical Violations Observed
Noah's Ark Child Care Center, 491 E. Industrial Park Dr	9/4/2012	96	No Critical Violations Observed
Papa Gino's, 545 Hooksett Rd	8/20/2012	93	No Critical Violations Observed
Pigeon's Super Market, 168 Wilson St	8/7/2012	90	No Critical Violations Observed
Pizza 911, 108 Webster St	7/19/2012	92	No Critical Violations Observed
Pizza Hut #676, 716 So. Willow St	7/24/2012	97	No Critical Violations Observed
Planet Marshmallow, 81 Hanover St	8/7/2012	97	No Critical Violations Observed
Prabi 2009 LLCdba Bunny's Superette, 75 Webster St	8/2/2012	96	No Critical Violations Observed
Pro-Dough Co., Inc., 8030 So. Willow St	7/30/2012	96	No Critical Violations Observed
Queen City Cupcakes, LLC, 790 Elm St	8/7/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Queen City Mobile I, 1050 So. Willow St			
	8/29/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Red Arrow 24 Hr. Diner, 61 Lowell St			
	8/13/2012	74	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Rite Aid #10275, 1 Willow St			
	7/27/2012	97	No Critical Violations Observed
Rite Aid #4741, 1631 Elm St			
	8/14/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Rose Byrne Headstart, 40 Pine St			
	7/31/2012	94	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Saigon Asian Market, 93 So. Maple St			
	8/21/2012	93	No Critical Violations Observed
Sal's Pizza, 296 So. Willow St			
	8/20/2012	92	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Sandy's Variety and Sub Shop, 2281 Candia Rd			
	9/4/2012	86	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Sanu's Snacks and Convenience, 1000 Elm St			
	8/22/2012	99	No Critical Violations Observed
Seven Days Market, 360 Union St			
	8/30/2012	97	No Critical Violations Observed
Shawn's Corner Market, 912 Somerville St			
	8/15/2012	89	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.

Facility	Inspection Date	Score	Violation
Simply the Best, 15 Pearl St			
	7/23/2012	92	41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
SNS Convenience, 307 So. Mammoth Rd			
	8/16/2012	98	No Critical Violations Observed
South Willow St. Shell, 1932 So. Willow St			
	9/4/2012	96	No Critical Violations Observed
Southern NH Services -Warehouse, 40 Pine St			
	7/31/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Southern NH Services Inc., 160 Silver St			
	7/31/2012	99	No Critical Violations Observed
Southside Middle School, 140 So. Jewett St			
	9/10/2012	93	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
St. Anthony Community Center, 148 Belmont St			
	9/6/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
St. Anthony School Lunch Program, 148 Belmont St			
	9/6/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
St. Teresa Rehabilitation & Nursing, 519 Bridge St			
	9/7/2012	95	No Critical Violations Observed
The Bridge Cafe on Elm, LLC, 1117 Elm St			
	7/26/2012	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours.
The Courville @ Manchester, 44 W. Webster St			
	7/19/2012	96	No Critical Violations Observed
The Farm Bar & Grille, 1181 Elm St			
	8/13/2012	91	35-INSECTS - The facility has an insect infestation.
The Gyro Spot, 1073 Elm St			
	7/23/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
The Kitchen on River Road, 1362 River Rd	9/6/2012	97	No Critical Violations Observed
The Pepsi Bottling Group, 127 Pepsi Rd	8/15/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
The Pizza Man of Manchester, 850 East Industrial Dr	9/11/2012	85	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility. 31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
The Yard Restaurant Inc., 1211 So. Mammoth Rd	7/30/2012	89	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
TN Gas and Convenience Store, 90 Bridge St	9/12/2012	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Trinity High School, 581 Bridge St	9/17/2012	99	No Critical Violations Observed
Tropical Food Market, 334 Union St	7/30/2012	96	No Critical Violations Observed
Walgreens #04689, 606 Valley St	9/7/2012	93	No Critical Violations Observed
Wild Rover Pub, 21 Kosciuszko St	9/13/2012	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Willie B's, 90 Union St	9/6/2012	96	No Critical Violations Observed
Wilson School, 401 Wilson St	9/21/2012	93	No Critical Violations Observed
Winter Garden Cafe, 150 Ash St	9/6/2012	93	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.