



## CITY OF MANCHESTER

### *Health Department*

### Inspection Scores by Facility

Period from 10/01/2011 through 12/31/2011

Facility	Inspection Date	Score	Violation
<b>25 Lake Dr, LLC dba Dunkin Donuts, 122 Londonderry Tpk</b>			
	10/28/2011	96	No Critical Violations Observed
<b>7-11 #32497B, 234 Mammoth Rd</b>			
	10/20/2011	94	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
<b>7-11, 117 Queen City Ave</b>			
	11/22/2011	91	No Critical Violations Observed
<b>777 X-press, 777 Hooksett Rd</b>			
	11/9/2011	99	No Critical Violations Observed
<b>7-Eleven #33202C, 85 So. Main St</b>			
	12/9/2011	92	No Critical Violations Observed
<b>900 Degrees, 50 Dow St</b>			
	10/24/2011	95	No Critical Violations Observed
<b>99 Restaurant &amp; Pub, 1685 So. Willow St</b>			
	10/27/2011	97	No Critical Violations Observed
<b>A &amp; R Munchies, 20 Schuyler St</b>			
	12/21/2011	89	No Critical Violations Observed
<b>ABC Nursery, 108 Revere Ave</b>			
	12/9/2011	98	No Critical Violations Observed
<b>ABI Jay Novelty Foods LLC, 555 Elm St</b>			
	12/16/2011	98	No Critical Violations Observed
<b>AFC Sushi @ Hannaford #178, 859 Hanover St</b>			
	10/24/2011	98	No Critical Violations Observed
<b>Aloha Restaurant, 901 Hanover St</b>			
	11/23/2011	80	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.  07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Alpine Club, 175 Putnam St</b>			
	12/27/2011	92	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>American Legion Henry J. Sweeney, 251 Maple St</b>			
	12/22/2011	96	No Critical Violations Observed
<b>American Legion Post #43, 56 Boutwell St</b>			
	12/27/2011	93	No Critical Violations Observed
<b>American Legion Post #79, 35 W. Brook St</b>			
	12/28/2011	97	No Critical Violations Observed
<b>Amory St House of Pizza, 253 Amory St</b>			
	12/2/2011	92	No Critical Violations Observed
<b>Andre's Diner Inc., 100 Willow St</b>			
	11/15/2011	98	No Critical Violations Observed
<b>Angela's Pasta &amp; Cheese Shop, 815 Chestnut St</b>			
	11/4/2011	99	No Critical Violations Observed
<b>Apple Blossom Child Center LLC, 1 Sundial Ave</b>			
	10/13/2011	97	No Critical Violations Observed
<b>Aramark Corporation-Kitchen, 555 Elm St</b>			
	12/16/2011	99	No Critical Violations Observed
<b>Aramark Corporation-Lounge, 555 Elm St</b>			
	12/16/2011	99	No Critical Violations Observed
<b>Aramark Corporation-Stand A, 555 Elm St</b>			
	12/16/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Aramark Corporation-Stand B, 555 Elm St</b>			
	12/16/2011	96	No Critical Violations Observed
<b>Aramark Corporation-Stand C, 555 Elm St</b>			
	12/16/2011	99	No Critical Violations Observed
<b>Aramark Corporation-Stand D, 555 Elm St</b>			
	12/16/2011	99	No Critical Violations Observed
<b>Assumption Church, 111 Island Pond Rd</b>			
	12/8/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Ate Doors Down, 967 Elm St</b>			
	11/16/2011	96	No Critical Violations Observed
<b>Athens Restaurant, 31 Central St</b>			
	12/21/2011	86	No Critical Violations Observed
<b>Awesome Pizza 2, 444 Second St</b>			
	12/29/2011	89	No Critical Violations Observed
<b>Awesome Pizza, 12 Lake Ave</b>			
	10/27/2011	88	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>B &amp; B Cafe and Grill / 25 Stark St., 25 Stark St</b>			
	12/6/2011	91	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Baja's California Cantina, 999 Elm St</b>			
	10/4/2011	98	No Critical Violations Observed
<b>Bakersville School, 20 Elm St</b>			
	12/1/2011	96	No Critical Violations Observed
<b>Bakolas Market, Inc., 110 Spruce St</b>			
	12/16/2011	95	No Critical Violations Observed
<b>Bamboo Garden, 329 Lincoln St</b>			
	11/16/2011	70	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			12-HANDS WASHED - Employees were not washing hands when required.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Bartlett Street Superette, 316 Bartlett St</b>			
	12/7/2011	94	No Critical Violations Observed
<b>Beech Street School, 333 Beech St</b>			
	11/18/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Beechmont Market, 609 So. Beech St</b>			
	12/14/2011	86	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
<b>Belmont Hall, LLC, 718 Grove St</b>			
	10/24/2011	93	No Critical Violations Observed
<b>Ben Nadeau's Subs, 1095 Hanover St</b>			
	10/21/2011	99	No Critical Violations Observed
<b>Best Beef, 720 E. Industrial Park Dr</b>			
	12/6/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Best Western Executive Court Inn, 13500 So. Willow St</b>			
	10/19/2011	93	No Critical Violations Observed
<b>Big Easy Bagel, 2626 Brown Ave</b>			
	12/13/2011	96	No Critical Violations Observed
<b>Billy's Sports Bar &amp; Grill, 34 Tarrytown Rd</b>			
	10/25/2011	77	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.

Facility	Inspection Date	Score	Violation
<b>Birch Hill Terrace, 200 Alliance St</b>			
	12/28/2011	95	No Critical Violations Observed
<b>Bishop Leo E. O'Neil Youth Center, 30 So. Elm St</b>			
	12/19/2011	92	No Critical Violations Observed
<b>Bishop Peterson Residence, 221 Orange St</b>			
	11/4/2011	89	03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165°F within 2 hours.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
<b>Blessed Sacrament Church, 14 Elm St</b>			
	12/30/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Bobby O's Foods LLC, 722 E. Industrial Park Dr</b>			
	12/2/2011	95	No Critical Violations Observed
<b>Bob's Discount Furniture, 1875 So. Willow St</b>			
	11/16/2011	99	No Critical Violations Observed
<b>Bonsai's Restaurant, 2265 Candia Rd</b>			
	11/15/2011	90	03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
<b>Bosna Store LLC, 71 Manchester St</b>			
	10/6/2011	98	No Critical Violations Observed
<b>Boys &amp; Girls Club of Manchester, 555 Union St</b>			
	12/20/2011	98	No Critical Violations Observed
<b>Breezeway Pub, 14 Pearl St</b>			
	11/30/2011	99	No Critical Violations Observed
<b>Bremer Street Food Mart, 218 Bremer St</b>			
	11/22/2011	91	35-RODENTS - The facility has a rodent infestation.
<b>British American Association, 235 Central St</b>			
	12/27/2011	94	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Brookside Congregational Church, 2013 Elm St</b>			
	12/8/2011	96	No Critical Violations Observed
<b>Brown School Apartments, 435 Amory St</b>			
	12/6/2011	96	No Critical Violations Observed
<b>Burger King Corp #16755, 622 So. Willow St</b>			
	10/6/2011	95	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Burger King, 623 Second St</b>			
	10/7/2011	86	12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygienic Practices - Other violations.
			35-INSECTS - The facility has an insect infestation.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Burger King, 737 Hooksett Rd</b>			
	12/14/2011	93	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Cactus Jack's, 782 So. Willow St</b>			
	11/9/2011	92	No Critical Violations Observed
<b>Caesario's Pizza &amp; Subs, 1057 Elm St</b>			
	12/29/2011	86	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Cafe Momo, 1065 Hanover St</b>			
	12/16/2011	93	No Critical Violations Observed
<b>Cajun Cafe Grill, 1500 So Willow St</b>			
	12/7/2011	94	No Critical Violations Observed
<b>Camp Carpenter, 300 Blondin Rd</b>			
	12/15/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Candia Road Convenience, 836 Candia Rd</b>			
	10/19/2011	87	No Critical Violations Observed
<b>Candy Kingdom, 235 Harvard St</b>			
	11/18/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Capri Market, 540 Hall St</b>			
	10/19/2011	96	No Critical Violations Observed
<b>Caribbean Market, 302 Lake Ave</b>			
	12/22/2011	94	No Critical Violations Observed
<b>Carpenter Center, 323 Franklin St</b>			
	12/22/2011	98	No Critical Violations Observed
<b>Carvel Ice Cream, 555 Elm St</b>			
	12/16/2011	99	No Critical Violations Observed
<b>Castle Caterers LLC, 700 Lucas Rd</b>			
	12/2/2011	86	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.

Facility	Inspection Date	Score	Violation
<b>Catholic Medical Center Cafeteria, 100 McGregor St</b>			
	12/20/2011	98	No Critical Violations Observed
<b>Central High School, 207 Lowell St</b>			
	10/24/2011	99	No Critical Violations Observed
<b>Chateau Restaurant, 201 Hanover St</b>			
	12/21/2011	89	No Critical Violations Observed
<b>Cheeseco of NE, 97 Eddy Rd</b>			
	12/20/2011	95	No Critical Violations Observed
<b>Chelby's Pizza, 284 Mammoth Rd</b>			
	11/29/2011	99	No Critical Violations Observed
<b>Cheng Du Kitchen, 665 Hooksett Rd</b>			
	11/7/2011	97	No Critical Violations Observed
<b>Chesterman LLC dba Dunkin Donuts, 855 Candia Rd</b>			
	10/20/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Chestnut Street Downtown Diner LLC, 363 Chestnut St</b>			
	12/13/2011	81	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Chez Vachon, 136 Kelley St</b>			
	12/1/2011	94	No Critical Violations Observed
<b>Chiggy's Place Inc., 372 Kelley St</b>			
	12/2/2011	99	No Critical Violations Observed
<b>Child and Family Services, 99 Hanover St</b>			
	12/23/2011	94	No Critical Violations Observed
<b>China Kitchen, 173 Hanover St</b>			
	12/29/2011	84	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Christos Kalivas Highrise, 175 Chestnut St</b>			
	12/21/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Cibao Market, 422 Belmont St</b>			
	12/14/2011	82	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
<b>Club Canadian, 128 So Main St</b>			
	12/27/2011	97	No Critical Violations Observed
<b>Club Lafayette, 387 Canal St</b>			
	12/28/2011	99	No Critical Violations Observed
<b>Club Mont Royal, 594 Somerville St</b>			
	11/30/2011	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Comfort Inn, 298 Queen City Ave</b>			
	12/30/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Concord St. Market, 266 Concord St</b>			
	12/12/2011	97	No Critical Violations Observed
<b>Congeralla Pizza, 168 Amory St</b>			
	12/23/2011	96	No Critical Violations Observed
<b>Country Kitchen, 199 Pepsi Dr</b>			
	12/8/2011	97	No Critical Violations Observed
<b>Courtyard By Marriott, 700 Huse Rd</b>			
	10/4/2011	89	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Crossmark, 200 John E. Devine Dr</b>			
	11/1/2011	97	No Critical Violations Observed
<b>Crosstown Market, 77 Bremer St</b>			
	11/21/2011	94	No Critical Violations Observed
<b>Crosstown Variety Store, 270 Amory St</b>			
	12/27/2011	93	No Critical Violations Observed
<b>Crown Fried Chicken, 326 Maple St</b>			
	10/19/2011	61	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-HANDS WASHED - Employees were not washing hands when required.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
	10/20/2011	91	No Critical Violations Observed
	11/30/2011	86	No Critical Violations Observed
<b>Cumberland Farms #5511, 275 Hanover St</b>			
	12/14/2011	99	No Critical Violations Observed
<b>CVS Pharmacy #2257, 271 Mammoth Rd</b>			
	12/1/2011	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>CVS Pharmacy #7932, 432 So. Main St</b>			
	11/18/2011	94	No Critical Violations Observed
<b>Cypress Center Kitchen, 401 Cypress St</b>			
	12/22/2011	96	No Critical Violations Observed
<b>Dancing Lion Chocolates, 971 Elm St</b>			
	12/9/2011	98	No Critical Violations Observed
<b>D'Angelo Sandwich Shop, 900 Second St</b>			
	12/2/2011	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
<b>Dartmouth Hitchcock Manchester, 100 Hitchcock Way</b>			
	10/19/2011	97	No Critical Violations Observed
<b>Davignon Club, 218 Wilson St</b>			
	12/1/2011	85	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>DEKA 324, 324 Commercial St</b>			
	10/27/2011	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
<b>Delux Restaurant, 36 Lowell St</b>			
	12/5/2011	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
<b>Denny's Quick Lunch, 356 Whitney Ave</b>			
	12/23/2011	98	No Critical Violations Observed
<b>Derryfield Lower School, 2108 River Rd</b>			
	11/7/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Derryfield Upper School, 2108 River Rd</b>			
	11/7/2011	97	No Critical Violations Observed
<b>DH's Doghouse LLC, 656 Mammoth St</b>			
	12/15/2011	98	No Critical Violations Observed
<b>Disabled American Veterans, 399 Silver St</b>			
	11/30/2011	97	No Critical Violations Observed
<b>DJJS - Main Kitchen, 1056 No. River Rd</b>			
	10/22/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Domino's Pizza, 150 Amory St</b>			
	12/2/2011	97	No Critical Violations Observed
<b>Domino's Pizza, 91 Maple St</b>			
	11/3/2011	97	No Critical Violations Observed



Facility	Inspection Date	Score	Violation
<b>Don Quijote Restaurant, 362 Union St</b>			
	12/21/2011	91	No Critical Violations Observed
<b>Dos Amigos Burritos, 931 Elm St</b>			
	11/2/2011	96	No Critical Violations Observed
<b>Doughvinci's Inc., 728 E. Industrial Park Dr</b>			
	10/13/2011	100	No Violations Observed
<b>Down the Block, 167 Hanover St</b>			
	12/9/2011	95	No Critical Violations Observed
<b>DRYNK, 20 Old Granite St</b>			
	10/27/2011	73	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			35-INSECTS - The facility has an insect infestation.
<b>Dunkin Donuts (Ellhos LLC), 1 Elliot Way</b>			
	10/20/2011	97	No Critical Violations Observed
<b>Dunkin Donuts @ CMC, 100 McGregor St</b>			
	12/20/2011	98	No Critical Violations Observed
<b>Dunkin Donuts, 100 Eddy Rd</b>			
	12/1/2011	98	No Critical Violations Observed
<b>Dunkin Donuts, 1500 So. Willow St</b>			
	12/7/2011	98	No Critical Violations Observed
<b>Dunkin Donuts, 2297 Brown Ave</b>			
	12/19/2011	94	No Critical Violations Observed
<b>Dunkin Donuts, 2445 Brown Ave</b>			
	12/14/2011	97	No Critical Violations Observed
<b>Dunkin Donuts, 4 Main St</b>			
	12/30/2011	84	28-SEWAGE (GREASE TRAP OVERFLOW) - The establishment's internal grease trap was discharging onto the ground or causing back-ups into plumbing fixtures.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Dunkin Donuts, 887 Hanover St</b>			
	11/23/2011	97	No Critical Violations Observed
<b>Dunkin Donuts, 921 Beech St</b>			
	10/4/2011	98	No Critical Violations Observed
<b>Dunkin Donuts, 947 Second St</b>			
	12/27/2011	96	No Critical Violations Observed
<b>E &amp; B Food Market, 204 Wilson St</b>			
	10/5/2011	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>East Manchester Fish &amp; Game Club, 50 Massabesic St</b>			
	12/27/2011	97	No Critical Violations Observed
<b>East Side Club, 786 Massabesic St</b>			
	12/22/2011	94	No Critical Violations Observed
<b>Easter Seals Adult Day Program, 555 Auburn St</b>			
	11/29/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Easter Seals Child Development Ctr, 555 Auburn St</b>			
	11/29/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Econo Lodge, 75 W. Hancock St</b>			
	10/25/2011	96	No Critical Violations Observed
<b>Eddy Rd Shell, Nouria Energy Retail, 245 Eddy Rd</b>			
	11/30/2011	96	No Critical Violations Observed
<b>Eddy Road Mobil, 210 Eddy Rd</b>			
	11/30/2011	95	No Critical Violations Observed
<b>Eden Restaurant and Lounge LLC, 2323 Brown Ave</b>			
	12/15/2011	83	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
<b>El Mexicano Jr, 197 Wilson St</b>			
	11/29/2011	89	No Critical Violations Observed
<b>El Rincon Zacatecano Taqueria, 10 Lake Ave</b>			
	10/27/2011	87	No Critical Violations Observed
<b>Element Lounge, 1055 Elm St</b>			
	11/3/2011	97	No Critical Violations Observed
<b>Elite Pizza LLC, 72 Conant St</b>			
	12/21/2011	98	No Critical Violations Observed
<b>Elliot Adult Day Program, 1070 Holt Ave</b>			
	10/28/2011	99	No Critical Violations Observed
<b>Elliot at River Edge, 185 Queen City Ave</b>			
	12/1/2011	90	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
<b>Elliot Commons Cafeteria, 1 Elliot Way</b>			
	10/20/2011	94	No Critical Violations Observed
<b>Empire Bagel Cafe, 373 Hanover St</b>			
	11/18/2011	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>European Store, 310 Maple St</b>			
	11/30/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Even Par Social Club, 102 Spruce St</b>			
	12/27/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Evergreen, 813 Beech St</b>			
	10/26/2011	98	No Critical Violations Observed
<b>Executive Catering Services, 290 Belmont St</b>			
	12/14/2011	90	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Executive Court Banquet, 1199 So Mammoth Rd</b>			
	10/19/2011	98	No Critical Violations Observed
<b>Fairfield Inn by Marriott, 860 So. Porter St</b>			
	10/20/2011	97	No Critical Violations Observed
<b>Family Dollar Store #3571, 325 Lincoln St</b>			
	11/16/2011	94	No Critical Violations Observed
<b>First Presbyterian Church, 75 Second St</b>			
	12/28/2011	98	No Critical Violations Observed
<b>Fitz Vogt - Meals on Wheels, 182-191 Manchester St</b>			
	11/17/2011	96	No Critical Violations Observed
<b>Five Below Inc #413, 777 So. Willow St</b>			
	12/5/2011	98	No Critical Violations Observed
<b>Fratello's Restaurant, 155 Dow St</b>			
	12/5/2011	77	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Free Range Fish &amp; Lobster, 883 Second St</b>			
	12/2/2011	90	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Freed's Bakery, 299 Pepsi Rd</b>			
	10/17/2011	91	No Critical Violations Observed
<b>Fresh Fruit Smoothies, 1500 So. Willow St</b>			
	11/4/2011	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.

Facility	Inspection Date	Score	Violation
<b>Fritzie's Variety, 154 Conant St</b>			
	12/21/2011	95	No Critical Violations Observed
<b>Gaucha's Cafe, 62 Lowell St</b>			
	11/16/2011	97	No Critical Violations Observed
<b>Gloria Jeans Coffees, 1500 So. Willow St</b>			
	11/30/2011	95	No Critical Violations Observed
<b>Goldenrod Restaurant, 1681 Candia Rd</b>			
	12/12/2011	91	No Critical Violations Observed
<b>Gold's Gym, 89 Dow St</b>			
	11/17/2011	92	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Gossler Park School, 99 Sullivan St</b>			
	12/7/2011	99	No Critical Violations Observed
<b>Gov. Hugh Gallen Hi-Rise, 200 Hanover St</b>			
	10/23/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Grace Mexican Cuisine, 168 Amory St</b>			
	12/8/2011	94	No Critical Violations Observed
<b>Grand Slam Pizza II, 331 So. Mammoth Rd</b>			
	11/16/2011	95	No Critical Violations Observed
<b>Granite State Fruit Co., 30 Auburn St</b>			
	12/8/2011	99	No Critical Violations Observed
<b>Granite State Lunchbox @ UNH, 400 Commercial St</b>			
	10/24/2011	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Green Acres School, 100 Aurore Ave</b>			
	10/26/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Hackett Hill Healthcare, 191 Hackett Hill Rd</b>			
	12/29/2011	92	No Critical Violations Observed
<b>Hallsville School, 275 Jewett St</b>			
	10/27/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Hannaford Food &amp; Drug #164, 201 John E. Devine Dr</b>			
	11/28/2011	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Hannaford Food &amp; Drug #178, 859 Hanover St</b>			
	10/24/2011	96	No Critical Violations Observed
<b>Hanover St. Shell, 887 Hanover St</b>			
	11/23/2011	98	No Critical Violations Observed
<b>Hanover Street Chophouse, 149 Hanover St</b>			
	12/28/2011	84	35-INSECTS - The facility has an insect infestation.
<b>Han's Food Mart, 353 Maple St</b>			
	12/22/2011	95	No Critical Violations Observed
<b>Heidi Jo's Jerky, 1500 So. Willow St</b>			
	12/1/2011	96	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Helping Hands Outreach Center, 50 Lowell St</b>			
	12/14/2011	93	No Critical Violations Observed
<b>Heng Won Chinese Restaurant, 262 Mammoth Rd</b>			
	12/1/2011	81	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Hesser College Cafe, 3 Sundial Ave</b>			
	12/2/2011	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
<b>Hickory Farms, 1500 So. Willow St</b>			
	11/14/2011	98	No Critical Violations Observed
<b>Highland Goffe's Falls School, 2021 Goffe's Falls Rd</b>			
	12/13/2011	98	No Critical Violations Observed
<b>Hillsborough County Jail, 445 Willow St</b>			
	12/12/2011	90	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
<b>Hillsborough Market LLC, 519 Lincoln St</b>			
	11/28/2011	98	No Critical Violations Observed
<b>Hillside Middle School, 112 Reservoir Ave</b>			
	10/3/2011	98	No Critical Violations Observed
<b>Hillview Restaurant, 270 Amory St</b>			
	12/27/2011	82	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
<b>Hilton Garden Inn, 101 So. Commercial St</b>			
	11/30/2011	94	No Critical Violations Observed
<b>Holiday Inn Express, 1298 So. Porter St</b>			
	10/20/2011	92	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.

Facility	Inspection Date	Score	Violation
<b>Homewood Suites by Hilton, 1000 Perimeter Rd</b>			
	12/14/2011	91	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZE - Equipment was not sanitized prior to to use or re-use as necessary.
<b>Hong Kong City Restaurant, 864 Page St</b>			
	11/28/2011	93	No Critical Violations Observed
<b>Hope Center, 222 Cedar St</b>			
	12/27/2011	97	No Critical Violations Observed
<b>Hot Stone Pizzeria, 174 Eddy Rd</b>			
	11/30/2011	86	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Ignite Bar &amp; Grille, 100 Hanover St</b>			
	10/25/2011	86	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			35-INSECTS - The facility has an insect infestation.
<b>Immanuel Lutheran Church, 673 Weston Rd</b>			
	12/6/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>J. N. Express LLC, 650 Second St</b>			
	11/18/2011	99	No Critical Violations Observed
<b>J.W. Hill's Sports Bar &amp; Grille, 795 Elm St</b>			
	10/5/2011	91	No Critical Violations Observed
<b>Jeff's Queen City Catering, 10 Haverhill St</b>			
	11/28/2011	94	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Jenny Craig WLC #663, 40 March Ave</b>			
	11/17/2011	99	No Critical Violations Observed
<b>Jewett Street School, 130 So. Jewett St</b>			
	10/25/2011	98	No Critical Violations Observed
<b>Jewish Federation of New Hampshire, 698 Beech St</b>			
	12/7/2011	98	No Critical Violations Observed
<b>Jimmy's House of Pizza, 345 Kelley St</b>			
	11/21/2011	90	No Critical Violations Observed
<b>Jon O's Market, 600 Front St</b>			
	12/16/2011	91	No Critical Violations Observed
<b>Joseph Brothers Market, 196 Lake Ave</b>			
	12/16/2011	96	No Critical Violations Observed
<b>Julien's Corner Kitchen, 150 Bridge St</b>			
	10/26/2011	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Just Coffee Plus, 1050 Gold St</b>			
	12/5/2011	<b>93</b>	12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygienic Practices - Other violations.
<b>K&amp;M Entertainment LLC dba L&amp;M Rack , 61 Canal St</b>			
	12/29/2011	<b>96</b>	No Critical Violations Observed
<b>Kalwall Corporation, 1111 Candia Rd</b>			
	12/20/2011	<b>100</b>	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Karma Cigar &amp; Hookah Lounge LLC, 1077 Elm St</b>			
	12/28/2011	<b>84</b>	12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygienic Practices - Other violations.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Kay's Bakery, 443 Lake Ave</b>			
	10/19/2011	<b>92</b>	No Critical Violations Observed
<b>Kindertree Learning Center, 162 Manchester St</b>			
	12/9/2011	<b>98</b>	No Critical Violations Observed
<b>Koi Japan, 946 Elm St</b>			
	11/16/2011	<b>81</b>	03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Kwik Stop LLC, 1095 Hanover St</b>			
	10/21/2011	<b>100</b>	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed

Facility	Inspection Date	Score	Violation
<b>La Carreta Mexican Rest, 545 Hooksett Rd</b>			
	11/9/2011	76	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
			30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>La Carreta Mexican Restaurant, 1875 So. Willow St</b>			
	10/11/2011	93	12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
<b>La Catracha, 521 Wilson St</b>			
	11/30/2011	87	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Lakeview Gulf, 219 Londonderry Tpk</b>			
	11/15/2011	96	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Lala's Hungarian Pastry, 836 Elm St</b>			
	10/19/2011	97	No Critical Violations Observed
<b>Layalina Restaurant, 245 Maple St</b>			
	12/20/2011	79	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Le Gourmet Chef, 1500 So. Willow St</b>			
	10/13/2011	97	No Critical Violations Observed
<b>Lipke Enterprises dba The 25th Lane, 2171 Candia Rd</b>			
	11/4/2011	96	No Critical Violations Observed
<b>Little Caesars Pizza, 581 Second St</b>			
	12/30/2011	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
<b>Luigi's Pizza Bar &amp; Grille, 712 Valley St</b>			
	12/14/2011	98	No Critical Violations Observed



Facility	Inspection Date	Score	Violation
<b>Luisa's Italian Pizzeria, 673 Hooksett Rd</b>			
	11/1/2011	85	03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165°F within 2 hours.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Mad Bob's Saloon LLC, 342 Lincoln St</b>			
	12/14/2011	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Manchester Christian Church, 1308 Wellington Rd</b>			
	10/17/2011	91	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Manchester Church of God, 230 Mooresville Rd</b>			
	12/6/2011	96	No Critical Violations Observed
<b>Manchester Community Resource Ctr, 177 Lake Ave</b>			
	12/23/2011	98	No Critical Violations Observed
<b>Manchester Diner LLC, 119 A Hanover St</b>			
	12/20/2011	94	No Critical Violations Observed
<b>Manchester Elks Lodge #146, 290 Granite St</b>			
	12/7/2011	88	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Manchester Mart &amp; Gas, 738 Hooksett Rd</b>			
	10/20/2011	95	No Critical Violations Observed
<b>Manchester Masonic Temple, 1505 Elm St</b>			
	12/9/2011	96	No Critical Violations Observed
<b>Manchester Memorial High School, 1 Crusader Way</b>			
	10/26/2011	96	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Manchester Press Club, 157 Franklin St</b>			
	12/22/2011	95	No Critical Violations Observed
<b>Manchester School of Technology, 530 So. Porter St</b>			
	10/24/2011	96	No Critical Violations Observed
<b>Manchester West High School, 9 Notre Dame Ave</b>			
	11/16/2011	98	No Critical Violations Observed
<b>Maple Street Market, 326 Maple St</b>			
	10/19/2011	98	No Critical Violations Observed
<b>Maple Willow Functions, 93 So. Maple St</b>			
	11/16/2011	94	No Critical Violations Observed
<b>Margarita's Mexican Restaurant, 1037 Elm St</b>			
	12/15/2011	95	35-INSECTS - The facility has an insect infestation.

Facility	Inspection Date	Score	Violation
<b>Marka Internacional Grocery, 135 Cedar St</b>			
	12/20/2011	84	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZE - Equipment was not sanitized prior to to use or re-use as necessary.
<b>Mary Gale Apartments, 600 Maple St</b>			
	11/18/2011	95	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>McDonald's Restaurant, 196 So. Willow St</b>			
	11/15/2011	96	No Critical Violations Observed
<b>McDonald's Restaurant, 907 Hanover St</b>			
	11/28/2011	92	No Critical Violations Observed
<b>McDonough School, 550 Lowell St</b>			
	10/3/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>McGarvey's, 1097 Elm St</b>			
	12/19/2011	97	No Critical Violations Observed
<b>McIntyre Ski Area Food Service, 50 Chalet Way</b>			
	12/27/2011	94	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>McLaughlin Middle School, 290 So. Mammoth Rd</b>			
	10/26/2011	98	No Critical Violations Observed
<b>Meetinghouse at Riverfront, 60 Riverfront Dr</b>			
	11/15/2011	94	No Critical Violations Observed
<b>Mike's Pub &amp; Grub, 155 Lake Ave</b>			
	12/1/2011	92	No Critical Violations Observed
<b>Mill Town Market LLC, 1053 Elm St</b>			
	11/23/2011	92	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Millwest Subway, 195 McGregor St</b>			
	12/27/2011	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Mint Bistro, LLC, 1105 Elm St</b>			
	11/21/2011	71	03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165°F within 2 hours.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Mobil #2735, 2391 Brown Ave</b>			
	11/29/2011	91	No Critical Violations Observed
<b>Moe Joe's Country Diner, 649 E. Industrial Park Dr</b>			
	11/7/2011	87	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Moe Joe's Family Restaurant LLC, 2175 Candia St</b>			
	11/10/2011	90	No Critical Violations Observed
<b>Moechester LLC, 796 Elm St</b>			
	12/8/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Mount St. Mary's Academy, 2291 Elm St</b>			
	11/17/2011	94	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Mr. Mac's, 497 Hooksett Rd</b>			
	10/5/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Mr. Market, 297 Spruce St</b>			
	12/16/2011	92	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>MST -Introduction to Culinary, 530 So Porter St</b>			
	10/24/2011	94	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Mt. Carmel Rehabilitation &amp; Nursing, 235 Myrtle St</b>			
	11/7/2011	92	03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.

Facility	Inspection Date	Score	Violation
<b>Murphy's Tavern, 494 Elm St</b>			
	11/28/2011	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
<b>Muse Thai Bistro, 581 Second St</b>			
	12/29/2011	87	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZE - Equipment was not sanitized prior to to use or re-use as necessary.
<b>My Friend's Bar &amp; Grill Inc, 507 Maple St</b>			
	12/6/2011	69	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			31-HANDWASHING- INSTALLATION - Handsinks were installed without prior approval and/or inspections.
	12/7/2011	98	No Critical Violations Observed
<b>N - N Express II, 230 Lowell St</b>			
	11/14/2011	93	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Neighborhood Variety, 2626 Brown Ave</b>			
	12/9/2011	92	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>New England Bagel LLC, 845 Second St</b>			
	12/28/2011	96	No Critical Violations Observed
<b>New England Harvested Seafood, Inc., 2281 Candia Rd</b>			
	10/28/2011	95	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>New Happy Garden Chinese Restaurant, 47 Hamel Dr</b>			
	12/29/2011	93	No Critical Violations Observed
<b>New Horizons for NH, Inc., 199 Manchester St</b>			
	12/27/2011	95	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>New Yee Dynasty, 830 So. Willow St</b>			
	10/19/2011	83	12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>NH Food Bank, 700 E. Industrial Park Dr</b>			
	12/9/2011	94	No Critical Violations Observed
<b>NHIA - Suite G-107, 1000 Elm St</b>			
	11/18/2011	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
<b>NHIA Student Union Coffee Bar, 48-62 Concord St</b>			
	11/21/2011	85	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
<b>Noah's Ark Child Care Center, 491 E. Industrial Park Dr</b>			
	11/7/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>North End Express Inc, 1883 Elm St</b>			
	11/15/2011	89	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
<b>North Main Petroleum Service Inc., 21 Main St</b>			
	11/30/2011	88	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Northend Superette, 1308 Elm St</b>			
	11/17/2011	91	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
<b>Northwest Elementary School, 300 Youville St</b>			
	11/28/2011	96	No Critical Violations Observed
<b>Nouria Energy Store #02032, 425 Lake Ave</b>			
	11/18/2011	94	No Critical Violations Observed
<b>Olympic Pizza, 506 Valley St</b>			
	12/8/2011	87	No Critical Violations Observed
<b>O'Malley Highrise, 259 Chestnut St</b>			
	12/21/2011	98	No Critical Violations Observed
<b>Omega Alexandros Macedonian, 141 Cedar St</b>			
	12/29/2011	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Orange St. Market, 132 Orange St</b>			
	11/17/2011	96	No Critical Violations Observed
<b>P.J. O'Sullivan's, 300 So. Willow St</b>			
	10/4/2011	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
<b>Page Street Express Mart, 1036 Hanover St</b>			
	10/19/2011	92	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Papa Gino's, 545 Hooksett Rd</b>			
	10/20/2011	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
<b>Pappy's Pizza, Inc, 1531 No. Elm St</b>			
	10/6/2011	76	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Parker Varney School, 223 James A. Pollock Dr</b>			
	12/16/2011	99	No Critical Violations Observed
<b>Parkside Convenience, 675 Hooksett Rd</b>			
	12/2/2011	98	No Critical Violations Observed
<b>Parkside Middle School, 75 Parkside Ave</b>			
	12/7/2011	99	No Critical Violations Observed
<b>Pericles Democratic Club, 123 Spruce St</b>			
	12/27/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Petros Cafe, 720 Valley St</b>			
	12/14/2011	91	12-GOOD HYGIENIC PRACTICES (SMOKING) - Employees were smoking in an unapproved location.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Piccola Italia Ristorante, 815 Elm St</b>			
	12/12/2011	84	No Critical Violations Observed
<b>Pigeon's Super Market, 168 Wilson St</b>			
	10/5/2011	81	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZE - Equipment was not sanitized prior to to use or re-use as necessary.
			41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.

Facility	Inspection Date	Score	Violation
<b>Pindos Restaurant and Pizza, 49 Massabesic St</b>			
	12/14/2011	93	No Critical Violations Observed
<b>Pizza Express, 245 Maple St</b>			
	12/20/2011	74	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			12-HANDS WASHED - Employees were not washing hands when required.
<b>Pizza Hut #676, 716 So. Willow St</b>			
	10/12/2011	98	No Critical Violations Observed
<b>Pizza Market, 845 Hanover St</b>			
	11/23/2011	89	No Critical Violations Observed
<b>Pochito's Mexican Restaurant, 33 So. Commercial St</b>			
	12/8/2011	72	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
			12-HANDS WASHED - Employees were not washing hands when required.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZE - Equipment was not sanitized prior to use or re-use as necessary.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
<b>Portland Pie Company, 788 Elm St</b>			
	12/8/2011	96	No Critical Violations Observed
<b>Prabi 2006 LLC DBA Shop N Go, 188 Massabesic St</b>			
	10/20/2011	98	No Critical Violations Observed
<b>PTS Food Ent LLC dba Milly's Tavern, 500 Commercial St</b>			
	11/2/2011	85	28-SEWAGE (GREASE TRAP OVERFLOW) - The establishment's internal grease trap was discharging onto the ground or causing back-ups into plumbing fixtures.
			35-INSECTS - The facility has an insect infestation.
<b>Puritan Backroom Restaurant, 245 Hooksett Rd</b>			
	11/30/2011	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
<b>Puritan Conference Center, 207 Hooksett Rd</b>			
	11/30/2011	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Queen City Market, 31A Elm St</b>			
	12/1/2011	91	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Quiznos Sub, 777 So. Willow St</b>			
	10/3/2011	99	No Critical Violations Observed
<b>R &amp; E Grocery, 304 Merrimack St</b>			
	12/23/2011	97	No Critical Violations Observed
<b>Rachel's Coffee Corner, 650 Elm St</b>			
	12/1/2011	99	No Critical Violations Observed
<b>Radisson Hotel Manchester, 700 Elm St</b>			
	11/30/2011	94	No Critical Violations Observed
<b>Raphael Social Club Inc, 18 Blaine St</b>			
	12/28/2011	95	No Critical Violations Observed
<b>Raxx Billiards, 1211 Elm St</b>			
	12/14/2011	96	No Critical Violations Observed
<b>Red Barn Diner, LLC, 113 Elm St</b>			
	12/22/2011	90	No Critical Violations Observed
<b>Rimmon Club, 595 Dubuque St</b>			
	12/27/2011	97	No Critical Violations Observed
<b>Rita Mae's LLC, 280 Main St</b>			
	12/20/2011	88	No Critical Violations Observed
<b>Rite Aid #10274, 122 McGregor St</b>			
	11/22/2011	98	No Critical Violations Observed
<b>Rite Aid #10276, 53 Hooksett Rd</b>			
	10/20/2011	97	No Critical Violations Observed
<b>Rite Aid #10278, 270 Mammoth Rd</b>			
	12/1/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Robert Jolicouer School, 1 Mammoth Rd</b>			
	11/18/2011	95	No Critical Violations Observed
<b>Rockos Sports Bar &amp; Grill, 253 Wilson St</b>			
	12/16/2011	96	No Critical Violations Observed
<b>S &amp; R Westside Market LLC, 149 Kelley St</b>			
	11/7/2011	95	No Critical Violations Observed
<b>Sabroso, 353 Maple St</b>			
	12/22/2011	86	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.



Facility	Inspection Date	Score	Violation
<b>Sacred Heart Parish, 265 So. Main St</b>			
	12/30/2011	98	No Critical Violations Observed
<b>Sahara Food Services, 750 Massabesic St</b>			
	12/2/2011	70	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-HANDS WASHED - Employees were not washing hands when required.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Saigon Asian Market, 93 So. Maple St</b>			
	10/3/2011	91	No Critical Violations Observed
<b>Salona Restaurant, 128 Maple St</b>			
	12/5/2011	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
<b>Sal's Pizza, 296 So. Willow St</b>			
	10/13/2011	92	No Critical Violations Observed
<b>Salvador Deli, 156 Hanover St</b>			
	11/29/2011	97	No Critical Violations Observed
<b>Sam's Club #6669, 200 John E. Devine Dr</b>			
	11/1/2011	97	No Critical Violations Observed
<b>Sandy's Variety and Sub Shop, 2281 Candia Rd</b>			
	11/2/2011	83	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
<b>Santoro's Pizza, 468 Union St</b>			
	10/26/2011	90	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Sarku Japan, 1500 So. Willow St</b>			
	10/5/2011	96	No Critical Violations Observed
<b>Scorpion Cafe, 271 Pine St</b>			
	12/27/2011	97	No Critical Violations Observed
<b>Season's Tickets Sports Pub, 554 Front St</b>			
	11/29/2011	91	No Critical Violations Observed
<b>Second Street Mobil, 1019 Second St</b>			
	12/6/2011	84	28-SEWAGE (GREASE TRAP OVERFLOW) - The establishment's internal grease trap was discharging onto the ground or causing back-ups into plumbing fixtures.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.

Facility	Inspection Date	Score	Violation
<b>Senior Services Department, 151 Douglas St</b>			
	12/27/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Serenity Place, 93-101 Manchester St</b>			
	12/21/2011	97	No Critical Violations Observed
<b>Seven Days Market, 360 Union St</b>			
	10/28/2011	96	No Critical Violations Observed
<b>Shaw's Supermarket 7504/375, 375 So. Willow St</b>			
	11/28/2011	97	No Critical Violations Observed
<b>Shiloh Community Church, 55 Edmond Dr</b>			
	12/21/2011	98	No Critical Violations Observed
<b>Shiloh Community Church, 55 Edmond St</b>			
	12/21/2011	97	No Critical Violations Observed
<b>Shogun Japanese Steak House, 545 Hooksett Rd</b>			
	12/21/2011	79	03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Shop Drop&amp;Dry Laundromat &amp; Variety, 399 Dubuque St</b>			
	12/30/2011	97	No Critical Violations Observed
<b>Simons Roast Beef, 2626 Brown Ave</b>			
	12/9/2011	89	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZE - Equipment was not sanitized prior to use or re-use as necessary.
<b>Simply Delish, LLC, 250 Commercial St</b>			
	10/5/2011	98	No Critical Violations Observed
<b>Simply the Best, 15 Pearl St</b>			
	12/2/2011	68	04-FACILITIES TO MAINTAIN TEMPERATURE - The establishment did not have adequate refrigeration and/or hot holding equipment to acquire and/or maintain proper food temperatures.
			12-HANDS WASHED - Employees were not washing hands when required.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
	12/3/2011	91	No Critical Violations Observed
<b>Smyth Road School, 245 Bruce Rd</b>			
	10/25/2011	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>SNS Convenience, 311 So. Mammoth Rd</b>			
	10/3/2011	93	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Sodexo at Wellpoint - Manchester, 3000 Goffs Falls Rd</b>			
	12/13/2011	85	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZE - Equipment was not sanitized prior to to use or re-use as necessary.
			35-RODENTS - The facility has a rodent infestation.
<b>Sophia Nadeau's Subs &amp; Salads Wraps, 805 Canal St</b>			
	10/20/2011	98	No Critical Violations Observed
<b>South Porter St. Apartments, 790 So. Porter St</b>			
	11/3/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Southside Middle School, 140 So. Jewett St</b>			
	10/25/2011	93	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
<b>Souvlaki Pizza, 256 Bridge St</b>			
	11/9/2011	79	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
<b>Spare Time / City Sports Grille, 216 Maple St</b>			
	12/14/2011	92	No Critical Violations Observed
<b>Spice Center, 245 Maple St</b>			
	12/2/2011	85	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Spring Hill Suites by Marriott, 975 Perimeter Rd</b>			
	12/14/2011	99	No Critical Violations Observed
<b>St. Anthony Community Center, 148 Belmont St</b>			
	10/24/2011	99	No Critical Violations Observed
<b>St. Anthony School Lunch Program, 148 Belmont St</b>			
	10/24/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>St. Catherine's School, 206 North St</b>			
	10/21/2011	97	No Critical Violations Observed
<b>St. George Greek Orthodox Cathedral, 650 Hanover St</b>			
	12/13/2011	94	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>St. Joseph Community Services, 151 Douglas St</b>			
	12/27/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>St. Paul's Methodist Church, 335 Smyth Rd</b>			
	12/7/2011	96	No Critical Violations Observed
<b>St. Peter's Home, 300 Kelley St</b>			
	12/2/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>St. Raphael Church, 103 Walker St</b>			
	12/30/2011	98	No Critical Violations Observed
<b>St. Teresa Rehabilitation &amp; Nursing, 519 Bridge St</b>			
	10/26/2011	99	No Critical Violations Observed
<b>Starbucks Coffee, 1111 So. Willow St</b>			
	11/17/2011	96	No Critical Violations Observed
<b>Ste. Marie Child Care, 133 Wayne St</b>			
	11/4/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Ste. Marie Parish, 378 Notre Dame Ave</b>			
	11/4/2011	97	No Critical Violations Observed
<b>Ste. Marie School Cafe, 281 Cartier St</b>			
	11/4/2011	99	No Critical Violations Observed
<b>Steakhouse Steaks Eastern Reg Whse, 880 Candia Rd</b>			
	12/20/2011	98	No Critical Violations Observed
<b>Steve's House Restaurant, 1265 Elm St</b>			
	12/7/2011	77	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Stop &amp; Shop #215, 365 Lincoln St</b>			
	11/15/2011	96	No Critical Violations Observed
<b>Stop &amp; Shop Supermarket, 777 So. Willow St</b>			
	11/29/2011	91	No Critical Violations Observed
<b>Store 24 (#202), 581 Second St</b>			
	11/14/2011	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Store 24, #226, 245 Maple St</b>			
	12/2/2011	97	No Critical Violations Observed
<b>Strange Brew Tavern, 88 Market St</b>			
	12/21/2011	80	35-INSECTS - The facility has an insect infestation.
<b>Subway #6438, 581 Second St</b>			
	11/14/2011	92	No Critical Violations Observed
<b>Subway @ Evans Express Mart, 2445 Brown Ave</b>			
	12/14/2011	87	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Subway, 300 Keller St</b>			
	11/7/2011	91	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
<b>Subway, 881 Hanover St</b>			
	10/26/2011	98	No Critical Violations Observed
<b>Suddenly Soupy's, 28 Hanover St</b>			
	12/1/2011	100	No Violations Observed
<b>Suddenly Susan's Gourmet Deli, 87 Hanover St</b>			
	12/1/2011	98	No Critical Violations Observed
<b>Sunshine Scoops, 210 Lowell St</b>			
	12/16/2011	98	No Critical Violations Observed
<b>Super 8 Motel, 2301 Brown Ave</b>			
	12/30/2011	98	No Critical Violations Observed
<b>Sweet Cierras LLC, 250 Commercial St</b>			
	12/15/2011	96	No Critical Violations Observed
<b>Szechuan House Restaurant, 245 Maple St</b>			
	12/20/2011	86	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Taco Bell #023877, 1050 Second St</b>			
	11/29/2011	94	No Critical Violations Observed
<b>Tano's Pizzeria LLC, 381 Kelley St</b>			
	11/22/2011	97	No Critical Violations Observed
<b>Taproom At The Millyard, LLC, 155 Dow St</b>			
	12/20/2011	98	No Critical Violations Observed
<b>Taqueria Begy's, 310 Maple St</b>			
	11/30/2011	87	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.

Facility	Inspection Date	Score	Violation
<b>Taqueria La Guadelupara Market, 917 Valley St</b>			
	12/1/2011	95	No Critical Violations Observed
<b>Teen Challenge Manchester, 147 Laurel St</b>			
	12/22/2011	94	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Temple Adath Yeshurun, 152 Prospect St</b>			
	12/19/2011	96	No Critical Violations Observed
<b>The Bakeshop on Kelley Street, 171 Kelley St</b>			
	12/30/2011	98	No Critical Violations Observed
<b>The Black Brimmer, Inc., 1087 Elm St</b>			
	12/29/2011	85	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>The Cafe at YDC, 1056 No. River Rd</b>			
	12/22/2011	95	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>The Courville @ Manchester, 44 W. Webster St</b>			
	10/28/2011	98	No Critical Violations Observed
<b>The Derryfield Restaurant, 625 Mammoth Rd</b>			
	10/24/2011	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
<b>The Family Place, 394 Second St</b>			
	12/9/2011	95	No Critical Violations Observed
<b>The Farnum Center, 235 Hanover St</b>			
	12/21/2011	99	No Critical Violations Observed
<b>The Greek Man LLC, 724 E. Industrial Park Dr</b>			
	10/21/2011	100	No Violations Observed
<b>The Growing Years, 130 Harvell St</b>			
	11/18/2011	96	No Critical Violations Observed
<b>The Olive Garden Italian Restaurant, 1888 So. Willow St</b>			
	12/13/2011	93	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
<b>The Palace Theatre, 80 Hanover St</b>			
	10/2/2011	94	No Critical Violations Observed
	12/2/2011		No Critical Violations Observed
<b>The Pepsi Bottling Group, 127 Pepsi Rd</b>			
	10/17/2011	98	No Critical Violations Observed
<b>The Prayer Hall dba Welcome Home, 286 Concord St</b>			
	12/15/2011	95	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>The Salvation Army, 121 Cedar St</b>			
	12/21/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>The Shaskeen, 909 Elm St</b>			
	12/9/2011	96	No Critical Violations Observed
<b>The Stuffed Sub, LLC, 1293 Elm St</b>			
	12/5/2011	95	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>The Way We Cook, 1361 Elm St</b>			
	12/14/2011	97	No Critical Violations Observed
<b>The Wine Studio LLC, 53 Hooksett Rd</b>			
	12/2/2011	100	No Violations Observed
<b>The Winter Garden Cafe @ The Currie, 150 Ash St</b>			
	11/3/2011	91	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Theo's Resturant &amp; Lounge, 102 Elm St</b>			
	12/22/2011	90	No Critical Violations Observed
<b>Thousand Crane, 1000 Elm St</b>			
	11/14/2011	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
<b>Tidewater Cafe @ Manch CC, 1066 Front St</b>			
	11/29/2011	99	No Critical Violations Observed
<b>Tidewater Cafe @ Summit Packaging, 400 Gay St</b>			
	11/30/2011	96	No Critical Violations Observed
<b>Tidewater Cafe at the CBC, 1050 Holt Ave</b>			
	12/8/2011	97	No Critical Violations Observed
<b>Tidewater Catering Group LLC, 250 Commercial St</b>			
	10/5/2011	95	No Critical Violations Observed
<b>Tinker's Seafood, 545 Hooksett Rd</b>			
	12/2/2011	85	30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
<b>TJ's Sports Bar, 21 Central St</b>			
	10/27/2011	80	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-INSECTS - The facility has an insect infestation.
<b>TN Gas and Convenience Store, 90 Bridge St</b>			
	10/5/2011	90	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.

Facility	Inspection Date	Score	Violation
<b>Toys "R" Us, 2 Keller St</b>			
	11/9/2011	98	No Critical Violations Observed
<b>Tropical Food Market, 334 Union St</b>			
	10/28/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Tuscano's Italian Grill, 575 So Willow St</b>			
	12/14/2011	94	No Critical Violations Observed
<b>Two Guys Food Market, 414 Union St</b>			
	12/23/2011	97	No Critical Violations Observed
<b>U &amp; P Convenience LLC, 64 Merrimack St</b>			
	12/23/2011	97	No Critical Violations Observed
<b>Ukrainian Club, 148 Manchester St</b>			
	12/27/2011	97	No Critical Violations Observed
<b>Uncle Bob's Superette, 435 Kelley St</b>			
	12/6/2011	88	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Union St. Market, 621 Union St</b>			
	12/12/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Valley Street Subway, 502 Valley St</b>			
	12/8/2011	98	No Critical Violations Observed
<b>Van Otis Chocolate, 341 Elm St</b>			
	12/16/2011	96	No Critical Violations Observed
<b>Venice Old Style Pizza, 510 Front St</b>			
	11/28/2011	78	03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Villa Crest Nursing &amp; Retirement, 1276 Hanover St</b>			
	10/26/2011	98	No Critical Violations Observed
<b>Vino Aromas, 997 Elm St</b>			
	11/23/2011	97	No Critical Violations Observed
<b>VNA Child Care Center, 435 So. Main St</b>			
	11/9/2011	96	No Critical Violations Observed
<b>Walgreen Eastern Co #3900, 227 So. Main St</b>			
	12/8/2011	96	No Critical Violations Observed
<b>Walgreens #04689, 606 Valley St</b>			
	11/16/2011	97	No Critical Violations Observed
<b>Wal-Mart Stores, Inc #2399, 300 Keller St</b>			
	11/28/2011	99	No Critical Violations Observed



Facility	Inspection Date	Score	Violation
<b>Washington Manor, 233 Prospect St</b>			
	12/12/2011	96	No Critical Violations Observed
<b>Washington Manor, 67 Prospect St</b>			
	11/29/2011	95	No Critical Violations Observed
<b>Webster House, 135 Webster St</b>			
	11/29/2011	94	No Critical Violations Observed
<b>Webster School, 2519 Elm St</b>			
	11/15/2011	94	41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Wee Play School, 200 Bedford St</b>			
	12/13/2011	95	No Critical Violations Observed
<b>Wendy's Old Fahioned Hamburgers, 860 Candia Rd</b>			
	10/20/2011	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Wilson School, 401 Wilson St</b>			
	11/18/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Winona Social Club Inc, 168 Manchester St</b>			
	12/27/2011	99	No Critical Violations Observed
<b>Workmen's Relief Club, 183 Douglas St</b>			
	12/27/2011	93	No Critical Violations Observed
<b>XO on Elm, 827 Elm St</b>			
	12/12/2011	94	No Critical Violations Observed
<b>Yorgo Foods Inc, 231 Woodland Ave</b>			
	11/28/2011	95	No Critical Violations Observed
<b>Z Restaurant, LLC, 860 Elm St</b>			
	12/12/2011	97	No Critical Violations Observed
<b>Zoey's Pizza, 2160 Candia Rd</b>			
	12/27/2011	89	No Critical Violations Observed