



## CITY OF MANCHESTER

### *Health Department*

### Inspection Scores by Facility

Period from 02/01/2013 through 02/28/2013

Facility	Inspection Date	Score	Violation
<b>7-11 #32497B, 234 Mammoth Rd</b>			
	2/15/2013	93	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
<b>7-11, 117 Queen City Ave</b>			
	2/4/2013	83	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
<b>Afshin Convenience, 570 Elm St</b>			
	2/7/2013	94	No Critical Violations Observed
<b>Ahh-Some Gourmet Coffee #900, 900 Elm St</b>			
	2/22/2013	99	No Critical Violations Observed
<b>All Real Meal, 724 E. Industrial Park Dr</b>			
	2/21/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Angela's Pasta &amp; Cheese Shop, 815 Chestnut St</b>			
	2/6/2013	97	No Critical Violations Observed
<b>Baked Downtown Cafe &amp; Bakery, 1015 Elm St</b>			
	2/7/2013	88	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Bakolas Market, Inc., 110 Spruce St</b>			
	2/26/2013	98	No Critical Violations Observed
<b>Ben &amp; Jerry's, 940 Elm St</b>			
	2/22/2013	94	No Critical Violations Observed
<b>Bosna Store LLC, 71 Manchester St</b>			
	2/28/2013	98	No Critical Violations Observed
<b>Candia Road Brewing, 840 Candia Rd</b>			
	2/22/2013	94	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Candia Road Convenience, 836 Candia Rd</b>	2/22/2013	94	No Critical Violations Observed
<b>Central High School, 207 Lowell St</b>	2/20/2013	97	No Critical Violations Observed
<b>Cheeseco of NE, 97 Eddy Rd</b>	2/20/2013	91	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
<b>Chiggy's Place Inc., 372 Kelley St</b>	2/19/2013	98	No Critical Violations Observed
<b>Chipotle Mexican Grill #1473, 926 So. Willow St</b>	2/26/2013	96	No Critical Violations Observed
<b>Club Mont Royal, 594 Somerville St</b>	2/25/2013	90	No Critical Violations Observed
<b>CVS Pharmacy #200, 788 So. Willow St</b>	2/26/2013	92	No Critical Violations Observed
<b>Dartmouth Hitchcock Manchester, 100 Hitchcock Way</b>	2/5/2013	95	No Critical Violations Observed
<b>Davignon Club, 218 Wilson St</b>	2/25/2013	88	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Domino's Pizza, 212 Lowell St</b>	2/20/2013	94	No Critical Violations Observed
<b>Doug's Best Batch, 724 E. Industrial Park Dr</b>	2/21/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>Dunkin Donuts, 4 Main St</b>	2/28/2013	99	No Critical Violations Observed
<b>DYN CAFE, 100 Dow St</b>	2/6/2013	96	No Critical Violations Observed
<b>Easter Seals NH, 200 Zachary Rd</b>	2/5/2013	93	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Eddy Rd Shell, Nouria Energy Retail, 245 Eddy Rd</b>	2/21/2013	96	No Critical Violations Observed
<b>Eddy Road Mobil, 210 Eddy Rd</b>	2/12/2013	99	No Critical Violations Observed
<b>Edible Arrangements, 1000 Elm St</b>	2/5/2013	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>El Mexicano Jr, 197 Wilson St</b>			
	2/28/2013	89	41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
<b>Even Par Social Club, 102 Spruce St</b>			
	2/26/2013	97	No Critical Violations Observed
<b>Finesse Pastries, 968 Elm St</b>			
	2/5/2013	94	No Critical Violations Observed
<b>Firefly American Bistro &amp; Bar, LLC, 22 Concord St</b>			
	2/22/2013	95	No Critical Violations Observed
<b>Gosselin's Superette Inc., 706 Somerville St</b>			
	2/19/2013	89	No Critical Violations Observed
<b>Greg's Place, 641 Elm St</b>			
	2/14/2013	82	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.  30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
<b>Hackett Hill Healthcare, 191 Hackett Hill Rd</b>			
	2/27/2013	85	03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours.  31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Han's Food Mart, 353 Maple St</b>			
	2/20/2013	98	No Critical Violations Observed
<b>J Dubs Coffee, 1000 Elm St</b>			
	2/7/2013	99	No Critical Violations Observed
<b>Joseph Brothers Market, 196 Lake Ave</b>			
	2/20/2013	90	No Critical Violations Observed
<b>Julien's Corner Kitchen, 150 Bridge St</b>			
	2/26/2013	95	No Critical Violations Observed
<b>LaQuinta Inn &amp; Suites, 21 Front St</b>			
	2/21/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>Lipke Enterprises dba The 25th Lane, 2171 Candia Rd</b>			
	2/7/2013	92	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.

Facility	Inspection Date	Score	Violation
<b>Luisa's Italian Pizzeria, 671 Hooksett Rd</b>			
	2/6/2013	77	03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
<b>M.S. Market, 176 Sagamore St</b>			
	2/13/2013	99	No Critical Violations Observed
<b>Makro Food Services LLC, 483 Maple St</b>			
	2/20/2013	95	No Critical Violations Observed
<b>Manchester Mart &amp; Gas, 738 Hooksett Rd</b>			
	2/12/2013	82	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Maple Leaf Health Care Center, 198 Pearl St</b>			
	2/5/2013	95	No Critical Violations Observed
<b>McIntyre Ski Area Food Service, 50 Chalet Way</b>			
	2/25/2013	91	No Critical Violations Observed
<b>Meetinghouse at Riverfront, 60 Riverfront Dr</b>			
	2/28/2013	91	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			35-INSECTS - The facility has an insect infestation.
<b>Mercy of God African Mkt &amp; Variety, 91 Maple St</b>			
	2/20/2013	98	No Critical Violations Observed
<b>Mi Pueblito Restaurant, 168 Amory St</b>			
	2/20/2013	88	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Michelle's Gourmet Pastries &amp; Deli, 819 Union St</b>			
	2/6/2013	96	No Critical Violations Observed
<b>Midtown Cafe, 814 Elm St</b>			
	2/22/2013	91	No Critical Violations Observed
<b>Moe Joe's Country Diner, 649 E. Industrial Park Dr</b>			
	2/12/2013	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Moe Joe's Family Restaurant LLC, 2175 Candia St</b>			
	2/6/2013	82	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
<b>Mr. Mac's, 497 Hooksett Rd</b>			
	2/5/2013	99	No Critical Violations Observed
<b>Mr. Market, 297 Spruce St</b>			
	2/28/2013	95	No Critical Violations Observed
<b>N - N Express II, 230 Lowell St</b>			
	2/20/2013	97	No Critical Violations Observed
<b>Northend Superette, 1308 Elm St</b>			
	2/19/2013	98	No Critical Violations Observed
<b>Northwest Elementary School, 300 Youville St</b>			
	2/19/2013	99	No Critical Violations Observed
<b>Papa Gino's, 545 Hooksett Rd</b>			
	2/12/2013	94	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Pericles Democratic Club, 123 Spruce St</b>			
	2/26/2013	91	No Critical Violations Observed
<b>Red Arrow 24 Hr. Diner, 61 Lowell St</b>			
	2/19/2013	90	No Critical Violations Observed
<b>Rita Mae's LLC, 280 Main St</b>			
	2/21/2013	93	No Critical Violations Observed
<b>Sandy's Variety and Sub Shop, 2281 Candia Rd</b>			
	2/7/2013	94	No Critical Violations Observed
<b>Seven Days Market, 360 Union St</b>			
	2/5/2013	98	No Critical Violations Observed
<b>Shawn's Corner Market, 912 Somerville St</b>			
	2/5/2013	93	No Critical Violations Observed
<b>Shorty's Mexican Roadhouse, 1050 Bicentennial Dr</b>			
	2/21/2013	82	12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
			30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.

Facility	Inspection Date	Score	Violation
<b>St. Catherine's School, 206 North St</b>			
	2/21/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Stop &amp; Shop #215, 365 Lincoln St</b>			
	2/4/2013	93	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Subway, 777 So. Willow St</b>			
	2/4/2013	88	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
<b>Sweet Kiwi Frozen Yogurt, 581 Second St</b>			
	2/15/2013	98	No Critical Violations Observed
<b>Taqueria Begy's, 310 Maple St</b>			
	2/13/2013	95	No Critical Violations Observed
<b>The Bakeshop on Kelley Street, 171 Kelley St</b>			
	2/14/2013	100	No Violations Observed
<b>The Bridge Cafe on Elm, LLC, 1117 Elm St</b>			
	2/7/2013	88	No Critical Violations Observed
<b>The DW Diner II, 488 So Main St</b>			
	2/14/2013	94	No Critical Violations Observed
<b>The Greek Man LLC, 724 E. Industrial Park Dr</b>			
	2/21/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>The Gyro Spot, 1073 Elm St</b>			
	2/7/2013	93	No Critical Violations Observed
<b>The Meatery, 270 Amory St</b>			
	2/14/2013	89	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
<b>TN Gas and Convenience Store, 90 Bridge St</b>			
	2/26/2013	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Valley Street Subway, 502 Valley St</b>			
	2/4/2013	84	12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
			12-HANDS WASHED - Employees were not washing hands when required.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Villaggio Ristorante, 677 Hooksett Rd</b>			
	2/28/2013	96	No Critical Violations Observed
<b>Walgreen Eastern Co #3900, 227 So. Main St</b>			
	2/28/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Walgreens #04689, 606 Valley St</b>			
	2/15/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Webster School, 2519 Elm St</b>			
	2/7/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Wild Rover Pub, 21 Kosciuszko St</b>			
	2/26/2013	93	No Critical Violations Observed
<b>Willie B's, 90 Union St</b>			
	2/13/2013	94	No Critical Violations Observed