



**CITY OF MANCHESTER**  
*Health Department*  
**Inspection Scores by Facility**

Period from 1/01/2012 through 03/31/2012

Facility	Inspection Date	Score	Violation
<b>7 Eleven, 242 Beech St</b>	1/26/2012	<b>96</b>	No Critical Violations Observed
<b>7-Eleven, 111 Webster St</b>	1/27/2012	<b>89</b>	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>A Caribbean Affair, 915 Elm St</b>	3/26/2012	<b>94</b>	No Critical Violations Observed
<b>A.L. Prime, 276 Elm St</b>	1/26/2012	<b>93</b>	No Critical Violations Observed
<b>AFC Sushi @ Hannaford #178, 859 Hanover St</b>	2/27/2012	<b>81</b>	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.  03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.  41-TOXICS LABELED - Toxic items were not labeled as to their contents.  41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
<b>Afshin Convenience, 570 Elm St</b>	1/25/2012	<b>97</b>	No Critical Violations Observed
<b>Ahh-Some Gourmet Coffee #900, 900 Elm St</b>	2/14/2012	<b>96</b>	No Critical Violations Observed
<b>Alley Cat Pizzeria, 486 Chestnut St</b>	2/8/2012	<b>96</b>	No Critical Violations Observed
<b>Amory Street Food Market Inc., 519 Amory St</b>	3/20/2012	<b>85</b>	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
<b>AMT Market, 384 Massabesic St</b>	2/7/2012	<b>96</b>	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Baja's California Cantina, 999 Elm St</b>	3/20/2012	95	No Critical Violations Observed
<b>Barnes &amp; Noble Booksellers, 1741 So. Willow St</b>	2/29/2012	97	No Critical Violations Observed
<b>Belmont Hall, LLC, 718 Grove St</b>	3/14/2012	91	No Critical Violations Observed
<b>Ben &amp; Jerry's, 940 Elm St</b>	2/15/2012	97	No Critical Violations Observed
<b>Ben Nadeau's Subs, 1095 Hanover St</b>	2/9/2012	99	No Critical Violations Observed
<b>Best Western Executive Court Inn, 13500 So. Willow St</b>	2/14/2012	97	No Critical Violations Observed
<b>Blue Moon Asian Fusion, 967 Elm St</b>	3/20/2012	77	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.  22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
<b>Bodwell Food Mart, 1466 Bodwell Rd</b>	1/23/2012	93	No Critical Violations Observed
<b>Burger King Corp #16755, 622 So. Willow St</b>	2/28/2012	91	31-HANDWASHING- NUMBER - The establishment had an insufficient number of handsinks.
<b>Cactus Jack's, 782 So. Willow St</b>	3/26/2012	92	No Critical Violations Observed
<b>Cafe Services @ Comcast, 676 Island Pond Rd</b>	1/23/2012	98	No Critical Violations Observed
<b>Candia Road Brewing, 840 Candia Rd</b>	3/28/2012	96	No Critical Violations Observed
<b>Candia Road Convenience, 836 Candia Rd</b>	3/28/2012	95	No Critical Violations Observed
<b>Central High School, 207 Lowell St</b>	2/6/2012	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Chipotle Mexican Grill #1473, 926 So. Willow St</b>	1/24/2012	93	No Critical Violations Observed
<b>Courtyard By Marriott, 700 Huse Rd</b>	2/27/2012	95	No Critical Violations Observed
<b>Crosstown Convenience, 995 Goffstown Rd</b>	3/22/2012	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Crown Fried Chicken, 326 Maple St</b>			
	3/29/2012	86	04-FACILITIES TO MAINTAIN TEMPERATURE - The establishment did not have adequate refrigeration and/or hot holding equipment to acquire and/or maintain proper food temperatures.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Cumberland Farms #5408, 108 Webster St</b>			
	2/8/2012	97	No Critical Violations Observed
<b>Cumberland Farms #5420, 217 Union St</b>			
	1/27/2012	99	No Critical Violations Observed
<b>CVS Pharmacy #200, 788 So. Willow St</b>			
	1/31/2012	95	No Critical Violations Observed
<b>CVS Pharmacy #823, 947 Elm St</b>			
	2/15/2012	95	No Critical Violations Observed
<b>D'Angelo Sandwich Shop, 401 So. Willow St</b>			
	2/22/2012	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>D'Angelo Sandwich Shop, 673 Hooksett Rd</b>			
	2/9/2012	88	03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours.
		100	No Violations Observed
<b>D'Angelo Sandwich Shop, 88 Harvey Rd</b>			
	2/28/2012	95	No Critical Violations Observed
<b>Dartmouth Hitchcock Manchester, 100 Hitchcock Way</b>			
	3/27/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Divots on The River, 1491 Front St</b>			
	3/22/2012	78	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165øF within 2 hours.
<b>Domino's Pizza, 212 Lowell St</b>			
	2/21/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Domino's Pizza, 91 Maple St</b>			
	2/23/2012	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Dunchris, LLC, 1037 Hanover St</b>	2/9/2012	93	No Critical Violations Observed
<b>Dunkin Donuts, 1015 Elm St</b>	2/16/2012	96	No Critical Violations Observed
<b>Dunkin Donuts, 1022 So. Willow St</b>	2/7/2012	98	No Critical Violations Observed
<b>Dunkin Donuts, 122 Londonderry Tpk</b>	3/28/2012	97	No Critical Violations Observed
<b>Dunkin Donuts, 1602 Elm St</b>	2/2/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>Dunkin Donuts, 1932 So. Willow St</b>	1/19/2012	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Dunkin Donuts, 1932 Wellington Rd</b>	2/2/2012	97	No Critical Violations Observed
<b>Dunkin Donuts, 510 Harvey Rd</b>	2/29/2012	97	No Critical Violations Observed
<b>Dunkin Donuts, 921 Beech St</b>	2/8/2012	95	No Critical Violations Observed
<b>E &amp; B Food Market, 204 Wilson St</b>	2/27/2012	96	No Critical Violations Observed
<b>Easter Seals, 200 Zachary Rd</b>	2/1/2012	98	No Critical Violations Observed
<b>Edible Arrangements, 1000 Elm St</b>	2/8/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>Elliot Adult Day Program, 1070 Holt Ave</b>	2/28/2012	92	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.  31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Elm Street Subway, 1000 Elm St</b>	3/20/2012	98	No Critical Violations Observed
<b>Evergreen, 813 Beech St</b>	3/7/2012	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Executive Court Banquet, 1199 So Mammoth Rd</b>	2/14/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Fairfield Inn by Marriott, 860 So. Porter St</b>	2/15/2012	97	No Critical Violations Observed
<b>Families in Transition - Lowell St. Program, 136 Lowell St</b>	3/20/2012	99	No Critical Violations Observed
<b>Fast Track Convenience, 136 So. Willow St</b>	1/20/2012	98	No Critical Violations Observed
<b>Firefly American Bistro &amp; Bar, LLC, 22 Concord St</b>	3/2/2012	94	No Critical Violations Observed
<b>Giovannis, 379 So. Willow St</b>	2/16/2012	89	No Critical Violations Observed
<b>GNG Corner Cafe LLC @ Sanmina -SCI, 140 Abby Rd</b>	2/29/2012	97	No Critical Violations Observed
<b>Gosselin's Superette Inc., 706 Somerville St</b>	2/6/2012	93	No Critical Violations Observed
<b>Granite State Lunchbox @ Tower Cafe, 1750 Elm St</b>	2/1/2012	93	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
<b>Green Acres School, 100 Aurore Ave</b>	2/23/2012	98	No Critical Violations Observed
<b>Greg's Place, 641 Elm St</b>	2/8/2012	87	No Critical Violations Observed
<b>Hallsville School, 275 Jewett St</b>	2/22/2012	95	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Hannaford Food &amp; Drug #178, 859 Hanover St</b>	2/27/2012	96	No Critical Violations Observed
<b>Hanover Hill Healthcare Center, 700 Hanover St</b>	2/7/2012	97	No Critical Violations Observed
<b>Hillside Middle School, 112 Reservoir Ave</b>	2/9/2012	98	No Critical Violations Observed
<b>Holiday Inn Express, 1298 So Porter St</b>	2/15/2012	97	No Critical Violations Observed
<b>Hooked Seafood Restaurant, 110 Hanover St</b>	2/14/2012	91	No Critical Violations Observed
<b>Ignite Bar &amp; Grille, 100 Hanover St</b>	2/14/2012	92	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>J Dubs Coffee, 1000 Elm St</b>	2/8/2012	99	No Critical Violations Observed
<b>JBC of Manchester NH Inc., 50 Phillipe Cote St</b>	2/3/2012	85	35-INSECTS - The facility has an insect infestation.
<b>Jeff's Queen City Catering, 10 Haverhill St</b>	1/17/2012	94	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Jerome's Cafe, 1250 So. Willow St</b>	1/26/2012	89	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
<b>Jerome's Deli, 393 Bridge St</b>	2/9/2012	95	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Jewett Street School, 130 So. Jewett St</b>	2/22/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>Johnny Troy's Italian Specialties, 2075 So. Willow St</b>	2/29/2012	90	No Critical Violations Observed
<b>Klemms Mobil, 1602 Elm St</b>	3/23/2012	98	No Critical Violations Observed
<b>Kwik Stop LLC, 1095 Hanover St</b>	2/9/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>La Carreta Mexican Rest, 545 Hooksett Rd</b>	2/13/2012	84	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.  12-HANDS WASHED - Employees were not washing hands when required.  22-SANITIZATION RINSE- EXPOSURE TIME - Equipment did not contact the sanitization rinse for the appropriate amount of time.
<b>M.S. Market, 176 Sagamore St</b>	2/15/2012	98	No Critical Violations Observed
<b>Mako's Pizza &amp; Subs LLC, 850 E. Industrial Park Dr</b>	1/23/2012	94	No Critical Violations Observed
<b>Mammoth Road Convenience, 10 Mammoth Rd</b>	1/24/2012	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Manchester Mart &amp; Gas, 738 Hooksett Rd</b>			
	2/21/2012	83	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Manchester Memorial High School, 1 Crusader Way</b>			
	3/13/2012	94	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
<b>Manchester School of Technology, 530 So. Porter St</b>			
	3/9/2012	97	No Critical Violations Observed
<b>Maple Leaf Health Care Center, 198 Pearl St</b>			
	2/22/2012	96	No Critical Violations Observed
<b>Maple Street Market, 326 Maple St</b>			
	2/9/2012	97	No Critical Violations Observed
<b>Margie's Dream, 172 Hayward St</b>			
	2/2/2012	92	No Critical Violations Observed
<b>Maverick Gas &amp; Convenience LLC, 15 Willow St</b>			
	1/20/2012	96	No Critical Violations Observed
<b>McDonough School, 550 Lowell St</b>			
	2/15/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>McLaughlin Middle School, 290 So. Mammoth Rd</b>			
	3/6/2012	99	No Critical Violations Observed
<b>Mercy of God African Mkt &amp; Variety, 91 Maple St</b>			
	3/21/2012	91	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Michelle's Gourmet Pastries &amp; Deli, 819 Union St</b>			
	2/14/2012	94	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Midtown Cafe, 814 Elm St</b>			
	2/15/2012	94	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Mint Bistro, LLC, 1105 Elm St</b>			
	2/14/2012	92	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
	2/16/2012	77	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165°F within 2 hours.
			12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
			12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygienic Practices - Other violations.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
<b>Mr. Mac's, 497 Hooksett Rd</b>			
	3/2/2012	92	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Mr. Mikes, 1932 Wellington Rd</b>			
	2/2/2012	95	No Critical Violations Observed
<b>MST -Introduction to Culinary, 530 So Porter St</b>			
	3/9/2012	99	No Critical Violations Observed
<b>Mt. Carmel Rehabilitation &amp; Nursing, 235 Myrtle St</b>			
	2/28/2012	95	31-HANDWASHING- INSTALLATION - Handsinks were installed without prior approval and/or inspections.
<b>My Friend's Bar &amp; Grill Inc, 507 Maple St</b>			
	2/1/2012	75	03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.

Facility	Inspection Date	Score	Violation
<b>Myrtle Manor II, Inc., 83 Myrtle St</b>			
	3/13/2012	93	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>N &amp; K Market, 374 Pearl St</b>			
	2/15/2012	89	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
<b>N - N Express II, 230 Lowell St</b>			
	3/23/2012	92	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
<b>New Yee Dynasty, 830 So. Willow St</b>			
	2/6/2012	90	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>NHIA Dining Center and Art Gallery, 1000 Elm St</b>			
	1/26/2012	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Nickles Market, 1536 Candia Rd</b>			
	2/6/2012	95	No Critical Violations Observed
<b>Noah's Ark Child Care Center, 491 E. Industrial Park Dr</b>			
	3/30/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Page Street Express Mart, 1036 Hanover St</b>			
	2/9/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Panera Bread, 52 March Ave</b>			
	3/20/2012	97	No Critical Violations Observed
<b>Papa Gino's, 545 Hooksett Rd</b>			
	2/15/2012	95	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Penuche's Grill, 96 Hanover St</b>			
	2/15/2012	88	No Critical Violations Observed
<b>Pigeon's Super Market, 168 Wilson St</b>			
	2/6/2012	86	35-INSECTS - The facility has an insect infestation.
<b>Pizza 911, 108 Webster St</b>			
	1/26/2012	95	No Critical Violations Observed
<b>Pizza Hut #676, 716 So. Willow St</b>			
	2/9/2012	99	No Critical Violations Observed
<b>Planet Marshmallow, 81 Hanover St</b>			
	2/2/2012	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Prabi 2006 LLC DBA Shop N Go, 188 Massabesic St</b>			
	3/27/2012	97	No Critical Violations Observed
<b>Prabi 2009 LLCdba Bunny's Superette, 75 Webster St</b>			
	2/7/2012	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
<b>Pro-Dough Co., Inc., 8030 So. Willow St</b>			
	1/27/2012	96	No Critical Violations Observed
<b>Queen City Cupcakes, LLC, 790 Elm St</b>			
	2/2/2012	97	No Critical Violations Observed
<b>Queen City Mobile I, 1050 So. Willow St</b>			
	2/7/2012	97	No Critical Violations Observed
<b>Red Arrow 24 Hr. Diner, 61 Lowell St</b>			
	1/31/2012	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
<b>Republic Cafe &amp; Bistro, 1069 Elm St</b>			
	2/28/2012	96	No Critical Violations Observed
<b>Rite Aid #10275, 1 Willow St</b>			
	1/31/2012	98	No Critical Violations Observed
<b>Rite Aid #4741, 1631 Elm St</b>			
	2/2/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Rose Byrne Headstart, 40 Pine St</b>			
	2/3/2012	97	No Critical Violations Observed
<b>Saigon Asian Market, 93 So. Maple St</b>			
	2/9/2012	89	No Critical Violations Observed
<b>Sal's Pizza, 296 So. Willow St</b>			
	2/10/2012	92	No Critical Violations Observed
<b>Sandy's Variety and Sub Shop, 2281 Candia Rd</b>			
	3/2/2012	91	No Critical Violations Observed
<b>Sanu's Snacks &amp; Convenience, 1000 Elm St</b>			
	2/8/2012	99	No Critical Violations Observed
<b>Seven Days Market, 360 Union St</b>			
	2/21/2012	96	No Critical Violations Observed
<b>Shawn's Corner Market LLC, 912 Somerville St</b>			
	2/1/2012	95	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Short Stop Jolley, 510 Harvey Rd</b>			
	2/29/2012	97	No Critical Violations Observed
<b>Simply Delish, LLC, 250 Commercial St</b>			
	3/26/2012	97	No Critical Violations Observed
<b>Smyth Road School, 245 Bruce Rd</b>			
	2/21/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>SNS Convenience, 311 So. Mammoth Rd</b>			
	2/3/2012	98	No Critical Violations Observed
<b>South Porter St. Apartments, 790 So. Porter St</b>			
	3/21/2012	99	No Critical Violations Observed
<b>South Willow St. Shell, 1932 So. Willow St</b>			
	1/19/2012	94	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Southern NH Services -Warehouse, 40 Pine St</b>			
	2/3/2012	99	No Critical Violations Observed
<b>Southern NH Services Inc., 160 Silver St</b>			
	2/3/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>Southside Middle School, 140 So. Jewett St</b>			
	2/24/2012	96	No Critical Violations Observed
<b>St. Anne - St. Augustin Parish, 382 Beech St</b>			
	2/1/2012	95	No Critical Violations Observed
<b>St. Anthony Community Center, 148 Belmont St</b>			
	2/23/2012	99	No Critical Violations Observed
<b>St. Anthony School Lunch Program, 148 Belmont St</b>			
	2/23/2012	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>St. Catherine's School, 206 North St</b>			
	2/3/2012	98	No Critical Violations Observed
<b>St. Teresa Rehabilitation &amp; Nursing, 519 Bridge St</b>			
	3/13/2012	98	No Critical Violations Observed
<b>Subway, 510 Harvey Rd</b>			
	2/29/2012	94	No Critical Violations Observed
<b>Sweet Retreat, 90 Dow St</b>			
	2/2/2012	92	12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.

Facility	Inspection Date	Score	Violation
<b>Talbot Street Pizza &amp; Roast Beef, 241 Candia Rd</b>			
	1/30/2012	89	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
<b>The Bridge Cafe on Elm, LLC, 1117 Elm St</b>			
	3/22/2012	86	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>The Courville @ Manchester, 44 W. Webster St</b>			
	2/28/2012	96	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>The Farm Bar &amp; Grille, 1181 Elm St</b>			
	1/24/2012	81	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
<b>The Pepsi Bottling Group, 127 Pepsi Rd</b>			
	2/15/2012	99	No Critical Violations Observed
<b>The Yard Restaurant Inc., 1211 So. Mammoth Rd</b>			
	2/8/2012	89	No Critical Violations Observed
<b>Tidewater Catering Group LLC, 250 Commercial St</b>			
	3/26/2012	97	No Critical Violations Observed
<b>Tiya's Restaurant, 8 Hanover St</b>			
	1/5/2012	90	No Critical Violations Observed
<b>TN Gas and Convenience Store, 90 Bridge St</b>			
	3/8/2012	85	03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Trinity High School, 581 Bridge St</b>			
	1/31/2012	97	No Critical Violations Observed
<b>Tropical Food Market, 334 Union St</b>			
	2/21/2012	96	No Critical Violations Observed
<b>Villa Crest Nursing &amp; Retirement, 1276 Hanover St</b>			
	3/29/2012	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Villaggio Ristorante, 677 Hooksett Rd</b>			
	3/20/2012	77	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
			30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Walgreens #04689, 606 Valley St</b>			
	3/16/2012	94	No Critical Violations Observed
<b>Webster School, 2519 Elm St</b>			
	3/6/2012	99	No Critical Violations Observed
<b>Wendy's Old Fahioned Hamburgers, 860 Candia Rd</b>			
	3/28/2012	98	No Critical Violations Observed
<b>Wendy's, 675 So. Willow St</b>			
	2/22/2012	94	No Critical Violations Observed
<b>Wild Rover Pub, 21 Kosciuszko St</b>			
	2/2/2012	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Willie B's, 90 Union St</b>			
	2/2/2012	93	No Critical Violations Observed