



CITY OF MANCHESTER

Health Department

Inspection Scores by Facility

Period from 4/01/2016 through 4/30/2016

Facility	Inspection Date	Score	Violation
A Market Natural Foods, 125 Loring St			
	4/22/2016	93	30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
A.L. Prime Express, 276 Elm St			
	4/13/2016	91	30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
Afshin Convenience, 570 Elm St			
	4/13/2016	95	No Critical Violations Observed
Ahh-Some Gourmet Coffee #900, 900 Elm St			
	4/20/2016	95	No Critical Violations Observed
Airport Diner, 2280 Brown Ave			
	4/28/2016	59	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165øF within 2 hours.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-HANDS WASHED - Employees were not washing hands when required.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
	4/29/2016	97	No Critical Violations Observed
AMT Market, 384 Massabesic St			

Facility	Inspection Date	Score	Violation
	4/27/2016	86	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Athens Restaurant, 31 Central St			
	4/7/2016	90	No Critical Violations Observed
Beechmont Market, 609 South Beech St			
	4/19/2016	94	No Critical Violations Observed
Ben & Jerry's, 940 Elm St			
	4/20/2016	94	No Critical Violations Observed
Boston Market #0027, 14 March St			
	4/7/2016	93	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Cafe Momo, 1065 Hanover St			
	4/21/2016	82	03-TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements. 22-SANITIZATION RINSE- EQUIP AND UTENSILS NOT SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
Cafe Services Inc - Parker Varney School, 223 James A Pollock Dr			
	4/21/2016	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Capri Market, 540 Hall St			
	4/25/2016	93	No Critical Violations Observed
Central High School, 207 Lowell St			
	4/5/2016	97	No Critical Violations Observed
Child and Family Services, 326 Lincoln St			
	4/13/2016	97	No Critical Violations Observed
CVS Pharmacy #200, 788 So. Willow St			
	4/22/2016	96	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
CVS Pharmacy #7932, 432 So. Main St			
	4/1/2016	98	No Critical Violations Observed
Cypress Center Kitchen, 401 Cypress St			
	4/27/2016	99	No Critical Violations Observed
Dollar Tree #5867, 581 Second St			
	4/27/2016	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Dunkin Donuts, 1037 Hanover St			
	4/21/2016	94	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Dunkin Donuts, 271 Granite St			
	4/15/2016	93	35-ANIMALS RESTRICTED - The facility has animals that are either not allowed on the premises, or are not being properly controlled or segregated from food preparation and storage areas.
Dunkin Donuts, 510 Harvey Rd			
	4/14/2016	97	No Critical Violations Observed
Family Dollar Store #3571, 325 Lincoln St			
	4/12/2016	93	No Critical Violations Observed
Family Dollar Stores of NH #8789, 403 Second St			
	4/27/2016	97	No Critical Violations Observed
Family Place Resource Center and Shelter, 177 Lake Ave			
	4/18/2016	89	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Fast Track Convenience, 136 So. Willow St			
	4/12/2016	97	No Critical Violations Observed
Gossler Park School, 99 Sullivan St			
	4/1/2016	98	No Critical Violations Observed
Heng Won Chinese Restaurant, 262 Mammoth Rd			
	4/15/2016	63	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12- HYGIENIC PRACTICES (SMOKING) - Employees were smoking in an unapproved location.
			12-HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS NOT SANITIZED - Equipment was not sanitized prior to use or re-use as necessary.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
			41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
Himalayas General Stores, 359 Elm St			
	4/7/2016	92	01-APPROVED SOURCE - Food observed was not from an approved source. Example: Home prepared items or items made in an unlicensed facility.
Holly's Kona Ice 10-44, 40 Sycamore St			
	4/20/2016	100	No Violations Observed

Facility	Inspection Date	Score	Violation
Jenny Craig WLC #663, 40 March Ave			
	4/7/2016	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Kalwall Corporation, 1111 Candia Rd			
	4/19/2016	99	No Critical Violations Observed
Lala's Hungarian Pastry, 836 Elm St			
	4/7/2016	96	No Critical Violations Observed
Long Hai Asian Market, 696 Valley St			
	4/13/2016	72	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS NOT SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Manchester Cal Ripken, 313 Tarrytown Rd			
	4/13/2016	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Manchester Church of God, 230 Mooresville Rd			
	4/15/2016	99	No Critical Violations Observed
Manchester Girls Softball League, Robinson St			
	4/20/2016	97	No Critical Violations Observed
Manchester Masonic Temple, 1505 Elm St			
	4/29/2016	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Manchester South Jr. Deb Softball, 105 Gay St			
	4/27/2016	98	No Critical Violations Observed
Manchester South Little League, 103 Driving Park Rd			
	4/29/2016	99	No Critical Violations Observed
Manchester West Side Little League - Lally Clubhouse, 80 Harvell St			
	4/28/2016	94	No Critical Violations Observed
McDonald's Restaurant, 196 So. Willow St			
	4/25/2016	93	No Critical Violations Observed
Meals on Wheels - Fitz Vogt, 182-191 Manchester St			
	4/13/2016	93	No Critical Violations Observed
MEGA -X, 510 Harvey Rd			
	4/14/2016	96	No Critical Violations Observed
Moe's Italian Sandwiches, 796 Elm St			

Facility	Inspection Date	Score	Violation
	4/7/2016	98	No Critical Violations Observed
Murphy's Diner, 516 Elm St			
	4/26/2016	91	03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours.
New Horizons for NH, 199 Manchester St			
	4/13/2016	96	No Critical Violations Observed
New Yuki Japanese Grill, 377 So. Willow St			
	4/21/2016	88	No Critical Violations Observed
Panera Bread, 52 March Ave			
	4/14/2016	99	No Critical Violations Observed
Parkside Middle School, 75 Parkside Ave			
	4/1/2016	99	No Critical Violations Observed
Pizza Hut #676, 716 So. Willow St			
	4/25/2016	84	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility. 30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Professional Sports Catering (Main Kitchen), 1 Line Dr			
	4/13/2016	90	35-RODENTS - The facility has a rodent infestation.
Professional Sports Catering LLC - Third Base, 1 Line Dr			
	4/20/2016	84	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF. 31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Professional Sports Catering LLC (Dinner in the Den), 1 Line Dr			
	4/20/2016	95	No Critical Violations Observed
Professional Sports Catering LLC (Sam Adams Bar), 1 Line Dr			
	4/13/2016	96	No Critical Violations Observed
Professional Sports Catering LLC First Base, 1 Line Dr			
	4/20/2016	96	No Critical Violations Observed
Professional Sports Catering LLC-Home Plate, 1 Line Dr			
	4/13/2016	91	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Royal India, 575 So. Willow St			
	4/21/2016	85	03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours.
Serenity Place, 101 Manchester St			
	4/18/2016	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Shop n Go, 188 Massabesic St			
	4/27/2016	94	No Critical Violations Observed
Siberia Food Market, 100 Willow St			
	4/8/2016	98	No Critical Violations Observed
Smyth Road School, 245 Bruce Rd			
	4/20/2016	97	No Critical Violations Observed
Taco Bell #29271, 1045 So. Willow St			
	4/26/2016	93	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Teen Challenge Manchester, 147 Laurel St			
	4/25/2016	97	No Critical Violations Observed
The Derryfield Restaurant, 625 Mammoth Rd			
	4/28/2016	86	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 35-INSECTS - The facility has an insect infestation.
The Fig and the Olive, LLC, 87 Elm St			
	4/27/2016	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
The Foundry Restaurant, 50 Commercial St			
	4/19/2016	97	No Critical Violations Observed
The Purple Puffin, 87 Elm St			
	4/27/2016	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Tidewater Cafe at DEKA, 324 Commercial St			
	4/14/2016	98	No Critical Violations Observed
Tidewater Catering Group, 250 Commercial St			
	4/14/2016	93	No Critical Violations Observed
Trinity High School, 581 Bridge St			
	4/8/2016	98	No Critical Violations Observed
Unity Cafe LLC, 3 Sundial Ave			
	4/1/2016	95	No Critical Violations Observed
Waterworks Cafe, 250 Commercial St			
	4/19/2016	96	No Critical Violations Observed
Webster School, 2519 Elm St			
	4/19/2016	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Wee Play School, 200 Bedford St			
	4/12/2016	92	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Wildcat Cafe, 88 Commercial St			
	4/12/2016	99	No Critical Violations Observed
Yorgo Foods, 231 Woodland Ave			
	4/8/2016	97	No Critical Violations Observed
