



CITY OF MANCHESTER

Health Department

Inspection Scores by Facility

Period from 6/02/2016 through 6/30/2016

| Facility | Inspection Date | Score | Violation |
|--|-----------------|-----------|--|
| 1 Oak on Elm, 1087 Elm St | 6/15/2016 | 87 | 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |
| 11th Hole Bar & Grill, 1491 Front St | 6/10/2016 | 92 | No Critical Violations Observed |
| 1269 Cafe, 351 Chestnut St | 6/7/2016 | 98 | No Critical Violations Observed |
| 777 Express, 777 Hooksett Rd | 6/8/2016 | 96 | No Critical Violations Observed |
| 7-Eleven, 242 Beech St | 6/16/2016 | 89 | No Critical Violations Observed |
| 900 Degrees, 50 Dow St | 6/9/2016 | 88 | No Critical Violations Observed |
| 99 Restaurant & Pub, 1685 So. Willow St | 6/2/2016 | 93 | 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. |
| 99cent and Cigarette Market, 352 Kelley St | 6/10/2016 | 99 | No Critical Violations Observed |
| AFC Sushi @ Hannaford #178, 859 Hanover St | 6/6/2016 | 98 | No Critical Violations Observed |
| Alley Cat Pizzeria, 486 Chestnut St | 6/16/2016 | 98 | No Critical Violations Observed |
| Aloha Restaurant, 901 Hanover St | 6/6/2016 | 83 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F. 03-COOLING OF PHF FOOD - Potentially hazardous foods |

| Facility | Inspection Date | Score | Violation |
|---|-----------------|-------|--|
| | | | were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours. |
| | | | 03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F. |
| | | | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |
| American Legion Henry J. Sweeney, 251 Maple St | | | |
| | 6/9/2016 | 91 | 30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers. |
| Amory St House of Pizza, 253 Amory St | | | |
| | 6/10/2016 | 95 | No Critical Violations Observed |
| Apple Blossom Child Center, 1 Sundial Ave | | | |
| | 6/29/2016 | 94 | 07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. |
| Aroma Joe's, 2 So. Beech St | | | |
| | 6/6/2016 | 96 | No Critical Violations Observed |
| Bartlett Street Superette, 316 Bartlett St | | | |
| | 6/23/2016 | 94 | No Critical Violations Observed |
| Beijing Cuisine Chinese Restaurant, 2650 Brown Ave | | | |
| | 6/15/2016 | 71 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F. |
| | | | 03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours. |
| | | | 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. |
| | | | 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment. |
| | | | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |
| Belmont Hall, 718 Grove St | | | |
| | 6/21/2016 | 82 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F. |
| | | | 03-TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements. |
| | | | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |
| Bishop Peterson Residence, 221 Orange St | | | |
| | 6/30/2016 | 98 | No Critical Violations Observed |
| Blake's Restaurant, 53 Hooksett Rd | | | |

| Facility | Inspection Date | Score | Violation |
|--|-----------------|-------|--|
| | 6/8/2016 | 95 | No Critical Violations Observed |
| Bob's Discount Furniture, 1875 So. Willow St | | | |
| | 6/10/2016 | 95 | No Critical Violations Observed |
| Bonsai's Restaurant, 2265 Candia Rd | | | |
| | 6/23/2016 | 87 | 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. |
| Bremer Street Food Mart, 218 Bremer St | | | |
| | 6/9/2016 | 96 | No Critical Violations Observed |
| Brookside Congregational Church, 2013 Elm St | | | |
| | 6/9/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Bungalow Bar & Grill Cabana Lounge, 333 Valley St | | | |
| | 6/14/2016 | 75 | 03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF. |
| | | | 07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. |
| | | | 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment. |
| Bunny's Superette, 75 Webster St | | | |
| | 6/8/2016 | 91 | No Critical Violations Observed |
| Burger King, 737 Hooksett Rd | | | |
| | 6/2/2016 | 95 | No Critical Violations Observed |
| Camp Carpenter, 300 Blondin Rd | | | |
| | 6/27/2016 | 98 | No Critical Violations Observed |
| Campo Enoteca, 969 Elm St | | | |
| | 6/3/2016 | 96 | No Critical Violations Observed |
| Canton Garden, 159 Kelley St | | | |
| | 6/9/2016 | 87 | No Critical Violations Observed |
| Castle Caterers, 700 Lucas Rd | | | |
| | 6/27/2016 | 78 | 22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature. |
| | | | 27-WATER SAMPLES SUBMISSION - The establishment failed to submit a routine water sample every 6 months. |
| Catholic Medical Center Cafeteria, 100 McGregor St | | | |
| | 6/28/2016 | 97 | No Critical Violations Observed |
| Chartwells Dining Services @ NHIA, 1000 Elm St | | | |
| | 6/16/2016 | 93 | No Critical Violations Observed |
| Chelby's Pizza, 284 Mammoth Rd | | | |
| | 6/20/2016 | 98 | No Critical Violations Observed |
| Chestnut St. Store, 655 Chestnut St | | | |

| Facility | Inspection Date | Score | Violation |
|---|-----------------|-------|---|
| | 6/6/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Chez Vachon, 136 Kelley St | | | |
| | 6/28/2016 | 96 | No Critical Violations Observed |
| China Wind, 31 Massabesic St | | | |
| | 6/20/2016 | 52 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| | | | 07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. |
| | | | 12-HANDS WASHED - Employees were not washing hands when required. |
| | | | 22-SANITIZATION RINSE- EQUIP AND UTENSILS NOT SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary. |
| | | | 41-TOXICS LABELED - Toxic items were not labeled as to their contents. |
| | 6/21/2016 | 82 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| | | | 07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. |
| City Moose Catering, LLC, 87 Elm St | | | |
| | 6/28/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Consuelo's Taqueria, 36 Amherst St | | | |
| | 6/30/2016 | 93 | No Critical Violations Observed |
| Courtyard Cafe, 700 Huse Rd | | | |
| | 6/8/2016 | 94 | 22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature. |
| Crosstown Convenience, 995 Goffstown Rd Rd | | | |
| | 6/10/2016 | 96 | No Critical Violations Observed |
| Crosstown Market, 77 Bremer St | | | |
| | 6/10/2016 | 98 | No Critical Violations Observed |
| Crosstown Variety Store, 270 Amory St | | | |
| | 6/9/2016 | 97 | No Critical Violations Observed |
| Cumberland Farms #5408, 108 Webster St | | | |
| | 6/8/2016 | 98 | No Critical Violations Observed |
| D'Angelo Sandwich Shop, 673 Hooksett Rd | | | |
| | 6/3/2016 | 98 | No Critical Violations Observed |
| Domino's Pizza, 212 Lowell St | | | |
| | 6/14/2016 | 96 | No Critical Violations Observed |

| Facility | Inspection Date | Score | Violation |
|---|-----------------|-------|--|
| Doogie's Bar & Grill, 37 Manchester St | | | |
| | 6/22/2016 | 97 | No Critical Violations Observed |
| Doughvinci's Inc., 728 E. Industrial Park Dr | | | |
| | 6/16/2016 | 81 | 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. |
| | | | 30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers. |
| | | | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |
| Dunkin Donuts @ CMC, 100 McGregor St | | | |
| | 6/28/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Dunkin Donuts @ Elliot, 1 Elliot Way | | | |
| | 6/8/2016 | 97 | No Critical Violations Observed |
| Dunkin Donuts, 1265 So. Willow St | | | |
| | 6/9/2016 | 89 | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |
| Dunkin Donuts, 1500 South Willow St | | | |
| | 6/27/2016 | 96 | No Critical Violations Observed |
| Dunkin Donuts, 1602 Elm St | | | |
| | 6/4/2016 | 98 | No Critical Violations Observed |
| Dunkin Donuts, 1932 So. Willow St | | | |
| | 6/9/2016 | 93 | 35-INSECTS - The facility has an insect infestation. |
| Dunkin Donuts, 855 Candia Rd | | | |
| | 6/3/2016 | 85 | 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. |
| | | | 31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices. |
| Dunkin Donuts, 921 Beech St | | | |
| | 6/8/2016 | 96 | No Critical Violations Observed |
| Easter Seals NH Residential Facility, 200 Zachary Rd | | | |
| | 6/7/2016 | 95 | No Critical Violations Observed |
| Econo Lodge, 75 W. Hancock St | | | |
| | 6/30/2016 | 98 | No Critical Violations Observed |
| Eddy Rd Shell, Nouria Energy Retail, 245 Eddy Rd | | | |
| | 6/6/2016 | 99 | No Critical Violations Observed |
| Elliot Commons Cafeteria, 1 Elliot Way | | | |

| Facility | Inspection Date | Score | Violation |
|--|-----------------|-------|--|
| | 6/8/2016 | 96 | No Critical Violations Observed |
| Even Par Social Club, 102 Spruce St | | | |
| | 6/9/2016 | 86 | 30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers. |
| | | | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |
| Everest Convenience Store, 18 Rockland Ave | | | |
| | 6/3/2016 | 96 | No Critical Violations Observed |
| Evergreen Place, 813 Beech St | | | |
| | 6/30/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Farnum Center - Manchester Alcoholism Rehabilitation Center, 140 Queen City Ave | | | |
| | 6/29/2016 | 97 | No Critical Violations Observed |
| Firefly American Bistro & Bar, 22 Concord St | | | |
| | 6/30/2016 | 97 | No Critical Violations Observed |
| Food for Children, JFK Coliseum St | | | |
| | 6/4/2016 | 100 | No Violations Observed |
| Fritzie's Variety, 154 Conant St | | | |
| | 6/3/2016 | 97 | No Critical Violations Observed |
| Gaby's Kitchen & Gossip Lounge, 503-507 Maple St | | | |
| | 6/20/2016 | 87 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| Gale Motor Co Eatery, 36 Lowell St | | | |
| | 6/15/2016 | 94 | No Critical Violations Observed |
| Gaicho's Cafe, 62 Lowell St | | | |
| | 6/24/2016 | 94 | No Critical Violations Observed |
| Girls Inc of NH, 340 Varney St | | | |
| | 6/6/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Golden Tao Restaurant, 270 Amory St | | | |
| | 6/9/2016 | 95 | No Critical Violations Observed |
| Good Deal African International Mkt, 40 Ronald St | | | |
| | 6/6/2016 | 82 | 22-SANITIZATION RINSE- EQUIP AND UTENSILS NOT SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary. |
| | | | 27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility. |
| Grand Slam Pizza, 472 So. Main St | | | |

| Facility | Inspection Date | Score | Violation |
|--|-----------------|-------|---|
| | 6/27/2016 | 91 | No Critical Violations Observed |
| Granite State Lunchbox @ Tower Cafe, 1750 Elm St | | | |
| | 6/6/2016 | 97 | No Critical Violations Observed |
| Great Buffet, 1525 So. Willow St | | | |
| | 6/30/2016 | 70 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 12-HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method. |
| Great North Aleworks, 1050 Holt Ave | | | |
| | 6/3/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed |
| Great Wall Chinese Restaurant, 168 Amory St | | | |
| | 6/13/2016 | 84 | No Critical Violations Observed |
| Gyroscope IIc, 484 So. Main St | | | |
| | 6/27/2016 | 94 | No Critical Violations Observed |
| Hannaford Food & Drug #178, 859 Hanover St | | | |
| | 6/6/2016 | 96 | No Critical Violations Observed |
| Hanover Hill Health Care Center, 700 Hanover St | | | |
| | 6/2/2016 | 97 | No Critical Violations Observed |
| Harvest Baptist Food Pantry, 40 Ronald St | | | |
| | 6/10/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed |
| Helping Hands Outreach Center, 50 Lowell St | | | |
| | 6/7/2016 | 97 | No Critical Violations Observed |
| Holy Cross Health Center Hall, 357 Island Pond Rd | | | |
| | 6/2/2016 | 97 | No Critical Violations Observed |
| Holy Cross Health Center, 357 Island Pond Rd | | | |
| | 6/2/2016 | 99 | No Critical Violations Observed |
| Hooked Seafood Restaurant, 110 Hanover St | | | |
| | 6/20/2016 | 93 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| Hot Stone Pizzeria, 174 Eddy Rd | | | |
| | 6/6/2016 | 93 | No Critical Violations Observed |
| Ignite Bar & Grille, 100 Hanover St | | | |
| | 6/20/2016 | 90 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| Jeremy Nadeau's Subs, 100 Cahill Ave | | | |
| | 6/7/2016 | 85 | 22-SANITIZATION RINSE- EQUIP AND UTENSILS NOT |

| Facility | Inspection Date | Score | Violation |
|---|-----------------|-------|--|
| | | | SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary. |
| | | | 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. |
| | | | 30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers. |
| Jimmy's House of Pizza, 345 Kelley St | | | |
| | 6/23/2016 | 90 | No Critical Violations Observed |
| Jubba International Grocery, 135 Cedar St | | | |
| | 6/13/2016 | 78 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| | | | 22-SANITIZATION RINSE- EQUIP AND UTENSILS NOT SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary. |
| | | | 41-TOXICS LABELED - Toxic items were not labeled as to their contents. |
| Julien's Corner Kitchen, 150 Bridge St | | | |
| | 6/7/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| KC's Rib Shack, 837 Second St | | | |
| | 6/23/2016 | 71 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| | | | 03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours. |
| | | | 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. |
| | | | 35-INSECTS - The facility has an insect infestation. |
| | | | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |
| | | | 41-TOXICS LABELED - Toxic items were not labeled as to their contents. |
| Keith Murphy's Taproom, 494 Elm St | | | |
| | 6/14/2016 | 93 | 35-INSECTS - The facility has an insect infestation. |
| Klemms Mobil, 1602 Elm St | | | |
| | 6/4/2016 | 98 | No Critical Violations Observed |
| Kwik Stop - South Willow, 1265 So. Willow St | | | |
| | 6/9/2016 | 91 | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |

| Facility | Inspection Date | Score | Violation |
|---|-----------------|-------|--|
| La Carreta Mexican Rest, 545 Hooksett Rd | 6/11/2016 | 92 | No Critical Violations Observed |
| Lakorn Thai Restaurant, 470 So. Main St | 6/27/2016 | 95 | No Critical Violations Observed |
| Lavalley Farms, 2180 Candia Rd | 6/21/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed |
| Little Caesars, 1100 Bicentennial Dr | 6/3/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed |
| Luigi's Pizza Bar & Grille, 712 Valley St | 6/20/2016 | 94 | No Critical Violations Observed |
| Luisa's Italian Pizzeria, 671 Hooksett Rd | 6/3/2016 | 84 | No Critical Violations Observed |
| Manchester Community Market, 00 Victory Pk | 6/16/2016 | 98 | No Critical Violations Observed |
| Maple Leaf Health Care Center, 198 Pearl St | 6/30/2016 | 99 | No Critical Violations Observed |
| Mary Gale Apartments, 600 Maple St | 6/30/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed |
| Maverick Gas & Convenience, 15 Willow St | 6/6/2016 | 93 | No Critical Violations Observed |
| Mount Carmel Rehabilitation & Nursing, 235 Myrtle St | 6/30/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed |
| Mr. Mac's, 497 Hooksett Rd | 6/23/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed |
| Mr. Market, 297 Spruce St | 6/9/2016 | 83 | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. 41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals. |
| Muse Paintbar, 42 Hanover St | 6/21/2016 | 98 | No Critical Violations Observed |

| Facility | Inspection Date | Score | Violation |
|---|-----------------|-------|--|
| Myrtle Manor II, 83 Myrtle St | 6/6/2016 | 99 | No Critical Violations Observed |
| N & K Market, 374 Pearl St | 6/4/2016 | 94 | No Critical Violations Observed |
| New Happy Garden Chinese Restaurant, 47 Hamel Dr | 6/3/2016 | 92 | No Critical Violations Observed |
| Northend Superette, 1308 Elm St | 6/29/2016 | 97 | No Critical Violations Observed |
| Omega Alexandros Macedonian, 141 Cedar St | 6/13/2016 | 97 | No Critical Violations Observed |
| Papa Gino's, 1111 C So. Willow St | 6/8/2016 | 90 | 31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices. |
| Papa Gino's, 545 Hooksett Rd | 6/11/2016 | 99 | No Critical Violations Observed |
| Penuche's Manchester, 96 Hanover St | 6/23/2016 | 96 | No Critical Violations Observed |
| Piccola Italia Ristorante, 815 Elm St | 6/17/2016 | 93 | No Critical Violations Observed |
| Pindos Restaurant and Pizza, 49 Massabesic St | 6/20/2016 | 80 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands |
| Pizza 911, 108 Webster St | 6/8/2016 | 92 | No Critical Violations Observed |
| Pizza Express, 245 Maple St | 6/15/2016 | 73 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands 35-INSECTS - The facility has an insect infestation. 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. 41-TOXICS LABELED - Toxic items were not labeled as to their contents. |
| Pizzalicious, 1875 So. Willow St | 6/13/2016 | 72 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 22-SANITIZATION RINSE- EQUIP AND UTENSILS NOT |

| Facility | Inspection Date | Score | Violation |
|---|-----------------|-------|--|
| | | | SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary. |
| | | | 41-TOXICS LABELED - Toxic items were not labeled as to their contents. |
| Portland Pie Company, 786 Elm St | | | |
| | 6/9/2016 | 88 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| | | | 03-TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements. |
| Premium Midwest Beef, 5120 Tap St | | | |
| | 6/24/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Puerto Vallarta Mexican Grill, 865 Second St | | | |
| | 6/8/2016 | 91 | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |
| Puritan Backroom Restaurant, 245 Hooksett Rd | | | |
| | 6/7/2016 | 95 | No Critical Violations Observed |
| Puritan Conference Center, 207 Hooksett Rd | | | |
| | 6/7/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Rachel's Coffee Corner, 650 Elm St | | | |
| | 6/14/2016 | 98 | No Critical Violations Observed |
| Radisson Hotel Manchester, 700 Elm St | | | |
| | 6/14/2016 | 91 | No Critical Violations Observed |
| Raxx Billiards, 1211 Elm St | | | |
| | 6/2/2016 | 88 | No Critical Violations Observed |
| Red Arrow 24 Hr. Diner, 61 Lowell St | | | |
| | 6/7/2016 | 91 | 12-HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations. |
| Republic Cafe & Bistro, 1069 Elm St | | | |
| | 6/3/2016 | 97 | No Critical Violations Observed |
| Rev. Raymond Burns Highrise, 55 So. Main St | | | |
| | 6/13/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Rita Mae's, 280 Main St | | | |
| | 6/29/2016 | 87 | No Critical Violations Observed |
| Rite Aid #10274, 122 McGregor St | | | |
| | 6/28/2016 | 98 | No Critical Violations Observed |
| Rite Aid #10276, 53 Hooksett Rd | | | |
| | 6/8/2016 | 99 | No Critical Violations Observed |

| Facility | Inspection Date | Score | Violation |
|---|-----------------|-------|--|
| Rite Aid #4741, 1631 Elm St | 6/8/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed |
| Rodriguez Market & Restaurant, 519 Amory St | 6/27/2016 | 98 | No Critical Violations Observed |
| S & R Westside Market, 149 Kelley St | 6/23/2016 | 97 | No Critical Violations Observed |
| Salona's Too, 1050 Holt Ave | 6/3/2016 | 77 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 12-HANDS WASHED - Employees were not washing hands when required. 22-SANITIZATION RINSE- EQUIP AND UTENSILS NOT SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary. |
| Sam's Club #6669, 200 John E. Devine Dr | 6/15/2016 | 87 | 03-TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements. |
| Santoro's Pizza, 468 Union St | 6/2/2016 | 88 | 03-TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements. |
| Season's Tickets Sports Pub, 554 Front St | 6/23/2016 | 88 | No Critical Violations Observed |
| Shop Drop & Dry Laundromat & Variety, 399 Dubuque St | 6/23/2016 | 95 | No Critical Violations Observed |
| Shorty's Mexican Roadhouse, 1050 Bicentennnial Dr | 6/29/2016 | 85 | No Critical Violations Observed |
| Somerset Grille, 8 Mammoth Rd | 6/3/2016 | 99 | No Critical Violations Observed |
| Sophia Nadeau's Subs & Salads Wraps, 805 Canal St | 6/27/2016 | 98 | No Critical Violations Observed |
| South Side Tavern, 1279 So. Willow St | 6/29/2016 | 75 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 12-HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method. 31-HANDWASHING- NUMBER - The establishment had an insufficient number of handsinks. |
| South Willow St. Shell #02026, 1932 So. Willow St | 6/23/2016 | 88 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous |

| Facility | Inspection Date | Score | Violation |
|--|-----------------|------------|--|
| | | | foods were not held at or below 41øF. |
| | | | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |
| Souvlaki Pizza, 256 Bridge St | 6/2/2016 | 90 | No Critical Violations Observed |
| Springhill Suites Manchester, 975 Perimeter Rd | 6/7/2016 | 88 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| St. Paul's Methodist Church, 335 Smyth Rd | 6/13/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Strange Brew Tavern, 88 Market St | 6/27/2016 | 93 | No Critical Violations Observed |
| Sunshine Scoops, 210 Lowell St | 6/9/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Super 8 Motel, 2301 Brown Ave | 6/8/2016 | 97 | No Critical Violations Observed |
| Szechuan House, 245 Maple St | 6/14/2016 | 89 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| Tano's Pizzeria, 372 Kelley St | 6/29/2016 | 99 | No Critical Violations Observed |
| Temple Adath Yeshurun, 152 Prospect St | 6/13/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| The Farm Bar & Grille, 1181 Elm St | 6/2/2016 | 81 | No Critical Violations Observed |
| The Kitchen on River Road, 1362 River Rd | 6/7/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| The Palace Theatre, 80 Hanover St | 6/21/2016 | 98 | No Critical Violations Observed |
| The Pizza Man of Manchester, 850 East Industrial Dr | 6/23/2016 | 90 | No Critical Violations Observed |
| The Salvation Army Kids Cafe, 121 Cedar St | 6/14/2016 | 95 | No Critical Violations Observed |
| The Shaskeen Irish Pub, 909 Elm St | | | |

| Facility | Inspection Date | Score | Violation |
|--|-----------------|-------|--|
| | 6/23/2016 | 90 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| | | | 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. |
| Tidewater Cafe @ Manch CC, 1066 Front St | | | |
| | 6/29/2016 | 96 | No Critical Violations Observed |
| Tio Juan's Margaritas Mexican Restaurant, 1037 Elm St | | | |
| | 6/27/2016 | 93 | No Critical Violations Observed |
| TN Gas and Convenience Store, 90 Bridge St | | | |
| | 6/23/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Toys "R" Us, 2 Keller St | | | |
| | 6/10/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |
| | | | No Violations Observed |
| Uncle Bob's Superette, 435 Kelley St | | | |
| | 6/6/2016 | 97 | No Critical Violations Observed |
| Union Street Market, 621 Union St | | | |
| | 6/7/2016 | 96 | No Critical Violations Observed |
| USA Chicken and Biscuit, 990 Elm St | | | |
| | 6/15/2016 | 93 | No Critical Violations Observed |
| Van Otis Chocolate, 341 Elm St | | | |
| | 6/6/2016 | 96 | No Critical Violations Observed |
| Varney Street Quick Stop, 323 Varney St | | | |
| | 6/23/2016 | 95 | No Critical Violations Observed |
| Venice Old Style Pizza, 610 Front St | | | |
| | 6/7/2016 | 97 | No Critical Violations Observed |
| Villa Crest Nursing & Retirement, 1276 Hanover St | | | |
| | 6/2/2016 | 94 | No Critical Violations Observed |
| Villaggio Ristorante, 677 Hooksett Rd | | | |
| | 6/3/2016 | 97 | No Critical Violations Observed |
| Vintage Pizzeria, 241 Candia Rd | | | |
| | 6/22/2016 | 81 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| | | | 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment. |
| W. R. Taverna, 201 Merrimack St | | | |
| | 6/20/2016 | 96 | No Critical Violations Observed |
| Walgreen Eastern Co #3900, 227 So. Main St | | | |
| | 6/13/2016 | 100 | 00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. |

| Facility | Inspection Date | Score | Violation |
|--|-----------------|-------|--|
| | | | No Violations Observed |
| Walmart #2399, 725 Gold St | | | |
| | 6/14/2016 | 94 | 03-TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements. |
| Washington Manor, 233 Prospect St | | | |
| | 6/13/2016 | 99 | No Critical Violations Observed |
| Washington Manor, 67 Prospect St | | | |
| | 6/13/2016 | 96 | No Critical Violations Observed |
| Whiskey's 20, 20 Old Granite St | | | |
| | 6/29/2016 | 81 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| | | | 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. |
| | | | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |
| Wild Rover Pub, 21 Kosciuszko St | | | |
| | 6/30/2016 | 87 | 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. |
| Willie B's, 90 Union St | | | |
| | 6/22/2016 | 90 | No Critical Violations Observed |
| XO on Elm, 827 Elm St | | | |
| | 6/22/2016 | 94 | No Critical Violations Observed |
| Yee Dynasty, 830 So. Willow St | | | |
| | 6/29/2016 | 75 | 07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. |
| | | | 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. |
| | | | 31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices. |
| | | | 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. |
| Z-J Market, 266 Bridge St | | | |
| | 6/2/2016 | 96 | No Critical Violations Observed |
| Zoey's Pizza, 2160 Candia Rd | | | |
| | 6/21/2016 | 89 | No Critical Violations Observed |