



CITY OF MANCHESTER
Health Department
Inspection Scores by Facility

Period from 01/01/2011 through 03/31/2011

Facility	Inspection Date	Score	Violation
7 Eleven, 111 Webster St	3/14/2011	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
7 Eleven, 242 Beech St	3/23/2011	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
7-11, 117 Queen City Ave	1/31/2011	95	No Critical Violations Observed
7-11, 2305 Brown Ave	2/3/2011	94	No Critical Violations Observed
7-Eleven #32499B, 557 Maple St	3/25/2011	99	No Critical Violations Observed
7-Eleven #33202C, 85 So. Main St	3/18/2011	96	No Critical Violations Observed
A & R Munchies, 20 Schuyler St	2/21/2011	97	No Critical Violations Observed
A Caribbean Affair, 915 Elm St	3/24/2011	82	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
A Market Natural Foods, 125 Loring St	2/11/2011	99	No Critical Violations Observed
A Market, 379 So. Willow St	2/11/2011	95	No Critical Violations Observed
Afshin Convenience, 570 Elm St	1/24/2011	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Ahh-Some Gourmet Coffee #900, 900 Elm St			
	2/7/2011	92	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
All Juiced Up, 790 Elm St			
	2/28/2011	89	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
Alley Cat Pizzeria, 486 Chestnut St			
	3/9/2011	94	No Critical Violations Observed
American Red Cross, 1800 Elm St			
	3/29/2011	98	No Critical Violations Observed
AMT Market, 384 Massabesic St			
	1/25/2011	98	No Critical Violations Observed
Annula's Pizza & Deli, 525 Chestnut St			
	3/23/2011	91	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Apple Blossom Child Center LLC, 1 Sundial Ave			
	2/9/2011	96	No Critical Violations Observed
Applebee's Neighborhood Grill & Bar, 581 Second St			
	3/8/2011	97	No Critical Violations Observed
Ate Doors Down, 967 Elm St			
	1/26/2011	96	No Critical Violations Observed
Auntie Anne's Pretzels, 1500 So. Willow St			
	2/28/2011	98	No Critical Violations Observed
Awesome Pizza 2, 444 Second St			
	2/25/2011	95	No Critical Violations Observed
Barnes & Noble Booksellers, 1741 So. Willow St			
	1/14/2011	97	No Critical Violations Observed
Beech Street School, 333 Beech St			
	1/28/2011	100	No Violations Observed
Beechmont Market, 609 So. Beech St			
	2/8/2011	93	No Critical Violations Observed
Belmont Hall, LLC, 718 Grove St			
	3/18/2011	91	No Critical Violations Observed
Ben & Jerry's, 940 Elm St			
	3/23/2011	93	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Ben Nadeau's Subs, 1095 Hanover St			
	3/30/2011	98	No Critical Violations Observed
Bertucci's Brick Oven Pizzeria, 1500 So. Willow St			
	1/27/2011	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Best Western Executive Court Inn, 13500 So. Willow St			
	3/11/2011	98	No Critical Violations Observed
Big Easy Bagel, 2626 Brown Ave			
	3/21/2011	96	No Critical Violations Observed
Billy's Sports Bar & Grill, 34 Tarrytown Rd			
	3/24/2011	82	No Critical Violations Observed
Bishop Peterson Residence, 221 Orange St			
	3/11/2011	94	No Critical Violations Observed
Blakes Scoop Shop, 1500 So. Willow St			
	2/28/2011	97	No Critical Violations Observed
Blue Moon Asian Fusion, 967 Elm St			
	1/27/2011	87	No Critical Violations Observed
Bodwell Food Mart, 1466 Bodwell Rd			
	1/31/2011	94	No Critical Violations Observed
Bosna Store LLC, 71 Manchester St			
	1/7/2011	96	No Critical Violations Observed
Boston Market #0027, 14 March St			
	1/24/2011	92	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Bourbon Street Cafe, 1500 So. Willow St			
	2/3/2011	97	No Critical Violations Observed
Bremer Street Food Mart, 218 Bremer St			
	1/31/2011	96	No Critical Violations Observed
Buddy's Pizza, 250 Dubuque St			
	3/18/2011	97	No Critical Violations Observed
Cafe 324, 324 Commercial St			
	3/11/2011	96	No Critical Violations Observed
Cafe Services @ Comcast, 676 Island Pond Rd			
	1/14/2011	95	No Critical Violations Observed
Candia Road Convenience, 836 Candia Rd			
	3/16/2011	94	No Critical Violations Observed
Capri Market, 540 Hall St			
	2/22/2011	96	No Critical Violations Observed
Central High School, 207 Lowell St			
	2/9/2011	95	No Critical Violations Observed
Chefs Corner, 1500 So. Willow St			
	1/26/2011	92	No Critical Violations Observed
Chesterman LLC dba Dunkin Donuts, 855 Candia Rd			
	3/16/2011	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Chili's Grill & Bar, 1071 So. Willow St			
	3/29/2011	90	12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygienic Practices - Other violations.
Chuck E Cheese, 1525 So. Willow St			
	1/11/2011	83	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-INSECTS - The facility has an insect infestation.
Cinnabest, LLC, 1500 So. Willow St			
	3/8/2011	97	No Critical Violations Observed
Circa 1906, 1362 River Rd			
	3/31/2011	91	03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
Cold Stone Creamery, 102 March Ave			
	2/15/2011	99	No Critical Violations Observed
Consuelo's Taqueria, 36 Amherst St			
	3/7/2011	94	No Critical Violations Observed
Crepes Island, 81 Hanover St			
	1/25/2011	95	No Critical Violations Observed
Crossmark, 200 John E. Devine Dr			
	3/31/2011	95	31-HANDWASHING- CONVENIENT - The handsinks were not conveniently located.
Crosstown Convenience, 995 Goffstown Rd			
	1/31/2011	95	No Critical Violations Observed
Crown Fried Chicken, 326 Maple St			
	2/17/2011	78	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Cumberland Farms #5408, 108 Webster St			
	3/14/2011	98	No Critical Violations Observed
Cumberland Farms #5420, 217 Union St			
	3/31/2011	95	No Critical Violations Observed
Cumberland Farms #5511, 275 Hanover St			
	2/18/2011	98	No Critical Violations Observed
CVS Pharmacy #823, 947 Elm St			
	2/7/2011	97	No Critical Violations Observed
Dairy Queen/Orange Julius, 1500 So. Willow St			
	1/11/2011	97	No Critical Violations Observed
D'Angelo Sandwich Shop, 1500 So. Willow St			
	1/26/2011	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
D'Angelo Sandwich Shop, 401 So. Willow St	2/8/2011	94	No Critical Violations Observed
D'Angelo Sandwich Shop, 88 Harvey Rd	1/26/2011	96	No Critical Violations Observed
Domino's Pizza, 212 Lowell St	2/9/2011	97	No Critical Violations Observed
Doughvinci's Inc., 728 E. Industrial Park Dr	3/25/2011	91	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment. 41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Down the Block, 167 Hanover St	3/3/2011	97	No Critical Violations Observed
Dunkin Donuts (Ellhos LLC), 1 Elliot Way	3/15/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Dunkin Donuts, 1015 Elm St	1/26/2011	99	No Critical Violations Observed
Dunkin Donuts, 1265 So. Willow St	1/31/2011	100	No Violations Observed
Dunkin Donuts, 1602 Elm St	1/24/2011	97	No Critical Violations Observed
Dunkin Donuts, 1932 So. Willow St	1/25/2011	95	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Dunkin Donuts, 1932 Wellington Rd	2/22/2011	99	No Critical Violations Observed
Dunkin Donuts, 2445 Brown Ave	2/28/2011	94	No Critical Violations Observed
Dunkin Donuts, 510 Harvey Rd	1/19/2011	96	No Critical Violations Observed
Edible Arrangements, 1000 Elm St	2/3/2011	100	No Violations Observed
El Rincon Zacatecano Taqueria, 10 Lake Ave	1/25/2011	90	No Critical Violations Observed
Elliot Commons Cafeteria, 1 Elliot Way	3/15/2011	95	No Critical Violations Observed
Executive Court Banquet, 1199 So Mammoth Rd	3/23/2011	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Famous Dave's BBQ, 1707 So. Willow St			
	1/31/2011	93	No Critical Violations Observed
Fast Track Convenience, 136 So. Willow St			
	1/10/2011	95	No Critical Violations Observed
Firefly American Bistro & Bar, LLC, 22 Concord St			
	1/27/2011	89	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Five Guys, 1111 So. Willow St			
	3/15/2011	98	No Critical Violations Observed
Friendlys #302, 1229 So. Willow St			
	3/24/2011	97	No Critical Violations Observed
Giovannis, 379 So. Willow St			
	2/8/2011	93	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Gloria Jeans Coffees, 1500 So. Willow St			
	1/27/2011	97	No Critical Violations Observed
Gold's Gym, 89 Dow St			
	1/25/2011	96	No Critical Violations Observed
Good Deal African International Mkt, 40A Ronald St			
	3/24/2011	67	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			12-HANDS WASHED - Employees were not washing hands when required.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZE - Equipment was not sanitized prior to to use or re-use as necessary.
			31-HANDWASHING- INSTALLATION - Handsinks were installed without prior approval and/or inspections.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
			41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
	3/25/2011	96	No Critical Violations Observed
Gosselin's Superette Inc., 706 Somerville St			
	3/25/2011	89	No Critical Violations Observed
Gov. Hugh Gallen Hi-Rise, 200 Hanover St			
	2/7/2011	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Granite State Lunchbox @ UNH, 400 Commercial St			
	2/11/2011	94	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
	3/14/2011	99	No Critical Violations Observed
Great Buffet, 1525 So. Willow St			
	1/10/2011	82	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Green Acres School, 100 Aurore Ave			
	3/9/2011	97	No Critical Violations Observed
Greg's Place, 641 Elm St			
	1/24/2011	88	No Critical Violations Observed
Hallsville School, 275 Jewett St			
	2/28/2011	96	No Critical Violations Observed
Hannaford Food & Drug #178, 859 Hanover St			
	3/22/2011	93	No Critical Violations Observed
Hanover Hill Healthcare Center, 700 Hanover St			
	2/8/2011	97	No Critical Violations Observed
Hesser College Cafe, 3 Sundial Ave			
	3/10/2011	91	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Highland Goffe's Falls School, 2021 Goffe's Falls Rd			
	1/28/2011	97	No Critical Violations Observed
Hillsborough Market LLC, 519 Lincoln St			
	3/3/2011	77	01-APPROVED SOURCE - Food observed was not from an approved source. Example: Home prepared items or items made in an unlicensed facility. 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
Hillside Middle School, 112 Reservoir Ave			
	3/9/2011	97	No Critical Violations Observed
India Palace, 575 So. Willow St			
	3/11/2011	93	No Critical Violations Observed
J Dubs Coffee, 1000 Elm St			
	2/3/2011	98	No Critical Violations Observed
J.W. Hill's Sports Bar & Grille, 795 Elm St			
	2/18/2011	85	01-NO SPOILAGE - Spoiled food or moldy ice observed.
Jays Diner at Quirk Chevrolet, 1250 So. Willow St			
	2/22/2011	93	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.

Facility	Inspection Date	Score	Violation
JBC of Manchester NH Inc., 50 Phillipe Cote St			
	1/24/2011	81	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Jerome's Deli, 393 Bridge St			
	2/8/2011	93	No Critical Violations Observed
Jewett Street School, 130 So. Jewett St			
	2/10/2011	99	No Critical Violations Observed
Johnny Troy's Italian Specialties, 2075 So. Willow St			
	3/8/2011	94	No Critical Violations Observed
Klemms Mobil, 1602 Elm St			
	1/27/2011	91	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
Kwik Stop LLC - South Willow, 1265 So. Willow St			
	1/31/2011	98	No Critical Violations Observed
Kwik Stop LLC, 1095 Hanover St			
	3/30/2011	99	No Critical Violations Observed
La Yalina Restaurant, 245 Maple St			
	3/24/2011	68	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZE - Equipment was not sanitized prior to to use or re-use as necessary. 41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
	3/25/2011	88	No Critical Violations Observed
Lala's Hungarian Pastry, 836 Elm St			
	2/23/2011	96	No Critical Violations Observed
Longhorn Steakhouse of Manchester, 1580 So. Willow St			
	3/18/2011	97	No Critical Violations Observed
M.S. Market, 176 Sagamore St			
	3/1/2011	100	No Violations Observed
Mako's Pizza & Subs LLC, 850 E. Industrial Park Dr			
	1/19/2011	95	No Critical Violations Observed
Mammoth Road Convenience, 10 Mammoth Rd			
	2/10/2011	93	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Manchester Bellagio Pizza, 333 Valley St			
	2/24/2011	87	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. 31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.

Facility	Inspection Date	Score	Violation
Manchester Buffet & Restaurant, 371 So. Willow St			
	2/14/2011	92	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Manchester Christian Church, 1308 Wellington Rd			
	1/4/2011	100	No Violations Observed
Manchester Mart & Gas, 738 Hooksett Rd			
	3/30/2011	86	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
			03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Manchester Memorial High School, 1 Crusader Way			
	2/18/2011	92	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Manchester School of Technology, 530 So. Porter St			
	3/24/2011	95	No Critical Violations Observed
Maple Leaf Health Care, 198 Pearl St			
	3/24/2011	96	No Critical Violations Observed
Margie's Dream, 172 Hayward St			
	2/24/2011	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Mary Gale Apartments, 600 Maple St			
	3/24/2011	98	No Critical Violations Observed
Master Wok, 1500 So. Willow St			
	2/3/2011	97	No Critical Violations Observed
Maverick Gas & Convenience LLC, 15 Willow St			
	1/10/2011	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
McDonough School, 550 Lowell St			
	2/7/2011	100	No Violations Observed
McIntyre Ski Area Food Service, 50 Chalet Way			
	1/14/2011	96	No Critical Violations Observed
McLaughlin Middle School, 290 So. Mammoth Rd			
	3/9/2011	99	No Critical Violations Observed
Millwest Subway, 195 McGregor St			
	3/18/2011	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Mobil #2735, 2391 Brown Ave	3/21/2011	94	No Critical Violations Observed
Mount Zion Christian Schools, 132 Titus Ave	3/11/2011	99	No Critical Violations Observed
Mr. Mac's, 497 Hooksett Rd	3/7/2011	99	No Critical Violations Observed
Mr. Mikes, 1932 Wellington Rd	2/18/2011	90	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
MST -Introduction to Culinary, 530 So Porter St	3/24/2011	97	No Critical Violations Observed
Mt. Carmel Rehabilitation & Nursing, 235 Myrtle St	3/23/2011	93	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
My Friend's Bar & Grill Inc, 507 Maple St	3/14/2011	86	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Myrtle Manor II, Inc., 83 Myrtle St	2/8/2011	93	No Critical Violations Observed
N - N Express II, 230 Lowell St	3/1/2011	90	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
N & K Market, 374 Pearl St	3/7/2011	91	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Neighborhood Meats, 2626 Brown Ave	3/17/2011	93	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Neighborhood Variety, 2626 Brown Ave	3/17/2011	92	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
New Taiwan Garden, 575 So. Willow St	3/10/2011	83	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF. 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
New Yuki Japanese Grill, 377 So. Willow St	3/10/2011	88	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.

Facility	Inspection Date	Score	Violation
Nicky D's, 1111 Elm St	3/30/2011	93	No Critical Violations Observed
North End Express Inc, 1883 Elm St	1/25/2011	86	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
Northend Superette, 1308 Elm St	1/25/2011	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Nutfield Steak & Ale House, 55 John E. Devine Dr	2/15/2011	80	12-HANDS WASHED - Employees were not washing hands when required. 41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
Orange St. Market, 132 Orange St	3/11/2011	95	No Critical Violations Observed
Oven Poppers, 99 Faltin Dr	2/23/2011	100	No Violations Observed
P.J. O'Sullivan's, 300 So. Willow St	3/7/2011	84	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
Page Street Express Mart, 1036 Hanover St	2/8/2011	93	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Panera Bread, 52 March Ave	1/24/2011	95	No Critical Violations Observed
Papa Gino's, 1111C So. Willow St	2/8/2011	87	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Papa John's Pizza, 1015 Elm St	1/19/2011	94	41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Papa John's Pizza, 223 So. Willow St	3/11/2011	95	No Critical Violations Observed
Pattie Shack LJSQ, LLC, 1073 Elm St	2/3/2011	88	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Penuche's Grill, 96 Hanover St			
	1/25/2011	66	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-INSECTS - The facility has an insect infestation.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
	1/26/2011	80	03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165øF within 2 hours.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-INSECTS - The facility has an insect infestation.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
	3/8/2011	76	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-INSECTS - The facility has an insect infestation.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Prabi 2006 LLC DBA Shop N Go, 188 Massabesic St			
	1/27/2011	98	No Critical Violations Observed
Prabi 2009 LLCdba Bunny's Superette, 75 Webster St			
	3/9/2011	92	No Critical Violations Observed
Pro-Dough Co., Inc., 8030 So. Willow St			
	1/28/2011	94	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Queen City Mobile I, 1050 So. Willow St			
	3/10/2011	96	No Critical Violations Observed
Quiznos Subs, 990 Elm St			
	2/3/2011	98	No Critical Violations Observed
R & E Grocery, 304 Merrimack St			
	2/18/2011	96	No Critical Violations Observed
Regina Pizzeria, 1500 So. Willow St			
	2/23/2011	94	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Rite Aid #10275, 1 Willow St	2/18/2011	94	No Critical Violations Observed
Rite Aid #4741, 1631 Elm St	2/24/2011	97	No Critical Violations Observed
Rockland Convenience Store LLC, 18 Rockland Ave	2/24/2011	95	No Critical Violations Observed
Rose Byrne Headstart, 40 Pine St	3/29/2011	97	No Critical Violations Observed
Ruby Tuesday #3309, 1500 So. Willow St	1/13/2011	93	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
S & R Westside Market LLC, 149 Kelley St	2/10/2011	95	No Critical Violations Observed
Sahara Food Services, 750 Massabesic St	3/10/2011	87	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Salvador Deli, 156 Hanover St	3/11/2011	94	No Critical Violations Observed
Sam's Club #6669, 200 John E. Devine Dr	3/31/2011	93	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Santoro's Pizza, 468 Union St	2/28/2011	87	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Sanu's Snacks & Convenience, 1000 Elm St	2/3/2011	96	No Critical Violations Observed
Sarku Japan, 1500 So. Willow St	1/10/2011	95	No Critical Violations Observed
Short Stop Jolley, 510 Harvey Rd	1/19/2011	96	No Critical Violations Observed
Shorty's Mexican Roadhouse, 1050 Bicentennial Dr	3/21/2011	91	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZE - Equipment was not sanitized prior to to use or re-use as necessary.
Simons Roast Beef, 2626 Brown Ave	3/17/2011	97	No Critical Violations Observed
Simply Delish, LLC, 250 Commercial St	1/5/2011	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Smyth Road School, 245 Bruce Rd			
	3/23/2011	89	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
			31-HANDWASHING- NUMBER - The establishment had an insufficient number of handsinks.
Sodexo at Wellpoint - Manchester, 3000 Goffs Falls Rd			
	3/21/2011	97	No Critical Violations Observed
South Porter St. Apartments, 790 So. Porter St			
	2/3/2011	99	No Critical Violations Observed
South Willow St. Shell, 1932 So. Willow St			
	1/25/2011	95	No Critical Violations Observed
Southern NH Services Inc., 160 Silver St			
	3/29/2011	99	No Critical Violations Observed
Southern NH Services -Warehouse, 40 Pine St			
	3/29/2011	99	No Critical Violations Observed
Southside Middle School, 140 So. Jewett St			
	2/10/2011	94	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Spice Center, 245 Maple St			
	1/27/2011	87	No Critical Violations Observed
St. Anthony Community Center, 148 Belmont St			
	3/28/2011	99	No Critical Violations Observed
St. Anthony School Lunch Program, 148 Belmont St			
	3/28/2011	98	No Critical Violations Observed
St. Catherine's School, 206 North St			
	3/4/2011	96	No Critical Violations Observed
St. Teresa Rehabilitation & Nursing, 519 Bridge St			
	2/10/2011	93	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Store 24 (#202), 581 Second St			
	1/25/2011	99	No Critical Violations Observed
Strange Brew Tavern, 88 Market St			
	1/3/2011	82	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Subway @ Evans Express Mart, 2445 Brown Ave			
	2/28/2011	89	No Critical Violations Observed
Subway, 510 Harvey Rd			
	1/19/2011	96	No Critical Violations Observed
Sweet Retreat, 90 Dow St			
	3/1/2011	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Taco Bell #15278, 1045 So. Willow St	2/22/2011	98	No Critical Violations Observed
TGI Friday's #0175, 1516 So. Willow St	3/14/2011	95	No Critical Violations Observed
The Bake Studio, 250 Commercial St	1/4/2011	99	No Critical Violations Observed
The Bridge Cafe on Elm, LLC, 1117 Elm St	2/1/2011	99	No Critical Violations Observed
The Family Place, 394 Second St	2/9/2011	98	No Critical Violations Observed
The Fruit Center, 15 Webster St	3/14/2011	87	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZE - Equipment was not sanitized prior to to use or re- use as necessary.
The Prayer Hall dba Welcome Home, 286 Concord St	1/7/2011	92	No Critical Violations Observed
The Yard Restaurant Inc., 1211 So. Mammoth Rd	3/23/2011	96	No Critical Violations Observed
Tidewater Catering Group LLC, 250 Commercial St	2/17/2011	97	No Critical Violations Observed
Trinity High School, 581 Bridge St	2/10/2011	99	No Critical Violations Observed
UR 1st Stop Convenience, 49 Amoskeag St	2/22/2011	97	No Critical Violations Observed
Villa Crest Nursing & Retirement, 1276 Hanover St	3/22/2011	98	No Critical Violations Observed
Walgreen Eastern Co #3900, 227 So. Main St	2/24/2011	98	No Critical Violations Observed
Walgreens #04689, 606 Valley St	3/25/2011	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Washington Manor, 67 Prospect St	3/31/2011	90	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Webster School, 2519 Elm St	3/29/2011	94	No Critical Violations Observed
Wendy's Old Fahioned Hamburgers, 860 Candia Rd	3/16/2011	97	No Critical Violations Observed
Wendy's, 675 So. Willow St	3/28/2011	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Weston School, 1066 Hanover St	3/25/2011	91	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Wilson School, 401 Wilson St	1/28/2011	97	No Critical Violations Observed
Z-J Market, 266 Bridge St	3/9/2011	96	No Critical Violations Observed