



**CITY OF MANCHESTER**  
*Health Department*  
**Inspection Scores by Facility**

Period from 06/01/2015 through 06/30/2015

Facility	Inspection Date	Score	Violation
<b>1269 Cafe on Hanover, 119 Hanover St</b>	6/30/2015	<b>97</b>	No Critical Violations Observed
<b>61 Best Market, 61 Maple St</b>	6/12/2015	<b>92</b>	No Critical Violations Observed
<b>7-Eleven #32499B, 557 Maple St</b>	6/1/2015	<b>96</b>	No Critical Violations Observed
<b>777 Express, 777 Hooksett Rd</b>	6/15/2015	<b>93</b>	No Critical Violations Observed
<b>8ne5, 815 Elm St</b>	6/10/2015	<b>90</b>	01-NO SPOILAGE - Spoiled food or moldy ice observed.
<b>99 Restaurant &amp; Pub, 1685 So. Willow St</b>	6/22/2015	<b>92</b>	No Critical Violations Observed
<b>A &amp; E Coffee Roastery &amp; Tea, 1000 Elm St</b>	6/3/2015	<b>94</b>	No Critical Violations Observed
<b>A Market Kitchen, 379 So. Willow St</b>	6/17/2015	<b>96</b>	No Critical Violations Observed
<b>A Market Natural Foods, 125 Loring St</b>	6/17/2015	<b>98</b>	No Critical Violations Observed
<b>A.L. Prime Express, 276 Elm St</b>	6/29/2015	<b>93</b>	30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
<b>ABC Nursery, 108 Revere Ave</b>	6/10/2015	<b>100</b>	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>AFC Sushi @ Hannaford #178, 859 Hanover St</b>	6/23/2015	<b>100</b>	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed

Facility	Inspection Date	Score	Violation
<b>Afshin Convenience, 570 Elm St</b>			
	6/11/2015	94	No Critical Violations Observed
<b>Ahh-Some Gourmet Coffee #900, 900 Elm St</b>			
	6/1/2015	97	No Critical Violations Observed
<b>Ali Baba Whole Food Festival Treasures Market &amp; Restaurant, 590 Second St</b>			
	6/3/2015	71	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>All Real Meal, 724 E. Industrial Park Dr</b>			
	6/22/2015	99	No Critical Violations Observed
<b>Alley Cat Pizzeria, 486 Chestnut St</b>			
	6/24/2015	93	No Critical Violations Observed
<b>Aloha Restaurant, 901 Hanover St</b>			
	6/25/2015	72	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>American Legion Post #79, 35 W. Brook St</b>			
	6/30/2015	98	No Critical Violations Observed
<b>AMT Market, 384 Massabesic St</b>			
	6/19/2015	83	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Andre's Diner Inc., 100 Willow St</b>			
	6/10/2015	95	No Critical Violations Observed
<b>Apple Blossom Child Center LLC, 1 Sundial Ave</b>			
	6/24/2015	93	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Aramark Corporation-Kitchen, 555 Elm St</b>			

Facility	Inspection Date	Score	Violation
	6/6/2015	97	No Critical Violations Observed
<b>Aramark Corporation-Lounge, 555 Elm St</b>			
	6/6/2015	99	No Critical Violations Observed
<b>Aramark Corporation-Stand A, 555 Elm St</b>			
	6/6/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Aramark Corporation-Stand B, 555 Elm St</b>			
	6/6/2015	95	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Aramark Corporation-Stand C, 555 Elm St</b>			
	6/6/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Aramark Corporation-Stand D, 555 Elm St</b>			
	6/8/2015	0	00-INSPECTION NOT SCORED - This inspection is designed to assess critical item violations only and is not a scored inspection.
			00-INSPECTION NOT SCORED -
			00-INSPECTION NOT SCORED - This inspection is designed to assess critical item violations only and is not a scored inspection.
<b>Arbys, 1500 South Willow St</b>			
	6/1/2015	87	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Auntie Anne's Pretzels, 1500 So. Willow St</b>			
	6/2/2015	84	30-CROSS CONNECTION - The plumbing system was not free of cross connections.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>B &amp; B Cafe and Grill / 25 Stark St. LLC, 25 Stark St</b>			
	6/16/2015	92	No Critical Violations Observed
<b>Baked Downtown Cafe &amp; Bakery, 1015 Elm St</b>			
	6/3/2015	86	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Bakersville School, 20 Elm St</b>			
	6/2/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Barnes &amp; Noble Booksellers, 1741 So. Willow St</b>			
	6/18/2015	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.

Facility	Inspection Date	Score	Violation
	6/18/2015	83	30-CROSS CONNECTION - The plumbing system was not free of cross connections.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Bayona Cafe LLC, 670 Commercial St</b>			
	6/11/2015	97	No Critical Violations Observed
<b>Beijing Cuisine Chinese Restaurant, 2650 Brown Ave</b>			
	6/30/2015	72	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Ben &amp; Jerry's, 940 Elm St</b>			
	6/1/2015	92	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Ben Nadeau's Subs, 1095 Hanover St</b>			
	6/23/2015	98	No Critical Violations Observed
<b>Ben's Canteen, 2 Maurais St</b>			
	6/17/2015	100	No Violations Observed
<b>Big Easy Bagel, 2626 Brown Ave</b>			
	6/23/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Billy's Sports Bar &amp; Grill, 34 Tarrytown Rd</b>			
	6/25/2015	91	No Critical Violations Observed
<b>Bishop Leo E. O'Neil Youth Center, 30 So. Elm St</b>			
	6/2/2015	94	No Critical Violations Observed
<b>Bishop Peterson Residence, 221 Orange St</b>			
	6/25/2015	98	No Critical Violations Observed
<b>Bodwell Food Mart, 1466 Bodwell Rd</b>			
	6/9/2015	96	No Critical Violations Observed
<b>Breezeway Pub, 14 Pearl St</b>			
	6/25/2015	99	No Critical Violations Observed
<b>Bremer Street Food Mart, 218 Bremer St</b>			
	6/8/2015	99	No Critical Violations Observed
<b>British Beer Company, 1071 So. Willow St</b>			
	6/16/2015	89	No Critical Violations Observed
<b>Brookside Congregational Church, 2013 Elm St</b>			
	6/26/2015	93	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
<b>Buffalo Wild Wings, 1500 South Willow St</b>			

Facility	Inspection Date	Score	Violation
	6/1/2015	93	No Critical Violations Observed
<b>Caesario's Pizza, 1057 Elm St</b>			
	6/11/2015	87	No Critical Violations Observed
<b>Cafe la Reine, 915 Elm St</b>			
	6/5/2015	93	No Critical Violations Observed
<b>Cafe Mangia LLC, 33A Elm St</b>			
	6/26/2015	99	No Critical Violations Observed
<b>Cafe Momo, 1065 Hanover St</b>			
	6/18/2015	90	No Critical Violations Observed
<b>Cajun Cafe Grill, 1500 So Willow St</b>			
	6/11/2015	96	No Critical Violations Observed
<b>Campo Enoteca, 969 Elm St</b>			
	6/1/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Canton Garden, 159 Kelley St</b>			
	6/25/2015	81	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Capri Market, 540 Hall St</b>			
	6/3/2015	92	No Critical Violations Observed
<b>Caribbean Market, 302 Lake Ave</b>			
	6/23/2015	87	41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
<b>Carpenter Center - St. Joseph's Community Services, 323 Franklin St</b>			
	6/9/2015	97	No Critical Violations Observed
<b>Carvel Ice Cream, 555 Elm St</b>			
	6/6/2015	95	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
		100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Castro's Back Room, 972 Elm St</b>			
	6/25/2015	97	No Critical Violations Observed
<b>Catholic Medical Center Cafeteria, 100 McGregor St</b>			
	6/22/2015	93	No Critical Violations Observed
<b>Celebrations Kitchen and Catering, 1017 Second St</b>			
	6/19/2015	95	

Facility	Inspection Date	Score	Violation
No Critical Violations Observed			
<b>Central Ale House, 23 Central St</b>			
	6/30/2015	83	01-NO SPOILAGE - Spoiled food or moldy ice observed.
<b>Chartwells Dining Services @ NHIA, 1000 Elm St</b>			
	6/3/2015	99	No Critical Violations Observed
<b>Chelby's Pizza, 284 Mammoth Rd</b>			
	6/29/2015	98	No Critical Violations Observed
<b>Cheng Du Kitchen, 665 Hooksett Rd</b>			
	6/30/2015	89	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Chestnut's, 363 Chestnut St</b>			
	6/8/2015	92	No Critical Violations Observed
<b>Child and Family Services, 99 Hanover St</b>			
	6/10/2015	95	No Critical Violations Observed
<b>Chipotle Mexican Grill, 928 So. Willow St</b>			
	6/23/2015	82	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Christos Kalivas Highrise, 175 Chestnut St</b>			
	6/9/2015	97	No Critical Violations Observed
<b>Chuck E Cheese, 1525 So. Willow St</b>			
	6/18/2015	88	30-CROSS CONNECTION - The plumbing system was not free of cross connections.
<b>Cinnabest LLC, 1500 So. Willow St</b>			
	6/10/2015	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Club ManchVegas, Inc., 50 Old Granite St</b>			
	6/10/2015	80	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			31-HANDWASHING- DESIGN - Handsinks were not designed properly.
<b>CM Concessions LLC, 555 Elm St</b>			

Facility	Inspection Date	Score	Violation
	6/6/2015	95	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
<b>CM Concessions, 555 Elm St</b>			
	6/6/2015	93	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
<b>Commodity Supplemental Food Program, 40 Pine St</b>			
	6/19/2015	99	No Critical Violations Observed
<b>Consuelo's Taqueria, 36 Amherst St</b>			
	6/29/2015	95	No Critical Violations Observed
<b>Cotton Restaurant, 75 Arms St</b>			
	6/26/2015	94	No Critical Violations Observed
<b>Crazy Camel, 245 Maple St</b>			
	6/30/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Crosstown Convenience, 995 Goffstown Rd Rd</b>			
	6/4/2015	94	No Critical Violations Observed
<b>Crosstown Variety Store, 270 Amory St</b>			
	6/12/2015	96	No Critical Violations Observed
<b>CVS Pharmacy #200, 788 So. Willow St</b>			
	6/29/2015	93	No Critical Violations Observed
<b>Cypress Center Kitchen, 401 Cypress St</b>			
	6/9/2015	98	No Critical Violations Observed
<b>D'Angelo Sandwich Shop, 1500 So. Willow St</b>			
	6/11/2015	97	No Critical Violations Observed
<b>D'Angelo Sandwich Shop, 673 Hooksett Rd</b>			
	6/30/2015	97	No Critical Violations Observed
<b>D'Angelo Sandwich Shop, 88 Harvey Rd</b>			
	6/25/2015	96	No Critical Violations Observed
<b>Dairy Queen/Orange Julius, 1500 So. Willow St</b>			
	6/2/2015	97	No Critical Violations Observed
<b>Dollar Tree #5867, 581 Second St</b>			
	6/25/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Domino's Pizza, 91 Maple St</b>			
	6/12/2015	96	No Critical Violations Observed
<b>Don Quijote Restaurant, 362 Union St</b>			
	6/9/2015	74	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			07-CROSS-CONTAMINATION - Foods were not protected

Facility	Inspection Date	Score	Violation
			from cross contamination.
			41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
<b>Doogie's Bar &amp; Grill, 37 Manchester St</b>	6/22/2015	98	No Critical Violations Observed
<b>Doug's Best Batch, 724 E. Industrial Park Dr</b>	6/22/2015	99	No Critical Violations Observed
<b>Dubs Cupcakery, 33 Elm St</b>	6/29/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Dunkin Donuts (Eilhos LLC), 1 Elliot Way</b>	6/25/2015	97	No Critical Violations Observed
<b>Dunkin Donuts @ CMC, 100 McGregor St</b>	6/22/2015	99	No Critical Violations Observed
<b>Dunkin Donuts, 1022 So. Willow St</b>	6/23/2015	88	30-CROSS CONNECTION - The plumbing system was not free of cross connections.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Dunkin Donuts, 122 Londonderry Tpk</b>	6/10/2015	95	No Critical Violations Observed
<b>Dunkin Donuts, 1602 Elm St</b>	6/4/2015	96	No Critical Violations Observed
<b>Dunkin Donuts, 1932 So. Willow St</b>	6/3/2015	83	12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygienic Practices - Other violations.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Dunkin Donuts, 2297 Brown Ave</b>	6/3/2015	93	No Critical Violations Observed
<b>Dunkin Donuts, 510 Harvey Rd</b>	6/12/2015	95	No Critical Violations Observed
<b>DYN Cafe Annex, 150 Dow St</b>	6/17/2015	90	03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165°F within 2 hours.
<b>DYN Cafe, 90 Dow St</b>	6/17/2015	96	No Critical Violations Observed
<b>East Side Club, 786 Massabesic St</b>	6/10/2015	96	No Critical Violations Observed
<b>Easter Seals NH Robert Jolicouer School Residential Program, 1 Mammoth Rd</b>			

Facility	Inspection Date	Score	Violation
	6/24/2015	94	No Critical Violations Observed
<b>Econo Lodge, 75 W. Hancock St</b>			
	6/25/2015	96	No Critical Violations Observed
<b>Edible Arrangements, 1000 Elm St</b>			
	6/24/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Element Lounge, 1055 Elm St</b>			
	6/24/2015	96	No Critical Violations Observed
<b>Elliot Commons Cafeteria, 1 Elliot Way</b>			
	6/25/2015	94	No Critical Violations Observed
<b>Evergreen Place, 813 Beech St</b>			
	6/5/2015	98	No Critical Violations Observed
<b>Extreme Pita, 1500 So Willow St</b>			
	6/11/2015	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Fast Track Convenience, 136 So. Willow St</b>			
	6/5/2015	98	No Critical Violations Observed
<b>Finesse Pastries, 968 Elm St</b>			
	6/2/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Five Guys, 1111 So. Willow St</b>			
	6/15/2015	93	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
<b>Food for Children, JFK Coliseum St</b>			
	6/27/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Fratello's Restaurant, 155 Dow St</b>			
	6/1/2015	91	No Critical Violations Observed
<b>Frutti Twist, 999 Elm St</b>			
	6/3/2015	97	No Critical Violations Observed
<b>Gaby's Kitchen &amp; Lounge, 503-507 Maple St</b>			
	6/30/2015	81	12-HANDS WASHED - Employees were not washing hands when required.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Gloria Jean's Coffees, 1500 So. Willow St</b>			
	6/2/2015	91	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Gold's Gym, 89 Dow St</b>			

Facility	Inspection Date	Score	Violation
	6/30/2015	94	No Critical Violations Observed
<b>Golden Tao Restaurant, 270 Amory St</b>			
	6/10/2015	88	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Good Deal African International Mkt, 40 Ronald St</b>			
	6/26/2015	90	No Critical Violations Observed
<b>Gov. Hugh Gallen Hi-Rise, 200 Hanover St</b>			
	6/9/2015	99	No Critical Violations Observed
<b>Grand Slam Pizza II, 331 So. Mammoth Rd</b>			
	6/9/2015	96	No Critical Violations Observed
<b>Grand Slam Pizza, 472 So. Main St</b>			
	6/9/2015	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.  03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
<b>Granite State Candy Shoppe LLC, 832 Elm St</b>			
	6/1/2015	83	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.  35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.  41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
<b>Granite State Fruit Co., 30 Auburn St</b>			
	6/16/2015	92	No Critical Violations Observed
<b>Granite State Lunchbox @ Tower Cafe, 1750 Elm St</b>			
	6/23/2015	96	No Critical Violations Observed
<b>Great Foods Inc, 201 Hanover St</b>			
	6/30/2015	94	No Critical Violations Observed
<b>Great Wall Chinese Restaurant, 168 Amory St</b>			
	6/30/2015	90	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Green Acres School, 100 Aurore Ave</b>			
	6/4/2015	98	No Critical Violations Observed
<b>Hannaford Food &amp; Drug #178, 859 Hanover St</b>			
	6/23/2015	97	No Critical Violations Observed
<b>Hanover Hill Health Care Center, 700 Hanover St</b>			
	6/24/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>Hanover Street Chophouse, 149 Hanover St</b>			

Facility	Inspection Date	Score	Violation
	6/26/2015	96	No Critical Violations Observed
<b>Heidi Jo's Jerky, 1500 So. Willow St</b>			
	6/2/2015	100	No Violations Observed
<b>Heng Won Chinese Restaurant, 262 Mammoth Rd</b>			
	6/22/2015	71	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.  07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.  12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.  31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>Hillsborough County Dept of Corrections, 445 Willow St</b>			
	6/18/2015	96	No Critical Violations Observed
<b>Himalayas General Stores, LLC, 359 Elm St</b>			
	6/10/2015	97	No Critical Violations Observed
<b>Homewood Suites Manchester, 1000 Perimeter Rd</b>			
	6/23/2015	91	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Hooked Seafood Restaurant, 110 Hanover St</b>			
	6/2/2015	94	No Critical Violations Observed
<b>Hope Resource Center, 222 Cedar St</b>			
	6/25/2015	95	No Critical Violations Observed
<b>Hot Stone Pizzeria, 174 Eddy Rd</b>			
	6/17/2015	86	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.  03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140øF to 75øF in 2 hours and from 75øF to 41øF within 4 more hours.
<b>Ignite Bar &amp; Grille, 100 Hanover St</b>			
	6/2/2015	92	No Critical Violations Observed
<b>Jerome's Deli, 393 Bridge St</b>			
	6/10/2015	95	No Critical Violations Observed
<b>Jewell Nightclub, 61 Canal St</b>			
	6/29/2015	88	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.  41-TOXICS LABELED - Toxic items were not labeled as to their contents.
<b>Jewett Street School, 130 So. Jewett St</b>			
	6/5/2015	99	No Critical Violations Observed
<b>Jimmy's House of Pizza, 345 Kelley St</b>			
	6/9/2015	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous

Facility	Inspection Date	Score	Violation
			foods were not held at or below 41øF.
<b>John's Canteen Service, 256 Reed St</b>	6/29/2015	95	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Johnny Troy's Italian Specialties, 2075 So. Willow St</b>	6/25/2015	94	No Critical Violations Observed
<b>Kalwall Corporation, 1111 Candia Rd</b>	6/10/2015	99	No Critical Violations Observed
<b>Karma Cigar &amp; Hookah Lounge LLC, 1077 Elm St</b>	6/24/2015	97	No Critical Violations Observed
<b>KC's Rib Shack, 837 Second St</b>	6/24/2015	78	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Keith Murphy's Taproom, 494 Elm St</b>	6/11/2015	93	No Critical Violations Observed
<b>Kennedy Fried Chicken LLC, 326 Maple St</b>	6/8/2015	94	No Critical Violations Observed
<b>Kindertree Learning Center, 162 Manchester St</b>	6/5/2015	96	No Critical Violations Observed
<b>Klemms Mobil, 1602 Elm St</b>	6/4/2015	93	No Critical Violations Observed
<b>Knights of Columbus, 770 So. Porter St</b>	6/18/2015	100	No Violations Observed
<b>Kwik Stop LLC, 1095 Hanover St</b>	6/23/2015	98	No Critical Violations Observed
<b>La Carreta Mexican Restaurant, 1875 So. Willow St</b>	6/18/2015	91	No Critical Violations Observed
<b>Lakorn Thai Restaurant, 470 So. Main St</b>	6/16/2015	91	No Critical Violations Observed
<b>Laurette Sweeney Apartments AKA South Porter St. Apartments, 790 So. Porter St</b>	6/18/2015	99	No Critical Violations Observed
<b>Lavalley Farms, 2180 Candia Rd</b>	6/22/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>Lepage Bakeries Park St., LLC, 199 Pepsi Dr</b>	6/3/2015	97	No Critical Violations Observed
<b>Little Caesars Pizza, 581 Second St</b>	6/18/2015	95	No Critical Violations Observed
<b>Luisa's Italian Pizzeria, 671 Hooksett Rd</b>	6/30/2015	74	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.

Facility	Inspection Date	Score	Violation
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Mammoth Road Convenience, 10 Mammoth Rd</b>	6/24/2015	92	No Critical Violations Observed
<b>Manchester Christian Church, 1308 Wellington Rd</b>	6/25/2015	97	No Critical Violations Observed
<b>Manchester Christian Church, 250 Commercial St</b>	6/29/2015	98	No Critical Violations Observed
<b>Manchester Farmer's Market, Concord St</b>	6/18/2015	98	No Critical Violations Observed
<b>Manchester Leisure Group DBA Drynk, 20 Old Granite St</b>	6/26/2015	89	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Manchester Masonic Temple, 1505 Elm St</b>	6/30/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>Manchester Memorial High School, 1 Crusader Way</b>	6/3/2015	96	No Critical Violations Observed
<b>Maple Street Market, 326 Maple St</b>	6/8/2015	97	No Critical Violations Observed
<b>Market Basket, 460 Elm St</b>	6/4/2015	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.  35-INSECTS - The facility has an insect infestation.  35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Mary Gale Apartments, 600 Maple St</b>	6/18/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>Master Wok, 1500 So. Willow St</b>	6/11/2015	97	No Critical Violations Observed
<b>Maverick Gas &amp; Convenience LLC, 15 Willow St</b>	6/5/2015	96	No Critical Violations Observed
<b>McGarvey's Inc., 1097 Elm St</b>	6/25/2015	94	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>McLaughlin Middle School, 290 So. Mammoth Rd</b>			

Facility	Inspection Date	Score	Violation
	6/4/2015	99	No Critical Violations Observed
<b>MEGA -X, 510 Harvey Rd</b>			
	6/12/2015	95	No Critical Violations Observed
<b>Metro Diner, 342 Cypress St</b>			
	6/19/2015	93	No Critical Violations Observed
<b>Milly's Tavern, 500 Commercial St</b>			
	6/26/2015	84	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.  31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
<b>Mint Bistro, 1105 Elm St</b>			
	6/25/2015	81	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Mount Carmel Rehabilitation &amp; Nursing, 235 Myrtle St</b>			
	6/22/2015	98	No Critical Violations Observed
<b>Mr. Mac's, 497 Hooksett Rd</b>			
	6/23/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>Muse Paintbar, 42 Hanover St</b>			
	6/26/2015	95	No Critical Violations Observed
<b>Muse Thai Bistro, 581 Second St</b>			
	6/26/2015	92	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Myrtle Manor II, Inc., 83 Myrtle St</b>			
	6/29/2015	97	No Critical Violations Observed
<b>N &amp; K Market, 374 Pearl St</b>			
	6/26/2015	92	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>N - N Express II, 230 Lowell St</b>			
	6/29/2015	96	No Critical Violations Observed
<b>Nature's Nectar LLC, 1500 So. Willow St</b>			
	6/10/2015	87	12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations.
<b>Nawlins Grille, 860 Elm St</b>			
	6/1/2015	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.  22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>New Happy Garden Chinese Restaurant, 47 Hamel Dr</b>			
	6/9/2015	92	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Page Street Express Mart, 1036 Hanover St</b>			
	6/23/2015	96	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Papa Gino's, 111 C So. Willow St</b>			
	6/16/2015	93	No Critical Violations Observed
<b>Papa John's Pizza, 223 So. Willow St</b>			
	6/17/2015	95	No Critical Violations Observed
<b>Pappy's Pizza, Inc, 1531 No. Elm St</b>			
	6/30/2015	89	No Critical Violations Observed
<b>Parkside Convenience, 675 Hooksett Rd</b>			
	6/30/2015	95	No Critical Violations Observed
<b>Pasha LLC, 167 Elm St</b>			
	6/2/2015	75	01-APPROVED SOURCE - Food observed was not from an approved source. Example: Home prepared items or items made in an unlicensed facility.
			03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Penuche's Manchester LLC, 96 Hanover St</b>			
	6/18/2015	93	No Critical Violations Observed
<b>Petros Cafe, 720B Valley St</b>			
	6/17/2015	92	No Critical Violations Observed
<b>Piccola Italia Ristorante, 815 Elm St</b>			
	6/3/2015	90	No Critical Violations Observed
<b>Pindos Restaurant and Pizza, 49 Massabesic St</b>			
	6/3/2015	90	No Critical Violations Observed
<b>Pizza Express II, 865 Second St</b>			
	6/26/2015	90	No Critical Violations Observed
<b>Pro-Dough Co., Inc., 8030 So. Willow St</b>			
	6/25/2015	95	No Critical Violations Observed
<b>Professional Sports Catering (Main Kitchen), 1 Line Dr</b>			
	6/25/2015	93	No Critical Violations Observed
<b>Professional Sports Catering LLC (Dinner in the Den), 1 Line Dr</b>			
	6/25/2015	95	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Professional Sports Catering LLC (Sam Adams Bar), 1 Line Dr</b>			
	6/25/2015	91	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS USED - Toxic items were used in a manner not

Facility	Inspection Date	Score	Violation
			approved for food service applications or contrary to their label instructions.
<b>Professional Sports Catering LLC - Third Base, 1 Line Dr</b>			
	6/25/2015	84	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
<b>Professional Sports Catering LLC First Base, 1 Line Dr</b>			
	6/25/2015	95	35-INSECTS - The facility has an insect infestation.
<b>Professional Sports Catering LLC-Home Plate, 1 Line Dr</b>			
	6/25/2015	89	35-INSECTS - The facility has an insect infestation.
<b>Puerto Vallarta Mexican Grill LLC, 865 Second St</b>			
	6/22/2015	84	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
<b>Puritan Backroom Restaurant, 245 Hooksett Rd</b>			
	6/17/2015	92	No Critical Violations Observed
<b>Puritan Conference Center, 207 Hooksett Rd</b>			
	6/17/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Queen City Market, 31A Elm St</b>			
	6/16/2015	94	No Critical Violations Observed
<b>Queen City Mobile I, 1050 So. Willow St</b>			
	6/3/2015	93	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Rachel's Coffee Corner, 650 Elm St</b>			
	6/1/2015	97	No Critical Violations Observed
<b>Radisson Hotel Manchester, 700 Elm St</b>			
	6/24/2015	95	No Critical Violations Observed
<b>Raxx Billiards, 1211 Elm St</b>			
	6/25/2015	90	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Red Barn Diner, LLC, 113 Elm St</b>			
	6/2/2015	76	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			07-CROSS-CONTAMINATION - Foods were not protected

Facility	Inspection Date	Score	Violation
			from cross contamination.
<b>Rivas Meat Market, LLC, 158 Spruce St</b>			
	6/22/2015	73	01-APPROVED SOURCE - Food observed was not from an approved source. Example: Home prepared items or items made in an unlicensed facility.
			03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Sabroso, 353 Maple St</b>			
	6/23/2015	84	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>Sarku Japan, 1500 So. Willow St</b>			
	6/11/2015	96	No Critical Violations Observed
<b>Sharon's Granola, LLC, 724 E. Industrial Dr</b>			
	6/22/2015	99	No Critical Violations Observed
<b>Shop N Go, 188 Massabesic St</b>			
	6/3/2015	93	No Critical Violations Observed
<b>Siberia Food Market, 100 Willow St</b>			
	6/26/2015	92	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
<b>Simons Roast Beef, 2626 Brown Ave</b>			
	6/23/2015	93	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
<b>SNS Convenience, 307 So. Mammoth Rd</b>			
	6/9/2015	98	No Critical Violations Observed
<b>Sophia Nadeau's Subs &amp; Salads Wraps, 805 Canal St</b>			
	6/5/2015	95	No Critical Violations Observed
<b>South Willow St. Shell #02026, 1932 So. Willow St</b>			
	6/3/2015	96	No Critical Violations Observed
<b>Southern NH Services (Rose Byrne) Headstart, 40 Pine St</b>			
	6/19/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Southern NH Services Inc., 160 Silver St</b>			
	6/19/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>Southside Middle School, 140 So. Jewett St</b>			
	6/5/2015	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>Springhill Suites Manchester, 975 Perimeter Rd</b>			
	6/23/2015	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
<b>St. Anthony Community Center, 148 Belmont St</b>			
	6/12/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>St. Anthony School Lunch Program, 148 Belmont St</b>			
	6/12/2015	100	No Violations Observed
<b>St. Paul's Methodist Church, 335 Smyth Rd</b>			
	6/26/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>St. Teresa Rehabilitation &amp; Nursing, 519 Bridge St</b>			
	6/23/2015	99	No Critical Violations Observed
<b>Starbucks Coffee, 1111 So. Willow St</b>			
	6/16/2015	97	No Critical Violations Observed
<b>Steakhouse Eastern Region LLC, 880 Candia Rd</b>			
	6/25/2015	99	No Critical Violations Observed
<b>Steakhouse Steaks Eastern Reg Whse, 880 Candia Rd</b>			
	6/17/2015	97	No Critical Violations Observed
<b>Strange Brew Tavern, 88 Market St</b>			
	6/29/2015	91	No Critical Violations Observed
<b>Subway @ Evans Express Mart, 2445 Brown Ave</b>			
	6/9/2015	82	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
<b>Subway, 510 Harvey Rd</b>			
	6/12/2015	98	No Critical Violations Observed
<b>Subway, 777 So. Willow St</b>			
	6/23/2015	88	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Suddenly Soupy's, 28 Hanover St</b>			
	6/5/2015	98	No Critical Violations Observed
<b>Suddenly Susan's Gourmet Deli, 87 Hanover St</b>			
	6/5/2015	95	No Critical Violations Observed
<b>Sunshine Scoops, 210 Lowell St</b>			
	6/30/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION -

Facility	Inspection Date	Score	Violation
			No violations were noted during this inspection.
			No Violations Observed
<b>Super 8 Motel, 2301 Brown Ave</b>			
	6/24/2015	91	41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
<b>Sweet Kiwi Frozen Yogurt, 581 Second St</b>			
	6/18/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
<b>T Bones Market, 66 Union St</b>			
	6/29/2015	92	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Taco Bell #29271, 1045 So. Willow St</b>			
	6/23/2015	94	No Critical Violations Observed
<b>Taj India, 967 Elm St</b>			
	6/11/2015	93	No Critical Violations Observed
<b>Teavana Corporation, 1500 So. Willow St</b>			
	6/11/2015	99	No Critical Violations Observed
<b>The Bridge Cafe, 1117 Elm St</b>			
	6/2/2015	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
<b>The Derryfield Restaurant, 625 Mammoth Rd</b>			
	6/23/2015	89	No Critical Violations Observed
<b>The Farm Bar &amp; Grille, 1181 Elm St</b>			
	6/4/2015	75	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
<b>The Greek Man LLC, 724 E. Industrial Park Dr</b>			
	6/22/2015	98	No Critical Violations Observed
<b>The Growing Years, 130 Harvell St</b>			
	6/11/2015	95	No Critical Violations Observed
<b>The Palace Theatre, 80 Hanover St</b>			
	6/26/2015	92	35-INSECTS - The facility has an insect infestation.
<b>The Pepsi Beverages Company, 127 Pepsi Rd</b>			
	6/9/2015	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
<b>The Pint Public House, 1111 Elm St</b>	6/25/2015	98	No Critical Violations Observed
<b>The Shaskeen Irish Pub, 909 Elm St</b>	6/17/2015	90	No Critical Violations Observed
<b>The Stuffed Sub, LLC, 1293 Elm St</b>	6/29/2015	94	No Critical Violations Observed
<b>The Way We Cook, 1361 Elm St</b>	6/25/2015	99	No Critical Violations Observed
<b>Theo's Restaurant, 102 Elm St</b>	6/17/2015	92	No Critical Violations Observed
<b>Thomas B. O'Malley Highrise, 259 Chestnut St</b>	6/19/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.  No Violations Observed
<b>Thousand Crane, 1000 Elm St</b>	6/24/2015	85	No Critical Violations Observed
<b>Tidewater Cafe @ Summit Packaging, 400 Gay St</b>	6/3/2015	96	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>Tio Juan's Margaritas Mexican Restaurant, 1037 Elm St</b>	6/25/2015	93	No Critical Violations Observed
<b>Tiya's Restaurant, 8 Hanover St</b>	6/16/2015	90	No Critical Violations Observed
<b>TN Gas and Convenience Store, 90 Bridge St</b>	6/29/2015	97	No Critical Violations Observed
<b>Tommy K's, 2323 Brown Ave</b>	6/29/2015	89	No Critical Violations Observed
<b>Tutti Frutti of Manchester NH, 1500 So. Willow St</b>	6/10/2015	97	No Critical Violations Observed
<b>Uncle Bob's Superette, 435 Kelley St</b>	6/29/2015	93	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Unwine'd LLC, 865 Second St</b>	6/23/2015	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.  22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
<b>USA Chicken and Biscuit, 990 Elm St</b>	6/25/2015	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Van Otis Chocolate, 341 Elm St</b>	6/10/2015	99	

Facility	Inspection Date	Score	Violation
			No Critical Violations Observed
<b>Venice Old Style Pizza, 610 Front St</b>			
	6/5/2015	94	No Critical Violations Observed
<b>Villa Crest Nursing &amp; Retirement, 1276 Hanover St</b>			
	6/1/2015	97	No Critical Violations Observed
<b>Villaggio Ristorante, 677 Hooksett Rd</b>			
	6/30/2015	95	No Critical Violations Observed
<b>Wild Rover Pub, 21 Kosciuszko St</b>			
	6/4/2015	81	30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Willie B's, 90 Union St</b>			
	6/29/2015	93	No Critical Violations Observed
<b>Winter Garden Cafe, 150 Ash St</b>			
	6/18/2015	92	No Critical Violations Observed
<b>XO on Elm, 827 Elm St</b>			
	6/26/2015	95	No Critical Violations Observed
<b>Yee Dynasty, 830 So. Willow St</b>			
	6/29/2015	83	12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygienic Practices - Other violations.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
<b>Zaboo, 24 Depot St</b>			
	6/17/2015	64	01-NO SPOILAGE - Spoiled food or moldy ice observed.
			03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
	6/18/2015	81	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
<b>Zoey's Pizza, 2160 Candia Rd</b>			
	6/22/2015	74	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.