



CITY OF MANCHESTER

Health Department

Inspection Scores by Facility

Period from 08/01/2015 through 08/31/2015

Facility	Inspection Date	Score	Violation
7-Eleven #33202C, 85 So. Main St	8/18/2015	90	No Critical Violations Observed
99cent and Cigarette Market, 352 Kelley St	8/31/2015	91	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
Bakolas Market, Inc., 110 Spruce St	8/19/2015	96	No Critical Violations Observed
Blake's Restaurant, 353 So. Main St	8/27/2015	91	35-INSECTS - The facility has an insect infestation.
Bosna Store LLC, 71 Manchester St	8/20/2015	98	No Critical Violations Observed
C&D North Country Convenience LLC, 250 Laurel St	8/26/2015	94	No Critical Violations Observed
Cheeseco of NE, 97 Eddy Rd	8/21/2015	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Cindy's Millyard Cafe, 33 So. Commercial St	8/17/2015	95	No Critical Violations Observed
Cumberland Farms #5511, 275 Hanover St	8/26/2015	93	No Critical Violations Observed
D'Angelo Sandwich Shop, 900 Second St	8/20/2015	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
Dairy Queen, 715 Second St	8/12/2015	91	22-SANITIZATION RINSE- EXPOSURE TIME - Equipment did not contact the sanitization rinse for the appropriate amount of time.
Dartmouth Hitchcock Manchester, 100 Hitchcock Way			

Facility	Inspection Date	Score	Violation
	8/17/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Domino's Pizza, 150 Amory St	8/31/2015	95	No Critical Violations Observed
Dulce's Bakery LLC, 157 Amory St	8/14/2015	99	No Critical Violations Observed
Dunkin Donuts, 100 Eddy Rd	8/12/2015	99	No Critical Violations Observed
Dunkin Donuts, 1932 Wellington Rd	8/19/2015	94	No Critical Violations Observed
Dunkin Donuts, 947 Second St	8/19/2015	95	No Critical Violations Observed
Eddy Road Mobil, 210 Eddy Rd	8/5/2015	99	No Critical Violations Observed
Empire Bagel Cafe, 373 Hanover St	8/28/2015	96	No Critical Violations Observed
Even Par Social Club, 102 Spruce St	8/19/2015	94	No Critical Violations Observed
Hackett Hill Center, 191 Hackett Hill Rd	8/28/2015	93	No Critical Violations Observed
Hanover St. Shell, 887 Hanover St	8/26/2015	95	No Critical Violations Observed
Hillsborough Market, 519 Lincoln St	8/26/2015	93	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Ipswich Clambake Restaurant & Tavern, 791 Second St	8/13/2015	71	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging. 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F. 07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
Joseph Brothers Market, 196 Lake Ave	8/19/2015	86	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment. 31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Kay's Bakery, 443 Lake Ave			

Facility	Inspection Date	Score	Violation
	8/6/2015	94	No Critical Violations Observed
KFC, 955 SECOND St			
	8/26/2015	85	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Lake Ave Food Mart, 425 Lake Ave			
	8/6/2015	91	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Lakeview Gulf, 219 Londonderry Tpk			
	8/17/2015	97	No Critical Violations Observed
Lala's Hungarian Pastry, 836 Elm St			
	8/28/2015	92	No Critical Violations Observed
LaQuinta Inn & Suites, 21 Front St			
	8/5/2015	93	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Manchester Buffet & Restaurant, 371 So. Willow St			
	8/28/2015	82	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Manchester West Jr Soccer League, 300 Precourt St			
	8/21/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
McDonald's Restaurant, 907 Second St			
	8/24/2015	87	35-INSECTS - The facility has an insect infestation. 41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Mike's Pub & Grub, 155 Lake Ave			
	8/21/2015	88	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
Mr. Mike's Manchester, 1932 Wellington Rd			
	8/19/2015	87	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
North Main Petroleum Service Inc., 21 Main St			
	8/12/2015	88	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.

Facility	Inspection Date	Score	Violation
	8/12/2015	88	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Pericles Democratic Club, 123 Spruce St			
	8/19/2015	93	No Critical Violations Observed
Studio 550, 550 Elm St			
	8/20/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Subway #6438, 581 Second St			
	8/19/2015	93	No Critical Violations Observed
Subway, 20 So. Main St			
	8/25/2015	93	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Taco Bell #29276, 1050 Second St			
	8/26/2015	96	No Critical Violations Observed
The Bakeshop on Kelley Street, 171 Kelley St			
	8/5/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Ukrainian Club, 148 Manchester St			
	8/20/2015	94	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
Verc Second St. Circle K, 1019 Second St			
	8/26/2015	89	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Wendy's Old Fahioned Hamburgers, 860 Candia Rd			
	8/28/2015	93	No Critical Violations Observed
Wendy's, 722 Second St			
	8/31/2015	86	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			22-SANITIZATION RINSE- EXPOSURE TIME - Equipment did not contact the sanitization rinse for the appropriate amount of time.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Winona Social Club Inc, 168 Manchester St			
	8/20/2015	98	No Critical Violations Observed