



CITY OF MANCHESTER
Health Department
Inspection Scores by Facility

Period from 12/03/2015 through 12/31/2015

Facility	Inspection Date	Score	Violation
1 Oak on Elm, 1087 Elm St	12/3/2015	92	No Critical Violations Observed
1269 Cafe, 119 Hanover St	12/15/2015	99	No Critical Violations Observed
777 Express, 777 Hooksett Rd	12/15/2015	94	No Critical Violations Observed
7-Eleven, 117 Queen City Ave	12/21/2015	90	No Critical Violations Observed
8ne5, 815 Elm St	12/17/2015	98	No Critical Violations Observed
900 Degrees, 50 Dow St	12/23/2015	88	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
99 Restaurant & Pub, 1685 So. Willow St	12/23/2015	94	No Critical Violations Observed
A & E Coffee Roastery & Tea, 1000 Elm St	12/18/2015	96	No Critical Violations Observed
A Market Kitchen, 379 So. Willow St	12/31/2015	96	No Critical Violations Observed
A Market Natural Foods, 125 Loring St	12/31/2015	96	No Critical Violations Observed
AFC Sushi @ Hannaford #164, 201 John Devine Dr	12/28/2015	94	No Critical Violations Observed
AFC Sushi @ Hannaford #178, 859 Hanover St	12/9/2015	97	No Critical Violations Observed
Alley Cat Pizzeria, 486 Chestnut St	12/30/2015	97	No Critical Violations Observed
Aloha Restaurant, 901 Hanover St	12/10/2015	81	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper

Facility	Inspection Date	Score	Violation
			concentration.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Alpine Club, 175 Putnam St			
	12/31/2015	87	41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
American Legion Post #79, 35 W. Brook St			
	12/23/2015	98	No Critical Violations Observed
Angela's Pasta & Cheese Shop, 815 Chestnut St			
	12/4/2015	99	No Critical Violations Observed
Annula's Pizza & Deli, 525 Chestnut St			
	12/21/2015	94	No Critical Violations Observed
Apple Blossom Child Center, 1 Sundial Ave			
	12/8/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Aramark Corporation - Carving Station, 555 Elm St			
	12/31/2015	96	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Aramark Corporation-Kitchen, 555 Elm St			
	12/31/2015	93	30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
Aramark Corporation-Lounge, 555 Elm St			
	12/31/2015	99	No Critical Violations Observed
Aramark Corporation-Stand A, 555 Elm St			
	12/31/2015	96	No Critical Violations Observed
Aramark Corporation-Stand B, 555 Elm St			
	12/31/2015	93	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Aramark Corporation-Stand C, 555 Elm St			
	12/31/2015	98	No Critical Violations Observed
Aramark Corporation-Stand D, 555 Elm St			
	12/31/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Arbys, 1500 South Willow St			
	12/4/2015	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.

Facility	Inspection Date	Score	Violation
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Barnes & Noble Booksellers, 1741 So. Willow St			
	12/31/2015	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Bayona Cafe LLC, 670 Commercial St			
	12/23/2015	97	No Critical Violations Observed
Beijing Cuisine Chinese Restaurant, 2650 Brown Ave			
	12/30/2015	79	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-HANDS WASHED - Employees were not washing hands when required.
Ben Nadeau's Subs, 1095 Hanover St			
	12/8/2015	97	No Critical Violations Observed
Billy's Sports Bar & Grill, 34 Tarrytown Rd			
	12/16/2015	84	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
Bishop Leo E. O'Neil Youth Center, 30 So. Elm St			
	12/18/2015	98	No Critical Violations Observed
Bishop Peterson Residence, 221 Orange St			
	12/22/2015	97	No Critical Violations Observed
Bob's Discount Furniture, 1875 So. Willow St			
	12/24/2015	99	No Critical Violations Observed
Bonsai's Restaurant, 2265 Candia Rd			
	12/24/2015	85	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Breezeway Pub, 14 Pearl St			
	12/18/2015	97	No Critical Violations Observed
Brother's Pizza, 6 Willow St			
	12/21/2015	88	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
Burger King, 622 So. Willow St			
	12/17/2015	83	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining,

Facility	Inspection Date	Score	Violation
			broken hot/cold water supply devices.
Caesario's Pizza, 1057 Elm St			
	12/17/2015	87	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Cafe Mangia LLC, 33A Elm St			
	12/17/2015	99	No Critical Violations Observed
Cafe Momo, 1065 Hanover St			
	12/3/2015	81	22-SANITIZATION RINSE- EXPOSURE TIME - Equipment did not contact the sanitization rinse for the appropriate amount of time.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Campo Enoteca, 969 Elm St			
	12/4/2015	97	No Critical Violations Observed
Canton Garden, 159 Kelley St			
	12/17/2015	94	No Critical Violations Observed
Caribbean Market, 302 Lake Ave			
	12/4/2015	91	No Critical Violations Observed
Carvel Ice Cream, 555 Elm St			
	12/31/2015	99	No Critical Violations Observed
		100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Castro's Back Room, 972 Elm St			
	12/24/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Celebrations Kitchen and Catering, 1017 Second St			
	12/17/2015	92	No Critical Violations Observed
Central Ale House, 23 Central St			
	12/18/2015	85	35-PESTS-PRESENCE - The facility has evidence of pests.
Chartwells Dining Services @ NHIA, 1000 Elm St			
	12/17/2015	98	No Critical Violations Observed
Chelby's Pizza, 284 Mammoth Rd			
	12/14/2015	97	No Critical Violations Observed
Cheng Du Kitchen, 665 Hooksett Rd			
	12/29/2015	84	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Chen's Garden, 956 Second St			
	12/16/2015	82	01-SOUND CONDITION - Food not in sound condition.

Facility	Inspection Date	Score	Violation
			Example: dented cans or torn packaging.
			03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
Chipotle Mexican Grill, 928 So. Willow St	12/18/2015		No Critical Violations Observed
Chuck E Cheese, 1525 So. Willow St	12/21/2015	90	No Critical Violations Observed
Cinnabest LLC, 1500 So. Willow St	12/16/2015	92	No Critical Violations Observed
Club Canadian, 128 So Main St	12/22/2015	96	No Critical Violations Observed
Club ManchVegas, Inc., 50 Old Granite St	12/18/2015	87	01-APPROVED SOURCE - Food observed was not from an approved source. Example: Home prepared items or items made in an unlicensed facility.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
CM Concessions, 555 Elm St	12/31/2015	98	No Critical Violations Observed
		99	No Critical Violations Observed
Cold Stone Creamery, 102 March Ave	12/14/2015	98	No Critical Violations Observed
Consuelo's Taqueria, 36 Amherst St	12/3/2015	95	No Critical Violations Observed
Cotton Restaurant, 75 Arms St	12/30/2015	97	No Critical Violations Observed
Courtyard Cafe, 700 Huse Rd	12/23/2015	97	No Critical Violations Observed
Crazy Camel, 245 Maple St	12/21/2015	99	No Critical Violations Observed
Crossmark-Sams Club #6669, 200 John E. Devine Dr	12/28/2015	98	No Critical Violations Observed
Crosstown Convenience, 995 Goffstown Rd Rd	12/9/2015	91	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
CVS Pharmacy #200, 788 So. Willow St	12/22/2015	98	No Critical Violations Observed
D'Angelo Sandwich Shop, 673 Hooksett Rd			

Facility	Inspection Date	Score	Violation
	12/29/2015	96	No Critical Violations Observed
D'Angelo Sandwich Shop, 88 Harvey Rd			
	12/24/2015	93	No Critical Violations Observed
Denny's Quick Lunch, 356 Whitney Ave			
	12/29/2015	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Domino's Pizza, 212 Lowell St			
	12/16/2015	97	No Critical Violations Observed
Don Quijote Restaurant, 362 Union St			
	12/7/2015	83	12-HANDS WASHED - Employees were not washing hands when required.
			12-HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS NOT SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
Doogie's Bar & Grill, 37 Manchester St			
	12/16/2015	97	No Critical Violations Observed
Down the Block, 167 Hanover St			
	12/14/2015	95	No Critical Violations Observed
Dunkin Donuts @ Elliot, 1 Elliot Way			
	12/16/2015	97	No Critical Violations Observed
Dunkin Donuts, 122 Londonderry Tpk			
	12/8/2015	94	No Critical Violations Observed
Dunkin Donuts, 1500 South Willow St			
	12/16/2015	94	No Critical Violations Observed
Dunkin Donuts, 1602 Elm St			
	12/10/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Dunkin Donuts, 1932 So. Willow St			
	12/24/2015	87	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Dunkin Donuts, 2297 Brown Ave			
	12/30/2015	98	No Critical Violations Observed
Dunkin Donuts, 921 Beech St			
	12/11/2015	92	No Critical Violations Observed
Econo Lodge, 75 W. Hancock St			
	12/15/2015	94	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Edible Arrangements, 1000 Elm St			
	12/18/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.

Facility	Inspection Date	Score	Violation
	12/18/2015	100	No Violations Observed
Element Lounge, 1055 Elm St			
	12/18/2015	95	No Critical Violations Observed
Elliot Commons Cafeteria, 1 Elliot Way			
	12/16/2015	96	No Critical Violations Observed
Evergreen Place, 813 Beech St			
	12/15/2015	99	No Critical Violations Observed
Extreme Pita, 1500 So Willow St			
	12/4/2015	88	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Family Dollar Stores of NH #8789, 403 Second St			
	12/4/2015	99	No Critical Violations Observed
Farnum Center - Manchester Alcoholism Rehabilitation Center, 140 Queen City Ave			
	12/21/2015	97	No Critical Violations Observed
Finesse Pastries, 968 Elm St			
	12/18/2015	97	No Critical Violations Observed
Fire & Ice Hookah Lounge, 990 Elm St			
	12/23/2015	98	No Critical Violations Observed
Firefly American Bistro & Bar, 22 Concord St			
	12/18/2015	96	No Critical Violations Observed
Five Guys, 1111 So. Willow St			
	12/15/2015	95	No Critical Violations Observed
Food for Children, JFK Coliseum St			
	12/19/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Fratello's Restaurant, 155 Dow St			
	12/23/2015	91	No Critical Violations Observed
Friendlys #302, 1229 So. Willow St			
	12/22/2015	92	No Critical Violations Observed
Fritzie's Variety, 154 Conant St			
	12/28/2015	96	No Critical Violations Observed
Gaby's Kitchen & Gossip Lounge, 503-507 Maple St			
	12/16/2015	71	01-SPOILAGE - Spoiled food or moldy ice observed.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS NOT SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining,

Facility	Inspection Date	Score	Violation
			broken hot/cold water supply devices.
			35-PESTS-PRESENCE - The facility has evidence of pests.
Gaicho's Cafe, 62 Lowell St			
	12/3/2015	95	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Giovanni's Roast Beef & Pizza, 379 So. Willow St			
	12/30/2015	78	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Girls Inc of NH, 340 Varney St			
	12/16/2015	94	35-PESTS-PRESENCE - The facility has evidence of pests.
Gloria Jean's Coffees, 1500 So. Willow St			
	12/15/2015	89	No Critical Violations Observed
Golden Tao Restaurant, 270 Amory St			
	12/8/2015	94	No Critical Violations Observed
Gold's Gym, 89 Dow St			
	12/23/2015	93	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Good Deal African International Mkt, 40 Ronald St			
	12/30/2015	85	01-APPROVED SOURCE - Food observed was not from an approved source. Example: Home prepared items or items made in an unlicensed facility.
			31-HANDWASHING- DESIGN - Handsinks were not designed properly.
Grand Slam Pizza, 472 So. Main St			
	12/7/2015	71	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Granite State Lunchbox @ Tower Cafe, 1750 Elm St			
	12/8/2015	88	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Great Buffet, 1525 So. Willow St			
	12/9/2015	41	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-HANDS WASHED - Employees were not washing hands when required.
			12-HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS NOT SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
	12/10/2015	78	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
Great Wall Chinese Restaurant, 168 Amory St			
	12/17/2015	84	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Greater Manchester Wrestling Assoc, 303 Beech St			
	12/31/2015	99	No Critical Violations Observed
Hannaford Food & Drug #164, 201 John E Devine Dr			
	12/28/2015	87	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Hannaford Food & Drug #178, 859 Hanover St			

Facility	Inspection Date	Score	Violation
	12/9/2015	96	No Critical Violations Observed
Hanover Hill Health Care Center, 700 Hanover St			
	12/10/2015	98	No Critical Violations Observed
Hanover Street Chophouse, 149 Hanover St			
	12/21/2015	95	No Critical Violations Observed
Helping Hands Outreach Center, 50 Lowell St			
	12/31/2015	94	41-TOXICS LABELED - Toxic items were not labeled as to their contents. 41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Heng Won Chinese Restaurant, 262 Mammoth Rd			
	12/14/2015	79	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F. 30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Homewood Suites Manchester, 1000 Perimeter Rd			
	12/9/2015	97	No Critical Violations Observed
Hooked Seafood Restaurant, 110 Hanover St			
	12/7/2015	94	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Hope Resource Center, 222 Cedar St			
	12/18/2015	96	No Critical Violations Observed
Hot Stone Pizzeria, 174 Eddy Rd			
	12/9/2015	95	No Critical Violations Observed
Ignite Bar & Grille, 100 Hanover St			
	12/7/2015	90	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices. 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests. 35-PESTS-PRESENCE - The facility has evidence of pests.
India Palace, 379 So. Willow St			
	12/30/2015	80	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Jeff's Queen City Catering, 10 Haverhill St			
	12/11/2015	97	No Critical Violations Observed
Jeremy Nadeau's Subs, 100 Cahill Ave			
	12/14/2015	92	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Jerome's Deli, 393 Bridge St	12/8/2015	94	No Critical Violations Observed
Jewell Nightclub, 61 Canal St	12/10/2015	91	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging. 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Julien's Corner Kitchen, 150 Bridge St	12/11/2015	98	No Critical Violations Observed
Karma Cigar & Hookah Lounge, 1077 Elm St	12/18/2015	98	No Critical Violations Observed
KC's Rib Shack, 837 Second St	12/10/2015	84	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Keith Murphy's Taproom, 494 Elm St	12/10/2015	93	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
Klemms Mobil, 1602 Elm St	12/10/2015	96	No Critical Violations Observed
Kwik Stop - Hanover St., 1095 Hanover St	12/8/2015	98	No Critical Violations Observed
Lakorn Thai Restaurant, 470 So. Main St	12/11/2015	95	No Critical Violations Observed
Luisa's Italian Pizzeria, 671 Hooksett Rd	12/29/2015	80	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment. 35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Manchester Christian Church, 1308 Wellington Rd	12/14/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Manchester Christian Church, 250 Commercial St	12/22/2015	98	No Critical Violations Observed
Manchester Press Club, 157 Franklin St	12/30/2015	98	No Critical Violations Observed
Mary Gale Apartments, 600 Maple St	12/22/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed

Facility	Inspection Date	Score	Violation
Masa Japanese Steakhouse, 1707 So. Willow St			
	12/30/2015	81	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Master Wok, 1500 So. Willow St			
	12/4/2015	94	No Critical Violations Observed
McDonald's Restaurant, 196 So. Willow St			
	12/17/2015	60	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			12-HANDS WASHED - Employees were not washing hands when required.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
	12/18/2015	91	No Critical Violations Observed
McGarvey's Inc., 1097 Elm St			
	12/31/2015	95	No Critical Violations Observed
Milly's Tavern, 500 Commercial St			
	12/30/2015	70	12-HANDS WASHED - Employees were not washing hands when required.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			35-PESTS-PRESENCE - The facility has evidence of pests.
Mint Bistro, 1105 Elm St			
	12/31/2015	87	No Critical Violations Observed
Mount Carmel Rehabilitation & Nursing, 235 Myrtle St			
	12/28/2015	96	No Critical Violations Observed
Mr. Mac's, 497 Hooksett Rd			
	12/17/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed

Facility	Inspection Date	Score	Violation
Muse Paintbar, 42 Hanover St	12/11/2015	99	No Critical Violations Observed
Myrtle Manor II, 83 Myrtle St	12/31/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
N - N Express II, 230 Lowell St	12/16/2015	95	No Critical Violations Observed
N & K Market, 374 Pearl St	12/14/2015	91	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Nature's Nectar, 1500 So. Willow St	12/15/2015	87	No Critical Violations Observed
Nawlins Grille, 860 Elm St	12/17/2015	89	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
New Happy Garden Chinese Restaurant, 47 Hamel Dr	12/9/2015	89	No Critical Violations Observed
Northend Superette, 1308 Elm St	12/7/2015	97	No Critical Violations Observed
Page Street Express Mart, 1036 Hanover St	12/7/2015	96	No Critical Violations Observed
Panera Bread, 52 March Ave	12/21/2015	87	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Papa John's Pizza, 223 So. Willow St	12/16/2015	84	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. 30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Parkside Convenience, 675 Hooksett Rd	12/28/2015	93	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Penuche's Manchester, 96 Hanover St	12/4/2015	91	No Critical Violations Observed
Piccola Italia Ristorante, 815 Elm St	12/8/2015	92	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper

Facility	Inspection Date	Score	Violation
			concentration.
Pizza Express II, 865 Second St			
	12/28/2015	86	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Pizza Hut #676, 716 So. Willow St			
	12/18/2015	98	No Critical Violations Observed
Pizzalicious, 1875 So. Willow St			
	12/31/2015	79	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Puerto Vallarta Mexican Grill, 865 Second St			
	12/16/2015	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165øF within 2 hours.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Puritan Conference Center, 207 Hooksett Rd			
	12/16/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Queen City Mobile I, 1050 So. Willow St			
	12/15/2015	87	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Rachel's Coffee Corner, 650 Elm St			
	12/11/2015	99	No Critical Violations Observed
Radisson Hotel Manchester, 700 Elm St			
	12/11/2015	93	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Raphael Social Club, 18 Blaine St			
	12/31/2015	98	No Critical Violations Observed
Raxx Billiards, 1211 Elm St			
	12/21/2015	90	No Critical Violations Observed
Red Arrow 24 Hr. Diner, 61 Lowell St			

Facility	Inspection Date	Score	Violation
	12/3/2015	94	No Critical Violations Observed
Rev. Raymond Burns Highrise, 55 So. Main St			
	12/21/2015	99	No Critical Violations Observed
Rimmon Club, 595 Dubuque St			
	12/28/2015	83	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF. 12- HYGIENIC PRACTICES (SMOKING) - Employees were smoking in an unapproved location. 12-HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations.
Rite Aid #10275, 50 So. Willow St			
	12/30/2015	97	No Critical Violations Observed
Rivas Meat Market, LLC, 158 Spruce St			
	12/8/2015	81	01-SPOILAGE - Spoiled food or moldy ice observed. 03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Sacred Heart Parish, 265 So. Main St			
	12/15/2015	96	No Critical Violations Observed
Saigon Noodles Restaurant, 342 Lincoln St			
	12/30/2015	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Sam's Club #6669, 200 John E. Devine Dr			
	12/28/2015	98	No Critical Violations Observed
Sandy's Variety and Sub Shop, 2281 Candia Rd			
	12/4/2015	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
Shiloh Community Church, 55 Edmond Dr			
	12/28/2015	99	No Critical Violations Observed
Shiloh Life Center, 55 Edmond St			
	12/28/2015	95	No Critical Violations Observed
Shorty's Mexican Roadhouse, 1050 Bicentennial Dr			
	12/15/2015	89	No Critical Violations Observed
Sophia Nadeau's Subs & Salads Wraps, 805 Canal St			
	12/14/2015	98	No Critical Violations Observed
South Willow St. Shell #02026, 1932 So. Willow St			
	12/24/2015	90	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Souvlaki Pizza, 256 Bridge St			
	12/10/2015	89	No Critical Violations Observed
Springhill Suites Manchester, 975 Perimeter Rd			
	12/11/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed

Facility	Inspection Date	Score	Violation
St. Joseph Community Services, 151 Douglas St			
	12/18/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
St. Paul's Methodist Church, 335 Smyth Rd			
	12/15/2015	99	No Critical Violations Observed
St. Teresa Rehabilitation & Nursing, 519 Bridge St			
	12/22/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Starbucks Coffee, 1111 So. Willow St			
	12/15/2015	93	No Critical Violations Observed
Ste. Marie Child Care, 133 Wayne St			
	12/15/2015	98	No Critical Violations Observed
Ste. Marie Parish Cafeteria, 281 Cartier St			
	12/15/2015	98	No Critical Violations Observed
Ste. Marie Parish, 378 Notre Dame Ave			
	12/15/2015	96	No Critical Violations Observed
Strange Brew Tavern, 88 Market St			
	12/21/2015	90	No Critical Violations Observed
Subway, 300 Keller St			
	12/9/2015	94	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Subway, 777 So. Willow St			
	12/10/2015	96	No Critical Violations Observed
Subway, 997 Elm St			
	12/16/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Sunshine Scoops, 210 Lowell St			
	12/10/2015	98	No Critical Violations Observed
Super 8 Motel, 2301 Brown Ave			
	12/30/2015	96	No Critical Violations Observed
Taco Bell #29271, 1045 So. Willow St			
	12/15/2015	87	30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Taj India, 967 Elm St			
	12/4/2015	79	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of

Facility	Inspection Date	Score	Violation
			pests.
Texas Roadhouse, 1525 So. Willow St			
	12/30/2015	83	12-HYGIENIC PRACTICES (OTHER) - Personnel - Hygenic Practices - Other violations.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
The Bridge Cafe, 1117 Elm St			
	12/17/2015	82	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
The Courville @ Manchester, 44 W. Webster St			
	12/10/2015	97	No Critical Violations Observed
The Derryfield Restaurant, 625 Mammoth Rd			
	12/28/2015	92	No Critical Violations Observed
The Growing Years, 130 Harvell St			
	12/7/2015	97	No Critical Violations Observed
The Gyro Spot, 1073 Elm St			
	12/18/2015	96	No Critical Violations Observed
The Kitchen on River Road, 1362 River Rd			
	12/4/2015	95	No Critical Violations Observed
The Palace Theatre, 80 Hanover St			
	12/11/2015	97	No Critical Violations Observed
The Pint Public House, 1111 Elm St			
	12/31/2015	88	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
The Shaskeen Irish Pub, 909 Elm St			
	12/9/2015	89	No Critical Violations Observed
The Stuffed Sub, 1293 Elm St			
	12/16/2015	97	No Critical Violations Observed
The Way We Cook, 1361 Elm St			
	12/3/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Theo's Restaurant, 102 Elm St			
	12/29/2015	94	No Critical Violations Observed
Tio Juan's Margaritas Mexican Restaurant, 1037 Elm St			
	12/31/2015	97	No Critical Violations Observed
TN Gas and Convenience Store, 90 Bridge St			
	12/7/2015	98	No Critical Violations Observed
Toys "R" Us, 2 Keller St			
	12/9/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION -

Facility	Inspection Date	Score	Violation
			No violations were noted during this inspection.
			No Violations Observed
Tutti Frutti of Manchester NH, 1500 So. Willow St			
	12/16/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Uncle Bob's Superette, 435 Kelley St			
	12/8/2015	98	No Critical Violations Observed
Union Street Market, 621 Union St			
	12/15/2015	92	No Critical Violations Observed
Unwine'd, 865 Second St			
	12/31/2015	90	35-PEST CONTROL PRACTICES - Unapproved pest control methods were used.
USA Chicken and Biscuit, 990 Elm St			
	12/23/2015	96	No Critical Violations Observed
Villa Crest Nursing & Retirement, 1276 Hanover St			
	12/22/2015	98	No Critical Violations Observed
Villaggio Ristorante, 677 Hooksett Rd			
	12/28/2015	97	No Critical Violations Observed
W. R. Taverna, 201 Merrimack St			
	12/21/2015	97	No Critical Violations Observed
Wal-Mart Stores, Inc #2399, 300 Keller St			
	12/9/2015	99	No Critical Violations Observed
Washington Manor, 233 Prospect St			
	12/14/2015	97	No Critical Violations Observed
Washington Manor, 67 Prospect St			
	12/14/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Wendy's, 675 So. Willow St			
	12/17/2015	86	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
Whiskey's 20, 20 Old Granite St			
	12/30/2015	82	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
Wild Rover Pub, 21 Kosciuszko St			
	12/30/2015	86	03-COLD HOLDING TEMPERATURE - Potentially hazardous

Facility	Inspection Date	Score	Violation
			foods were not held at or below 41øF.
William B. Cashin Senior Services Department, 151 Douglas St			
	12/18/2015	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Winter Garden Cafe, 150 Ash St			
	12/28/2015	92	No Critical Violations Observed
Workmen's Relief Club, 183 Douglas St			
	12/29/2015	89	31-HANDWASHING- NUMBER - The establishment had an insufficient number of handsinks.
XO on Elm, 827 Elm St			
	12/14/2015	96	No Critical Violations Observed
Yee Dynasty, 830 So. Willow St			
	12/22/2015	77	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-HANDS WASHED - Employees were not washing hands when required.
			12-HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
Z-J Market, 266 Bridge St			
	12/8/2015	98	No Critical Violations Observed
Zoey's Pizza, 2160 Candia Rd			
	12/31/2015	80	41-TOXICS LABELED - Toxic items were not labeled as to their contents.